

Supplemental Table 1. Primer sequences used for PCR amplification

Gene		Primer sequences (in 5'→3' direction)	Annealing temperature (°C)
AHSG	Forward	GTGATGATCCAGAAGCAGAGC	54°C
	Reverse	CGTTATGGTGTAGTGTCTGAG	
BCL6	Forward	CCGGCACCTTCAGACTCTGA	50°C
	Reverse	CGTGCTTCTGGCGCAAGT	
CDC2A	Forward	AAGCGAGGAAGAAGGAGTGCCCAG	56°C
	Reverse	TCCAAACGCTCTGGCAAGGCC	
CHI3L1	Forward	ACTAGGAGAAGCCATCATGC	50°C
	Reverse	TCCTGTGGTGAACCTAGTTC	
LBP	Forward	GTTAAGAACACCAGAGCCAG	50°C
	Reverse	CCATAGAGAAGGTACCACG	
LGALS1	Forward	GAGCAGGTCTCAGGAATCTC	50°C
	Reverse	GAGTCACTGGAGAGAACACG	
ORM1	Forward	GATGTTGGAAGCTCAGAACC	52°C
	Reverse	CTTCTTCGTCGAACTCAACC	
PRC1	Forward	CTATGATATTGACAGTGCCTCAGTGC	60°C
	Reverse	TATTTGCAACCTGTCCCAGAGCTCTCG	
GAPDH	Forward	GAA GCT CAC TGG CAT GGC CT	54°C
	Reverse	ACT TGG CAG GTT CCA GG	