Supplementary file 2: Microphotographs of collected monogenean species

Fig. S1 *Dactylogyrus anoigeus* n. sp. ex *Acanthobrama marmid*. Microphotograph of (a) the haptoral structures and (b) the male copulatory organ and vagina.



Fig. S2 *Dactylogyrus medicus* n. sp. ex *Garra rufa*. Microphotograph of (a) the haptoral structures and (b) the male copulatory organ.



Fig. S3 *Dactylogyrus regius* n. sp. ex *Chondrostoma regium*. Microphotograph of (a) the haptoral structures and (b) the male copulatory organ and vagina.



Fig. S4 *Dactylogyrus rivalis* n. sp. ex *Squalius lepidus*. Microphotograph of (a) the haptoral structures and (b) the male copulatory organ and vagina.



Fig. S5 Microphotographs of the newly-described *Gyrodactylus* spp.

- (A) photo illustrating haptor of G. azeezsaeedi n. sp. ex. Squalius berak;
- (B) photo illustrating haptor of G. blazeki n. sp. ex Alburnus sp.;
- (C) photo illustrating haptor of G. iraqemembranatus n. sp. ex Paracapoeta trutta;
- (D) photo illustrating haptor of *G. jurajdai* n. sp. ex *Chondrostoma regium*;
- (E) photo illustrating haptor of *G. mhaiseni* n. sp. ex Alburnus sellal;
- (F) photo illustrating haptor of G. sandai n. sp. ex Capoeta umbla;
- (G) photo illustrating haptor of G. satanicus n. sp. ex Garra rufa;
- (H) photo illustrating haptor of G. vukicae n. sp. ex Garra rufa



Fig. S6 Microphotographs of the collected Dogielius spp.

- (A) photo illustrating haptor+MCO+Vagina of *Dogielius molnari* ex. *Cyprinion macrostomum*;
- (B) photo illustrating the haptor of *D. mokhayeri* ex. *Paracapoeta trutta*;
- (C) photo illustrating MCO+Vagina of *D. mokhayeri* ex. *Paracapoeta trutta*;
- (D) photo illustrating the haptor of *Dogielius cf. persicus* ex. *Carasobarbus luteus*;
- (E) photo illustrating MCO+Vagina of *Dogielius cf. persicus* ex. *Carasobarbus luteus*

