

# ***Tags on seabirds: how seriously are instrument-induced behaviours considered?***

***SP Vandenabeele, RP Wilson and A Grogan***

***Animal Welfare 20: 559-571***

## **Appendix 1 Literature reviewed and analysed.**

NB (Letters in square bracket at the end of the reference refer to the categories in which the paper examined the device effects according to the abbreviations given in Table 1)

### **DIRECT PAPERS**

- Ackerman JT, Adams J, Takekawa JY, Carter HR, Whitworth DL, Newman SH, Golightly RT and Orthmeyer DL** 2004 Effects of radiotransmitters on the reproductive performance of Cassin's auklets. *Wildlife Society Bulletin* 32: 1229-1241 [BS]
- Ballard G, Ainley DG, Ribic CA and Barton KR** 2001 Effect of instrument attachment and other factors on foraging trip duration and nesting success of Adélie penguins. *Condor* 103: 481-490 [FB, BS]
- Barham PJ, Underhill LG, Crawford RJM, Leshoro TM and Bolton DA** 2008 Impact of flipper-banding on breeding success of African penguins *Spheniscus demersus* at Robben Island: comparisons among silicone rubber bands, stainless-steel bands and no bands. *African Journal of Marine Science* 30: 595-602 [BS]
- Croll DA, Boveng PL and Bengtson JL** 1996 Foraging behavior and reproductive success in chinstrap penguins: the effects of transmitter attachment. *Journal of Field Ornithology* 67: 1-9 [FB, BS]
- Culik B and Wilson RP** 1991 Swimming energetics and performance of instrumented Adélie penguins (*Pygoscelis adeliae*). *Journal of Experimental Biology* 158: 355-368 [DB, E]
- Culik BM, Bannasch R and Wilson RP** 1994 External devices on penguins - how important is shape. *Marine Biology* 118: 353-357 [DB, E]
- Culik BM and Wilson RP** 1992 Field metabolic rates of instrumented Adélie penguins using double-labeled water. *Journal of Comparative Physiology B: Biochemical Systemic and Environmental Physiology* 162: 567-573 [TB, E]
- Culik BM, Wilson RP and Bannasch R** 1993 Flipper-bands on penguins: what is the cost of a life-long commitment? *Marine ecology progress series* 98: 209-214 [E]
- Dugger KM, Ballard G, Ainley DG and Barton KJ** 2006 Effects of flipper bands on foraging behavior and survival of Adélie Penguins (*Pygoscelis adeliae*). *Auk* 123: 858-869 [FB, MR]
- Froget G, Gautier-Clerc M, Le Maho Y and Handrich Y** 1998 Is Penguin banding harmless? *Polar Biology* 20: 409-413 [BS]
- Gauthier-Clerc M, Gendner JP, Ribic CA, Fraser WR, Woehler EJ, Descamps S, Gilly C, Le Bohec C and Le Maho Y** 2004 Long-term effects of flipper bands on penguins. *Proceedings of the Royal Society B: Biological Sciences* 271: 423-426 [BS, MR]
- Green JA, Tanton JL, Woakes AJ, Boyd IL and Butler PJ** 2004 Effects of long-term implanted data loggers on macaroni penguins *Eudyptes chrysolophus*. *Journal of Avian Biology* 35: 370-376 [FC, PC, BS, MR]
- Hatch SA, Meyers PM, Mulcahy DM and Douglas DC** 2000 Performance of implantable satellite transmitters in diving seabirds. *Waterbirds* 23: 84-94 [MR]

- Hamel NJ, Parrish JK and Conquest LL** 2004 Effects of tagging on behavior, provisioning, and reproduction in the common murre (*Uria aalge*), a diving seabird. *Auk* 121: 1161-1171 [FC, TB, BS]
- Hull CL** 1997 The effect of carrying devices on breeding royal penguins. *Condor* 99: 530-534 [FB, PC, BS]
- Igual JM, Forero MG, Tavecchia G, Gonzalez-Solis J, Martinez-Abraín A, Hobson KA, Ruiz X and Oro D** 2005 Short-term effects of data-loggers on Cory's shearwater (*Calonectris diomedea*). *Marine Biology* 146: 619-624 [FB, PC, BS]
- Mallory ML and Gilbert CD** 2008 Leg-loop harness design for attaching external transmitters to seabirds. *Marine Ornithology* 36: 183-188 [BS]
- Meyers PM, Hatch SA and Mulcahy DM** 1998 Effect of implanted satellite transmitters on the nesting behavior of murrelets. *Condor* 100: 172-174 [BS]
- Miller GD and Davis LS** 1993 Foraging flexibility of Adélie penguins *Pygoscelis adeliae* - consequences for an indicator species. *Biological Conservation* 63: 223-230 [FB]
- Morris RD and Burness GP** 1992 A new procedure for transmitter attachment - effects on brood attendance and chick feeding rates by male common terns. *Condor* 94: 239-243 [BS]
- Navarro J, Gonzalez-Solis J, Viscor G and Chastel O** 2008 Ecophysiological response to an experimental increase of wing loading in a pelagic seabird. *Journal of Experimental Marine Biology And Ecology* 358: 14-19 [FB, PC]
- Paredes R, Jones IL and Boness DJ** 2005 Reduced parental care, compensatory behaviour and reproductive costs of thick-billed murrelets equipped with data loggers. *Animal Behaviour* 69: 197-208 [FB, PC, BS]
- Peery MZ, Beissinger SR, Burkett E and Newman SH** 2006 Local survival of marbled murrelets in central California: roles of oceanographic processes, sex, and radiotagging. *Journal of Wildlife Management* 70: 78-88 [MR]
- Phillips RA, Xavier JC and Croxall JP** 2003 Effects of satellite transmitters on albatrosses and petrels. *Auk* 120: 1082-1090 [FB, BS]
- Rayner MJ** 2007 Effects of dummy global location sensors on foraging behavior of Cook's petrel (*Pterodroma cookii*). *Wilson Journal of Ornithology* 119: 107-109 [FB]
- Ropert-Coudert Y, Bost CA, Handrich Y, Bevan RM, Butler PJ, Woakes AT and Le Maho Y** 2000 Impact of externally attached loggers on the diving behaviour of the king penguin. *Physiological and Biochemical Zoology* 73: 438-445 [DB]
- Ropert-Coudert Y, Knott N, Chiaradia A and Kato A** 2007 How do different data logger sizes and attachment positions affect the diving behaviour of little penguins? *Deep-Sea Research Part II* 54: 415-423 [FB, DB]
- Ropert-Coudert Y, Wilson RP, Yoda K and Kato A** 2007 Assessing performance constraints in penguins with externally-attached devices. *Marine Ecology Progress Series* 333: 281-289 [DB]
- Simeone A, Wilson RP, Knauf G, Knauf W and Schutzendube J** 2002 Effects of attached data-loggers on the activity budgets of captive Humboldt penguins. *Zoo Biology* 21: 365-373 [TB]
- Söhle IS** 2003 Effects of satellite telemetry on sooty shearwater, *Puffinus griseus*, adults and chicks. *Emu* 103: 373-379 [TB, BS]
- Söhle IS, Moller H, Fletcher D and Robertson CJR** 2000 Telemetry reduces colony attendance by sooty shearwaters (*Puffinus griseus*). *New Zealand Journal of Zoology* 27: 357-365 [TB, BS]
- Taylor SS, Leonard ML and Boness DJ** 2001 Foraging trip duration increases for Humboldt penguins tagged with recording devices. *Journal of Avian Biology* 32: 369-372 [FB]

- Tremblay Y, Cherel Y, Oremus M, Tveraa T and Chastel O** 2003 Unconventional ventral attachment of time–depth recorders as a new method for investigating time budget and diving behaviour of seabirds. *Journal of Experimental Biology* 206: 1929-1940 [FB]
- Wanless S** 1992 Effects of tail-mounted devices on the attendance behavior of kittiwakes during chick rearing. *Journal of Field Ornithology* 63: 169-176 [TB]
- Watanuki Y, Mori Y and Naito Y** 1992 Adélie penguin parental activities and reproduction - effects of device size and timing of its attachment during chick rearing period. *Polar Biology* 12: 539-544 [FB, PC, BS]
- Whidden SE, Williams CT, Breton AR and Buck CL** 2007 Effects of transmitters on the reproductive success of tufted puffins. *Journal of Field Ornithology* 78: 206-212 [BS]
- Wilson RP, Coria NR, Spairani HJ, Adelung D and Culik B** 1989 Human-induced behaviour in Adélie penguins *Pygoscelis adeliae*. *Polar Biology* 10: 77-80 [FB, BS]
- Wilson RP, Kreye JM, Lucke K and Urquhart H** 2004 Antennae on transmitters on penguins: balancing energy budgets on the high wire. *Journal of Experimental Biology* 207: 2649-2662 [E]

## INDIRECT PAPERS

- Ackerman JT, Bluso-Demers JD and Takekawa JY** 2009 Postfledging Forster's tern movements, habitat selection, and colony attendance in San Francisco Bay. *Condor* 111: 100-110
- Ackerman JT, Eagles-Smith CA, Takekawa JY and Iverson SA** 2008 Survival of postfledging Forster's terns in relation to mercury exposure in San Francisco Bay. *Ecotoxicology* 17: 789-801
- Adams NJ and Navarro RA** 2005 Foraging of a coastal seabird: flight patterns and movements of breeding Cape gannets *Morus capensis*. *African Journal of Marine Science* 27: 239-248
- Aguiar JS, Benvenuti S, Dall'Antonia L, MacMinn-Grivé M and Mayol-Serra J** 2003 Preliminary results on the foraging ecology of Balearic shearwaters (*Puffinus mauretanicus*) from bird-borne data loggers. *Scientia Marina* 67: 129-134
- Ainley DG, Ford RG, Brown ED, Suryan RM and Irons DB** 2003 Prey resources, competition, and geographic structure of kittiwake colonies in Prince William Sound. *Ecology* 84: 709-723
- Ainley DG, Ribic CA, Ballard G, Heath S, Gaffney I, Karl BJ, Barton KJ, Wilson PR and Webb S** 2004 Geographic structure of Adélie penguin populations: overlap in colony-specific foraging areas. *Ecological monographs* 74: 159-178
- Ainley DG, Wilson PR, Barton KJ, Ballard G, Nur N and Karl B** 1998 Diet and foraging effort of Adélie penguins in relation to pack-ice conditions in the southern Ross Sea. *Polar Biology* 20: 311-319
- Akesson S and Welmerskirch H** 2005 Albatross long-distance navigation: comparing adults and juveniles. *Journal of Navigation* 58: 365-373
- Ancel A** 1997 Prey ingestion revealed by oesophagus and stomach temperature recordings in cormorants. *Journal of Experimental Biology* 200: 149-154
- Ancel A, Fetter L and Groscolas R** 1998 Changes in egg and body temperature indicate triggering of egg desertion at a body mass threshold in fasting incubating blue petrels (*Halobaena caerulea*). *Journal of Comparative Physiology B: Biochemical Systemic and Environmental Physiology* 168: 533-539
- Anderson CD, Roby DD and Collis K** 2004 Foraging patterns of male and female double-crested cormorants nesting in the Columbia River estuary. *Canadian Journal of Zoology* 82: 541-554
- Anderson DJ, Sievert PR, Andrewslabenski J and Ricklefs RE** 1991 A miniature activity recorder for plunge-diving seabirds. *Auk* 108: 257-263
- Anderson SK, Roby DD, Lyons DE and Collis K** 2007 Relationship of Caspian tern foraging ecology to nesting success in the Columbia River estuary, Oregon, USA. *Estuarine Coastal and Shelf Science* 73: 447-456
- Angelier F, Bost CA, Giraudeau M, Bouteloup G, Dano S and Chastel O** 2008 Corticosterone and foraging behavior in a diving seabird: The Adélie penguin, *Pygoscelis adeliae*. *General and Comparative Endocrinology* 156: 134-144
- Angelier F, Clement-Chastel C, Gabrielsen GW and Chastel O** 2007 Corticosterone and time-activity black-legged budget: an experiment with kittiwakes. *Hormones and Behavior* 52: 482-491
- Angelier F, Shaffer SA, Weimerskirch H, Trouve C and Chastel O** 2007 Corticosterone and foraging behavior in a pelagic seabird. *Physiological and Biochemical Zoology* 80: 283-292

- Awkerman JA, Fukuda A, Higuchi H and Anderson DJ** 2005 Foraging activity and submesoscale habitat use of waved albatrosses *Phoebastria irrorata* during chick-brooding period. *Marine Ecology Progress Series* 291: 289-300
- Barlow KE and Croxall JP** 2002 Provisioning behaviour of macaroni penguins *Eudyptes chrysolophus*. *Ibis* 144: 248-258
- Barlow KE and Croxall JP** 2002 Seasonal and interannual variation in foraging range and habitat of macaroni penguins *Eudyptes chrysolophus* at South Georgia. *Marine Ecology-Progress Series* 232: 291-304
- Becker PH, Dittmann T, Ludwigs JD, Limmer B, Ludwig SC, Bauch C, Braasch A and Wendeln H** 2008 Timing of initial arrival at the breeding site predicts age at first reproduction in a long-lived migratory bird. *Proceedings of the National Academy of Sciences of the United States of America* 105: 12349-12352
- Benvenuti S, Dall'Antonia L and Lyngs P** 2001 Foraging behaviour and time allocation of chick-rearing razorbills *Alca torda* at Graesholmen, central Baltic Sea. *Ibis* 143: 402-412
- Berrow SD, Wood AR and Prince PA** 2000 Foraging location and range of white-chinned petrels *Procellaria aequinoctialis* breeding in the South Atlantic. *Journal of Avian Biology* 31: 303-311
- Bethge P, Nicol S, Culik BM and Wilson RP** 1997 Diving behaviour and energetics in breeding little penguins (*Eudyptula minor*). *Journal of Zoology* 242: 483-502
- Bevan RM, Butler PJ, Woakes AJ and Boyd IL** 2002 The energetics of gentoo penguins, *Pygoscelis papua*, during the breeding season. *Ecology* 16: 175-190
- Bocher P, Labidoire B and Cherel Y** 2000 Maximum dive depths of common diving petrels (*Pelecanoides urinatrix*) during the annual cycle at Mayes Island, Kerguelen. *Journal of Zoology* 251: 517-524
- Boersma PD, Stokes DL and Strange IJ** 2002 Applying ecology to conservation: tracking breeding penguins at New Island South Reserve, Falkland Islands. *Aquatic Conservation: Marine And Freshwater Ecosystems* 12: 63-74
- Bost CA, Charrassin JB, Clerquin Y, Ropert-Coudert Y and Le Maho Y** 2004 Exploitation of distant marginal ice zones by king penguins during winter. *Marine Ecology Progress Series* 283: 293-297
- Bost CA, Georges JY, Guinet C, Cherel Y, Pütz K, Charrassin JB, Handrich Y, Zorn T, Lage J and Le Maho Y** 1997 Foraging habitat and food intake of satellite-tracked king penguins during the austral summer at Crozet Archipelago. *Marine Ecology Progress Series* 150: 21-33
- Bost CA, Handrich Y, Butler PJ, Fahlman A, Halsey LG, Woakes AJ and Ropert-Coudert Y** 2007 Changes in dive profiles as an indicator of feeding success in king and Adélie penguins. *Deep-Sea Research Part II-Topical Studies in Oceanography* 54: 248-255
- Boyd WS, Tranquilla LMF, Ryder JL, Shisko SG and Bertram DF** 2008 Variation in marine distributions of Cassin's auklets (*Ptychoramphus aleuticus*) breeding at Triangle Island, British Columbia. *Auk* 125: 158-166
- Breton AR, Diamond AW and Kress SW** 2006 Encounter, survival, and movement probabilities from an Atlantic puffin (*Fratercula arctica*) metapopulation. *Ecological Monographs* 76: 133-149
- Breton AR, Kildaw SD, Murra K and Buck CL** 2008 Multilevel models reveal no cohort-level variation in time spent foraging to account for a collapse in kittiwake (*Rissa tridactyla*) breeding success. *Ecological Modelling* 212: 233-243
- Bugoni L, D'Alba L and Furness RW** 2009 Marine habitat use of wintering spectacled petrels *Procellaria conspicillata*, and overlap with longline fishery. *Marine Ecology Progress Series* 374: 273-285

- Catard A, Weimerskirch H and Cherel Y** 2000 Exploitation of distant Antarctic waters and close shelf-break waters by white-chinned petrels rearing chicks. *Marine Ecology Progress Series* 194: 249-261
- Catry P, Phillips RA, Phalan B, Silk JRD and Croxall JP** 2004 Foraging strategies of grey-headed albatrosses *Thalassarche chrysostoma*: integration of movements, activity and feeding events. *Marine Ecology Progress Series* 280: 261-273
- Chappell MA, Shoemaker VH, Janes DN, Bucher TL and Maloney SK** 1993 Diving behavior during foraging in breeding Adélie penguins. *Ecology* 74: 1204-1215
- Chappell MA, Shoemaker VH, Janes DN, Maloney SK and Bucher TL** 1993 Energetics of foraging in breeding Adélie penguins. *Ecology* 74: 2450-2461
- Charrassin JB and Bost CA** 2001 Utilisation of the oceanic habitat by king penguins over the annual cycle. *Marine Ecology Progress Series* 221: 285-298
- Charrassin JB, Bost CA, Pütz K, Lage J, Dahier T, Zorn T and Le Maho Y** 1998 Foraging strategies of incubating and brooding king penguins *Aptenodytes patagonicus*. *Oecologia* 114: 194-201
- Charrassin JB, Park YH, Le Maho Y and Bost CA** 2004 Fine resolution 3D temperature fields off Kerguelen from instrumented penguins. *Deep-Sea Research Part I-Oceanographic Research Papers* 51: 2091-2103
- Cherel Y, Tremblay Y, Guinard E and Georges JY** 1999 Diving behaviour of female northern rockhopper penguins, *Eudyptes chrysocome moseleyi*, during the brooding period at Amsterdam Island (Southern Indian Ocean). *Marine Biology* 134: 375-385
- Cherel Y and Weimerskirch H** 1995 Seabirds as indicators of marine resources: black-browed albatrosses feeding on ommastrephid squids in Kerguelen waters. *Marine Ecology Progress Series* 129: 295-300
- Cherel Y, Weimerskirch H and Trouve C** 2000 Food and feeding ecology of the neritic-slope forager black-browed albatross and its relationships with commercial fisheries in Kerguelen waters. *Marine Ecology Progress Series* 207: 183-199
- Clarke J, Emmerson LM and Otahal P** 2006 Environmental conditions and life history constraints determine foraging range in breeding Adélie penguins. *Marine Ecology Progress Series* 310: 247-261
- Clarke J, Kerry K, Fowler C, Lawless R, Eberhard S and Murphy R** 2003 Post-fledging and winter migration of Adélie penguins *Pygoscelis adeliae* in the Mawson region of East Antarctica. *Marine Ecology Progress Series* 248: 267-278
- Clarke J, Manly B, Kerry K, Gardner H, Franchi E, Corsolini S and Focardi S** 1998 Sex differences in Adélie penguin foraging strategies. *Polar Biology* 20: 248-258
- Clausen A and Pütz K** 2003 Winter diet and foraging range of gentoo penguins (*Pygoscelis papua*) from Kidney Cove, Falkland Islands. *Polar Biology* 26: 32-40
- Cook TR, Cherel Y and Tremblay Y** 2006 Foraging tactics of chick-rearing Crozet shags: individuals display repetitive activity and diving patterns over time. *Polar Biology* 29: 562-569
- Croll DA, Demer DA, Hewitt RP, Jansen JK, Goebel ME and Tershy BR** 2006 Effects of variability in prey abundance on reproduction and foraging in chinstrap penguins (*Pygoscelis antarctica*). *Journal of Zoology* 269: 506-513
- Croll DA, Gaston AJ, Burger AE and Konnoff D** 1992 Foraging behavior and physiological adaptation for diving in thick-billed murre. *Ecology* 73: 344-356
- Culik B, Hennicke J and Martin T** 2000 Humboldt penguins outmanoeuvring El Niño. *Journal of Experimental Biology* 203: 2311-2322
- Culik BM** 1996 Diving energetics in king penguins (*Aptenodytes patagonicus*). *Journal of Experimental Biology* 199: 973-983

- Culik BM and Luna-Jorquera G** 1997 Satellite tracking of Humboldt penguins (*Spheniscus humboldti*) in northern Chile. *Marine Biology* 128: 547-556
- Cuthbert R, Hilton G, Ryan P and Tuck GN** 2005 At-sea distribution of breeding Tristan albatrosses *Diomedea dabbenena* and potential interactions with pelagic longline fishing in the South Atlantic Ocean. *Biological Conservation* 121: 345-355
- Daunt F, Benvenuti S, Harris MP, Dall'Antonia L, Elston DA and Wanless S** 2002 Foraging strategies of the black-legged kittiwake *Rissa tridactyla* at a North Sea colony: evidence for a maximum foraging range. *Marine Ecology Progress Series* 245: 239-247
- Daunt F, Peters G, Scott B, Grémillet D and Wanless S** 2003 Rapid-response recorders reveal interplay between marine physics and seabird behaviour. *Marine Ecology Progress Series* 255: 283-288
- Davis LS and Miller GD** 1992 Satellite tracking of Adélie penguins. *Polar Biology* 12: 503-506
- Deagle BE, Gales NJ and Hindell MA** 2008 Variability in foraging behaviour of chick-rearing macaroni penguins *Eudyptes chrysolophus* and its relation to diet. *Marine Ecology Progress Series* 359: 295-309
- Dittmann T and Becker PH** 2003 Sex, age, experience and condition as factors affecting arrival date in prospecting common terns, *Sterna hirundo*. *Animal Behaviour* 65: 981-986
- Dittmann T, Ezard THG and Becker PH** 2007 Prospectors' colony attendance is sex-specific and increases future recruitment chances in a seabird. *Behavioural Processes* 76: 198-205
- Einoder LD and Goldsworthy SD** 2005 Foraging flights of short-tailed shearwaters (*Puffinus tenuirostris*) from Althorpe Island: assessing their use of neritic waters. *Transactions of the Royal Society of South Australia* 129: 209-216
- Elliott KH, Davoren GK and Gaston AJ** 2007 The influence of buoyancy and drag on the dive behaviour of an Arctic seabird, the thick-billed murre. *Canadian Journal of Zoology* 85: 352-361
- Elliott KH, Davoren GK and Gaston AJ** 2008 Increasing energy expenditure for a deep-diving bird alters time allocation during the dive cycle. *Animal Behaviour* 75: 1311-1317
- Elliott KH, Davoren GK and Gaston AJ** 2008 Time allocation by a deep-diving bird reflects prey type and energy gain. *Animal Behaviour* 75: 1301-1310
- Elliott KH, Woo K, Gaston AJ, Benvenuti S, Dall'Antonia L and Davoren GK** 2008 Seabird foraging behaviour indicates prey type. *Marine Ecology Progress Series* 354: 289-303
- Enstipp MR, Grémillet D and Jones DR** 2007 Investigating the functional link between prey abundance and seabird predatory performance. *Marine Ecology Progress Series* 331: 267-279
- Falk K, Benvenuti S, Dall'Antonia L, Gilchrist G and Kampp K** 2002 Foraging behaviour of thick-billed murre breeding in different sectors of the North Water polynya: an inter-colony comparison. *Marine Ecology Progress Series* 231: 293-302
- Falk K, Benvenuti S, Dall'Antonia L, Kampp KAJ and Ribolini A** 2000 Time allocation and foraging behaviour of chick-rearing Brunnich's guillemots *Uria lomvia* in high-arctic Greenland. *Ibis* 142: 82-92
- Falk K and Møller S** 1995 Satellite tracking of high-arctic northern fulmars. *Polar Biology* 15: 495-502
- Fauchald P and Tveraa T** 2003 Using first-passage time in the analysis of area-restricted search and habitat selection. *Ecology* 84: 282-288
- Fauchald P and Tveraa T** 2006 Hierarchical patch dynamics and animal movement pattern. *Oecologia* 149: 383-395

- Felicísimo AM, Munoz J and Gonzalez-Solis J** 2008 Ocean surface winds drive dynamics of transoceanic aerial movements. *PLoS ONE* 3: e2928
- Fernández P and Anderson DJ** 2000 Nocturnal and diurnal foraging activity of Hawaiian albatrosses detected with a new immersion monitor. *Condor* 102: 577-584
- Fernandez P, Anderson DJ, Sievert PR and Huyvaert K** 2001 Foraging destinations of three low-latitude albatross (Phoebastria) species. *Journal Of Zoology* 254: 391-404
- Fischer KN, Suryan RM, Roby DD and Balogh GR** 2009 Post-breeding season distribution of black-footed and Laysan albatrosses satellite-tagged in Alaska: inter-specific differences in spatial overlap with North Pacific fisheries. *Biological Conservation* 142: 751-760
- Fraser GS, Jones IL and Hunter FM** 2002 Male-female differences in parental care in monogamous crested auklets. *Condor* 104: 413-423
- Froget G, Butler PJ, Woakes AJ, Fahlman A, Kuntz G, Le Maho Y and Handrich Y** 2004 Heart rate and energetics of free-ranging king penguins (*Aptenodytes patagonicus*). *Journal of Experimental Biology* 207: 3917-3926
- Furness RW, Crane JE, Bearhop S, Garthe S, Käckelä A, Käckelä R, Kelly A, Kubetzki U, Votier SC and Waldron S** 2006 Techniques to link individual migration patterns of seabirds with diet specialization, condition and breeding performance. *Ardea* 94: 631-638
- Garthe S, Benvenuti S and Montevecchi WA** 2000 Pursuit plunging by northern gannets (*Sula bassana*) feeding on capelin (*Mallotus villosus*). *Proceedings of the Royal Society of London Series B: Biological Sciences* 267: 1717-1722
- Garthe S, Benvenuti S and Montevecchi WA** 2003 Temporal patterns of foraging activities of northern gannets, *Morus bassanus*, in the northwest Atlantic Ocean. *Canadian Journal of Zoology/Revue Canadienne de Zoologie* 81: 453-461
- Garthe S, Grémillet D and Furness RW** 1999 At-sea-activity and foraging efficiency in chick-rearing northern gannets *Sula bassana*: a case study in Shetland. *Marine Ecology Progress Series* 185: 93-99
- Garthe S, Montevecchi WA, Chapdelaine G, Rail JF and Hedd A** 2007 Contrasting foraging tactics by northern gannets (*Sula bassana*) breeding in different oceanographic domains with different prey fields. *Marine Biology* 151: 687-694
- Garthe S, Montevecchi WA and Davoren GK** 2007 Flight destinations and foraging behaviour of northern gannets (*Sula bassana*) preying on a small forage fish in a low-Arctic ecosystem. *Deep-Sea Research Part II-Topical Studies in Oceanography* 54: 311-320
- Georges JY, Guinet C, Jouventin P and Weimerskirch H** 1997 Satellite tracking of seabirds: interpretation of activity pattern from the frequency of satellite locations. *Ibis* 139: 403-405
- González-Solís J, Becker PH and Wendeln H** 1999 Divorce and asynchronous arrival in common terns, *Sterna hirundo*. *Animal behaviour* 58: 1123-1129
- González-Solís J, Croxall J and Briggs D** 2002 Activity patterns of giant petrels, *Macronectes spp.*, using different foraging strategies. *Marine Biology* 140: 197-204
- González-Solís J, Croxall JP and Afanasyev V** 2007 Offshore spatial segregation in giant petrels *Macronectes spp.*: differences between species, sexes and seasons. *Aquatic Conservation: Marine and Freshwater Ecosystems* 17: S22-S36
- González-Solís J, Croxall JP, Oro D and Ruiz X** 2007 Trans-equatorial migration and mixing in the wintering areas of a pelagic seabird. *Frontiers in Ecology and the Environment* 5: 297-301
- González-Solís J, Croxall JP and Wood AG** 2000 Foraging partitioning between giant petrels *Macronectes spp.* and its relationship with breeding population changes at Bird Island, South Georgia. *Marine Ecology Progress Series* 204: 279-288



- González-Solís J, Croxall JP and Wood AG** 2000 Sexual dimorphism and sexual segregation in foraging strategies of northern giant petrels, *Macronectes halli*, during incubation. *Oikos* 90: 390-398
- Granadeiro JP, Nunes M, Silva MC and Furness RW** 1998 Flexible foraging strategy of Cory's shearwater, *Calonectris diomedea*, during the chick-rearing period. *Animal Behaviour* 56: 1169-1176
- Green JA, Boyd IL, Woakes AJ, Green CJ and Butler PJ** 2007 Feeding, fasting and foraging success during chick rearing in macaroni penguins. *Marine Ecology Progress Series* 346: 299-312
- Green JA, Butler PJ, Woakes AJ and Boyd IL** 2002 Energy requirements of female macaroni penguins breeding at South Georgia. *Ecology* 16: 671-681
- Green JA, Butler PJ, Woakes AJ and Boyd IL** 2003 Energetics of diving in macaroni penguins. *Journal of Experimental Biology* 206: 43-57
- Green K, Williams R and Green MG** 1998 Foraging ecology and diving behaviour of macaroni penguins *Eudyptes chrysolophus* at Heard Island. *Marine Ornithology* 26: 27-34
- Grémillet D, Enstipp MR, Boudiffa M and Liu H** 2006 Do cormorants injure fish without eating them? An underwater video study. *Marine Biology* 148: 1081-1087
- Grémillet D, Kuntz G, Delbart F, Mellet M, Kato A, Robin JP, Chaillon PE, Gendner JP, Lorentsen SH and Le Maho Y** 2004 Linking the foraging performance of a marine predator to local prey abundance. *Functional Ecology* 18: 793-801
- Grémillet D, Kuntz G, Gilbert C, Woakes AJ, Butler PJ and le Maho Y** 2005 Cormorants dive through the Polar night. *Biology Letters* 1: 469-471
- Grémillet D, Kuntz G, Woakes AJ, Gilbert C, Robin JP, Le Maho Y and Butler PJ** 2005 Year-round recordings of behavioural and physiological parameters reveal the survival strategy of a poorly insulated diving endotherm during the Arctic winter. *Journal of Experimental Biology* 208: 4231-4241
- Grémillet D, Pichegru L, Siorat F and Georges JY** 2006 Conservation implications of the apparent mismatch between population dynamics and foraging effort in French northern gannets from the English Channel. *Marine Ecology Progress Series* 319: 15-25
- Grémillet D, Wilson RP, Storch S and Gary Y** 1999 Three-dimensional space utilization by a marine predator. *Marine Ecology Progress Series* 183: 263-273
- Grémillet D, Wilson RP, Wanless S and Chater T** 2000 Black-browed albatrosses, international fisheries and the Patagonian Shelf. *Marine Ecology Progress Series* 195: 269-280
- Grémillet DJH and Plos AL** 1994 The use of stomach temperature records for the calculation of daily food-intake in cormorants. *Journal of Experimental Biology* 189: 105-115
- Guilford TC, Meade J, Freeman R, Biro D, Evans T, Bonadonna F, Boyle D, Roberts S and Perrins CM** 2008 GPS tracking of the foraging movements of Manx shearwaters *Puffinus puffinus* breeding on Skomer Island, Wales. *Ibis* 150: 462-473
- Guinet C, Koudil M, Bost CA, Durbec JP, Georges JY, Mouchot MC and Jouventin P** 1997 Foraging behaviour of satellite-tracked king penguins in relation to sea-surface temperatures obtained by satellite telemetry at Crozet Archipelago, a study during three austral summers. *Marine Ecology Progress Series* 150: 11-20
- Hamel NJ, Parrish JK and Laake J** 2008 Linking colonies to fisheries: Spatio-temporal overlap between common murrens (*Uria aalge*) from Tatoosh Island and coastal gillnet fisheries in the Pacific Northwest, USA. *Biological Conservation* 141: 3101-3115
- Hamer KC, Humphreys EM, Garthe S, Hennicke J, Peters G, Grémillet D, Phillips RA, Harris MP and Wanless S** 2007 Annual variation in diets, feeding locations and foraging behaviour of gannets in the North Sea: flexibility, consistency and constraint. *Marine Ecology Progress Series* 338: 5-305

- Hamer KC, Phillips RA, Hill JK, Wanless S and Wood AG** 2001 Contrasting foraging strategies of gannets *Morus bassanus* at two north Atlantic colonies: foraging trip duration and foraging area fidelity. *Marine Ecology Progress Series* 224: 283-290
- Hamer KC, Phillips RA, Wanless S, Harris MP and Wood AG** 2000 Foraging ranges, diets and feeding locations of gannets *Morus bassanus* in the North Sea: evidence from satellite telemetry. *Marine Ecology Progress Series* 200: 257-264
- Hamilton CD, Golightly RT and Takekawa JY** 2005 Characteristics of diving in radio-marked Xantus's murrelets. *Marine Ornithology* 33: 155-159
- Harding AMA, Egevang C, Walkusz W, Merkel F, Blanc S and Grémillet D** 2009 Estimating prey capture rates of a planktivorous seabird, the little auk (*Alle alle*), using diet, diving behaviour, and energy consumption. *Polar Biology* 32: 785-796
- Hatch SA, Meyers PM, Mulcahy DM and Douglas DC** 2000 Seasonal movements and pelagic habitat use of murrelets and puffins determined by satellite telemetry. *Condor* 102: 145-154
- Hawkins PAJ, Butler PJ, Woakes AJ and Gabrielsen GW** 1997 Heat increment of feeding in Brunnich's guillemot *Uria lomvia*. *Journal of Experimental Biology* 200: 1757-1763
- Hedd A, Gales R and Brothers N** 2001 Foraging strategies of shy albatross *Thalassarche cauta* breeding at Albatross Island, Tasmania, Australia. *Marine Ecology Progress Series* 224: 267-282
- Hedd A, Regular PM, Montevecchi WA, Buren AD, Burke CM and Fifield DA** 2009 Going deep: common murrelets dive into frigid water for aggregated, persistent and slow-moving capelin. *Marine Biology* 156: 741-751
- Hennicke JC and Culik BM** 2005 Foraging performance and reproductive success of Humboldt penguins in relation to prey availability. *Marine Ecology Progress Series* 296: 173-181
- Hoskins AJ, Dann P, Ropert-Coudert Y, Kato A, Chiaradia A, Costa DP and Arnould JPY** 2008 Foraging behaviour and habitat selection of the little penguin *Eudyptula minor* during early chick rearing in Bass Strait, Australia. *Marine Ecology Progress Series* 366: 293-303
- Hull CL, Hindell MA and Michael K** 1997 Foraging zones of royal penguins during the breeding season, and their association with oceanographic features. *Marine Ecology Progress Series* 153: 217-228
- Hyrenbach KD and Dotson RC** 2003 Assessing the susceptibility of female black-footed albatross (*Phoebastria nigripes*) to longline fisheries during their post-breeding dispersal: an integrated approach. *Biological Conservation* 112: 391-404
- Hyrenbach KD, Fernández P and Anderson DJ** 2002 Oceanographic habitats of two sympatric North Pacific albatrosses during the breeding season. *Marine Ecology Progress Series* 233: 283-301
- Hyrenbach KD, Keiper C, Allen SG, Ainley DG and Anderson DJ** 2006 Use of marine sanctuaries by far-ranging predators: commuting flights to the California Current System by breeding Hawaiian albatrosses. *Fisheries Oceanography* 15: 95-103
- Irons DB** 1998 Foraging area fidelity of individual seabirds in relation to tidal cycles and flock feeding. *Ecology* 79: 647-655
- Ishikawa K and Watanuki Y** 2002 Sex and individual differences in foraging behavior of Japanese cormorants in years of different prey availability. *Journal of Ethology* 20: 49-54
- Jansen JK, Boveng PL and Bengtson JL** 1998 Foraging modes of chinstrap penguins: contrasts between day and night. *Marine Ecology Progress Series* 165: 161-172
- Jansen JK, Russell RW and Meyer WR** 2002 Seasonal shifts in the provisioning behavior of chinstrap penguins, *pygoscelis antarctica*. *Oecologia* 131: 306-318

- Jodice PGR, Roby DD, Suryan RM, Irons DB, Kaufman AM, Turco KR and Visser GH** 2003 Variation in energy expenditure among black-legged kittiwakes: effects of activity-specific metabolic rates and activity budgets. *Physiological and Biochemical Zoology* 76: 375-388
- Jones IL, Rowe S, Carr SM, Fraser G and Taylor P** 2002 Different patterns of parental effort during chick-rearing by female and male thick-billed murre (*Uria lomvia*) at a low-arctic colony. *Auk* 119: 1064-1074
- Jouventin P, Capdeville D, Cuenot-Chaillet F and Boiteau C** 1994 Exploitation of pelagic resources by a non-flying seabird: satellite tracking of the king penguin throughout the breeding cycle. *Marine Ecology Progress Series* 106: 11-11
- Kato A, Ropert-Coudert Y and Chiaradia A** 2008 Regulation of trip duration by an inshore forager, the little penguin (*Eudyptula minor*), during incubation. *Auk* 125: 588-593
- Kato A, Watanuki Y and Naito Y** 2003 Foraging behaviour of chick-rearing rhinoceros auklets *Cerorhinca monocerata* at Teuri Island, Japan, determined by acceleration-depth recording micro data loggers. *Journal of Avian Biology* 34: 282-287
- Kato A, Watanuki Y, Shaughnessy P, Le Maho Y and Naito Y** 1999 Intersexual differences in the diving behaviour of foraging subantarctic cormorant (*Phalacrocorax albiventer*) and Japanese cormorant (*P. filamentosus*). *Comptes Rendus de l'Académie des Sciences Series III: Sciences de la Vie* 322: 557-562
- Kato A, Yoshioka A and Sato K** 2009 Foraging behavior of Adélie penguins during incubation period in Lützow-Holm Bay. *Polar Biology* 32: 181-186
- Klomp NI and Schultz MA** 2000 Short-tailed shearwaters breeding in Australia forage in Antarctic waters. *Marine Ecology Progress Series* 194: 307-310
- Kooyman GL** 1992 Heart rates and swim speeds of emperor penguins diving under sea ice. *Journal of Experimental Biology* 165: 161-180
- Kooyman GL, Cherel Y, Le Maho Y, Croxall JP, Thorson PH, Ridoux V and Kooyman CA** 1992 Diving behavior and energetics during foraging cycles in king penguins. *Ecological Monographs* 62: 143-163
- Koudil M, Charrassin JB, Le Maho Y and Bost CA** 2000 Seabirds as monitors of upper-ocean thermal structure. King penguins at the Antarctic polar front, east of Kerguelen sector. *Comptes Rendus de l'Académie des Sciences Series III: Sciences de la Vie* 323: 377-384
- Kuroki M, Kato A, Hayama SI and Naito Y** 1999 Preliminary report of new method for ECG measurement of exercising birds. *Polar bioscience* 12: 40-46
- Lawton K, Kirkwood R, Robertson G and Raymond B** 2008 Preferred foraging areas of Heard Island albatrosses during chick raising and implications for the management of incidental mortality in fisheries. *Aquatic Conservation-Marine And Freshwater Ecosystems* 18: 309-320
- Le Bohec C, Durant JM, Gauthier-Clerc M, Stenseth NC, Park YH, Pradel R, Grémillet D, Gendner JP and Le Maho Y** 2008 King penguin population threatened by Southern Ocean warming. *Proceedings of the National Academy of Sciences* 105: 2493-2497
- Le Bohec C, Gauthier-Clerc M, Grémillet D, Pradel R, Bechet A, Gendner JP and Le Maho Y** 2007 Population dynamics in a long-lived seabird: I. Impact of breeding activity on survival and breeding probability in unbanded king penguins. *Journal of Animal Ecology* 76: 1149-1160
- Lescroël A and Bost CA** 2005 Foraging under contrasting oceanographic conditions: the gentoo penguin at Kerguelen Archipelago. *Marine Ecology Progress Series* 302: 245-261
- Lewis S, Benvenuti S, Dall'Antonia L, Griffiths R, Money L, Sherratt TN, Wanless S and Hamer KC** 2002 Sex-specific foraging behaviour in a monomorphic seabird. *Proceedings of the Royal Society B: Biological Sciences* 269: 1687-1693

- Lewis S, Benvenuti S, Daunt F, Wanless S, Dall'Antonia L, Luschi P, Elston DA, Hamer KC and Sherratt TN** 2004 Partitioning of diving effort in foraging trips of northern gannets. *Canadian Journal of Zoology/Revue Canadienne de Zoologie* 82: 1910-1916
- Lewis S, Grémillet D, Daunt F, Ryan PG, Crawford RJM and Wanless S** 2006 Using behavioural and state variables to identify proximate causes of population change in a seabird. *Oecologia* 147: 606-614
- Lewis S, Schreiber EA, Daunt F, Schenk GA, Orr K, Adams A, Wanless S and Hamer KC** 2005 Sex-specific foraging behaviour in tropical boobies: does size matter? *Ibis* 147: 408-414
- Lewis S, Schreiber EA, Daunt F, Schenk GA, Wanless S and Hamer KC** 2004 Flexible foraging patterns under different time constraints in tropical boobies. *Animal Behaviour* 68: 1331-1337
- Limmer B and Becker PH** 2007 The relative role of age and experience in determining variation in body mass during the early breeding career of the common tern (*Sterna hirundo*). *Behavioral Ecology and Sociobiology* 61: 1885-1896
- Limmer B and Becker PH** 2009 Improvement in chick provisioning with parental experience in a seabird. *Animal Behaviour* 77: 1095-1101
- Litzow MA and Piatt JF** 2003 Variance in prey abundance influences time budgets of breeding seabirds: evidence from pigeon guillemots *Cephus columba*. *Journal of Avian Biology* 34: 54-64
- Luna-Jorquera G and Culik BM** 1999 Diving behaviour of Humboldt penguins *Spheniscus humboldti* in northern Chile. *Marine Ornithology* 27: 67-76
- Magalhaes MC, Santos RS and Hamer KC** 2008 Dual-foraging of Cory's shearwaters in the Azores: feeding locations, behaviour at sea and implications for food provisioning of chicks. *Marine Ecology Progress Series* 359: 283-293
- Mallory ML, Akearok JA, Edwards DB, O'Donovan K and Gilbert CD** 2008 Autumn migration and wintering of northern fulmars (*Fulmarus glacialis*) from the Canadian high Arctic. *Polar Biology* 31: 745-750
- Mallory ML, Forbes MR, Ankney CD and Alisauskas RT** 2008 Nutrient dynamics and constraints on the pre-laying exodus of high Arctic northern fulmars. *Aquatic Biology* 4: 211-223
- Mangin S, Gauthier-Clerc M, Frenot Y, Gendner JP and Le Maho Y** 2003 Ticks *Ixodes uriae* and the breeding performance of a colonial seabird, king penguin *Aptenodytes patagonicus*. *Journal of Avian Biology* 34: 30-34
- Mañosa S, Oro D and Ruiz X** 2004 Activity patterns and foraging behaviour of Audouin's gulls in the Ebro Delta, NW Mediterranean. *Scientia Marina* 68: 605-614
- Mattern T, Ellenberg U, Houston DM and Davis LS** 2007 Consistent foraging routes and benthic foraging behaviour in yellow-eyed penguins. *Marine Ecology Progress Series* 343: 295-306
- Miller AK and Trivelpiece WZ** 2008 Chinstrap penguins alter foraging and diving behavior in response to the size of their principle prey, Antarctic krill. *Marine Biology* 154: 201-208
- Moore GJ, Wienecke B and Robertson G** 1999 Seasonal change in foraging areas and dive depths of breeding king penguins at Heard Island. *Polar Biology* 21: 376-384
- Mori Y** 1997 Dive bout organization in the chinstrap penguin at Seal Island, Antarctica. *Journal of Ethology* 15: 9-15
- Mori Y, Takahashi A, Mehlum F and Watanuki Y** 2002 An application of optimal diving models to diving behaviour of Brünnich's guillemots. *Animal Behaviour* 64: 739-745
- Navarro J and Gonzalez-Solis J** 2007 Experimental increase of flying costs in a pelagic seabird: effects on foraging strategies, nutritional state and chick condition. *Oecologia* 151: 150-160

- Navarro J and González-Solís J** 2009 Environmental determinants of foraging strategies in Cory's shearwaters *Calonectris diomedea*. *Marine Ecology Progress Series* 378: 259-267
- Navarro J, Kaliontzopoulou A and Gonzalez-Solis J** 2009 Sexual dimorphism in bill morphology and feeding ecology in Cory's shearwater (*Calonectris diomedea*). *Zoology* 112: 128-138
- Nel DC, Lutjeharms JRE, Pakhomov EA, Ansorge IJ, Ryan PG and Klages NTW** 2001 Exploitation of mesoscale oceanographic features by grey-headed albatross *Thalassarche chrysostoma* in the southern Indian Ocean. *Marine Ecology Progress Series* 217: 15-26
- Nel DC, Nel JL, Ryan PG, Klages NTW, Wilson RP and Robertson G** 2000 Foraging ecology of grey-headed mollymawks at Marion Island, southern Indian Ocean, in relation to longline fishing activity. *Biological Conservation* 96: 219-231
- Nevitt GA, Losekoot M and Weimerskirch H** 2008 Evidence for olfactory search in wandering albatross, *Diomedea exulans*. *Proceedings of the National Academy of Sciences* 105: 4576-4581
- Nicholls DG, Robertson CJR, Prince PA, Murray MD, Walker KJ and Elliott GP** 2002 Foraging niches of three Diomedea albatrosses. *Marine Ecology Progress Series* 231: 269-277
- Niizuma Y, Gabrielsen GW, Sato K, Watanuki Y and Naito Y** 2007 Brunnich's guillemots (*Uria lomvia*) maintain high temperature in the body core during dives. *Comparative Biochemistry And Physiology A: Molecular & Integrative Physiology* 147: 438-444
- Ostrand WD, Drew GS, Suryan RM and McDonald LL** 1998 Evaluation of radio-tracking and strip transect methods for determining foraging ranges of black-legged kittiwakes. *Condor* 100: 709-718
- Peery MZ, Beissinger SR, Newman SH, Becker BH, Burkett E and Williams TD** 2004 Individual and temporal variation in inland flight behavior of marbled murrelets: implications for population monitoring. *Condor* 106: 344-353
- Perrow MR, Skeate ER, Lines P, Brown D and Tomlinson ML** 2006 Radio telemetry as a tool for impact assessment of wind farms: the case of little terns *Sterna albifrons* at Scroby Sands, Norfolk, UK. *Ibis* 148: 57-75
- Petersen SL, Ryan PG and Grémillet D** 2006 Is food availability limiting African penguins *Spheniscus demersus* at Boulders? A comparison of foraging effort at mainland and island colonies. *Ibis* 148: 14-26
- Phalan B, Phillips RA, Silk JRD, Afanasyev V, Fukuda A, Fox J, Catry P, Higuchi H and Croxall JP** 2007 Foraging behaviour of four albatross species by night and day. *Marine Ecology Progress Series* 340: 271-286
- Phillips RA, Catry P, Silk JRD, Bearhop S, McGill R, Afanasyev V and Strange IJ** 2007 Movements, winter distribution and activity patterns of Falkland and brown skuas: insights from loggers and isotopes. *Marine Ecology Progress Series* 345: 281-291
- Phillips RA, Silk JRD, Croxall JP and Afanasyev V** 2006 Year-round distribution of white-chinned petrels from South Georgia: relationships with oceanography and fisheries. *Biological Conservation* 129: 336-347
- Phillips RA, Silk JRD, Croxall JP, Afanasyev V and Briggs DR** 2004 Accuracy of geolocation estimates for flying seabirds. *Marine Ecology Progress Series* 266: 265-272
- Phillips RA, Silk JRD, Phalan B, Catry P and Croxall JP** 2004 Seasonal sexual segregation in two *Thalassarche* albatross species: competitive exclusion, reproductive role specialization or foraging niche divergence? *Proceedings of the Royal Society B: Biological Sciences* 271: 1283-1291
- Pichegru L, Ryan PG, van der Lingen CD, Coetzee J, Ropert-Coudert Y and Grémillet D** 2007 Foraging behaviour and energetics of Cape gannets *Morus capensis* feeding on live

prey and fishery discards in the Benguela upwelling system. *Marine Ecology Progress Series* 350: 127-136

**Pinaud D, Cherel Y and Weimerskirch H** 2005 Effect of environmental variability on habitat selection, diet, provisioning behaviour and chick growth in yellow-nosed albatrosses. *Marine Ecology Progress Series* 298: 295-304

**Pinaud D and Weimerskirch H** 2002 Ultimate and proximate factors affecting the breeding performance of a marine top-predator. *Oikos* 99: 141-150

**Pinaud D and Weimerskirch H** 2005 Scale-dependent habitat use in a long-ranging central place predator. *Journal of Animal Ecology* 74: 852-863

**Ponganis PJ** 2000 Sub-ice foraging behavior of emperor penguins. *Journal of Experimental Biology* 203: 3275-3278

**Prince PA, Wood AG, Barton T and Croxall JP** 1992 Satellite tracking of wandering albatrosses (*Diomedea exulans*) in the South Atlantic. *Antarctic science* 4: 31-36

**Pütz K and Bost CA** 1994 Feeding behavior of free-ranging king penguins (*Aptenodytes patagonicus*). *Ecology* 489-497

**Pütz K and Cherel Y** 2005 The diving behaviour of brooding king penguins (*Aptenodytes patagonicus*) from the Falkland Islands: variation in dive profiles and synchronous underwater swimming provide new insights into their foraging strategies. *Marine Biology* 147: 281-290

**Putz K, Ingham RJ and Smith JG** 2002 Foraging movements of magellanic penguins *Spheniscus magellanicus* during the breeding season in the Falkland Islands. *Aquatic Conservation: Marine and Freshwater Ecosystems* 12: 75-87

**Pütz K, Ingham RJ, Smith JG and Lüthi BH** 2002 Winter dispersal of rockhopper penguins *Eudyptes chrysocome* from the Falkland Islands and its implications for conservation. *Marine ecology progress series* 240: 273-284

**Pütz K, Rey AR, Huin N, Schiavini A, Pütz A and Lüthi BH** 2006 Diving characteristics of southern rockhopper penguins (*Eudyptes c. chrysocome*) in the southwest Atlantic. *Marine Biology* 149: 125-137

**Pütz K, Rey AR, Schiavini A, Clausen AP and Lüthi BH** 2006 Winter migration of rockhopper penguins (*Eudyptes c. chrysocome*) breeding in the Southwest Atlantic: is utilisation of different foraging areas reflected in opposing population trends? *Polar Biology* 29: 735-744

**Putz K, Smith JG, Ingham RJ and Luthi BH** 2003 Satellite tracking of male rockhopper penguins *Eudyptes chrysocome* during the incubation period at the Falkland Islands. *Journal of Avian Biology* 34: 139-144

**Pütz K, Wilson RP, Raclot T, Lage J, Le Maho Y, Kierspel MAM, Culik BM and Adelung D** 1998 Foraging strategy of king penguins (*Aptenodytes patagonicus*) during summer at the Crozet Islands. *Ecology* 79: 1905-1921

**Quillfeldt P, Strange IJ, Segelbacher G and Masello JF** 2007 Male and female contributions to provisioning rates of thin-billed prions, *Pachyptila belcheri*, in the South Atlantic. *Journal of Ornithology* 148: 367-372

**Quintana F and Dell'Arciprete PO** 2002 Foraging grounds of southern giant petrels (*Macronectes giganteus*) on the Patagonian shelf. *Polar Biology* 25: 159-161

**Radl A and Culik BM** 1999 Foraging behaviour and reproductive success in magellanic penguins (*Spheniscus magellanicus*): a comparative study of two colonies in southern Chile. *Marine Biology* 133: 381-393

**Rayner MJ, Hauber ME, Clout MN, Seldon DS, Van Dijken S, Bury S and Phillips RA** 2008 Foraging ecology of the Cook's petrel *Pterodroma cookii* during the austral breeding season: a comparison of its two populations. *Marine Ecology Progress Series* 370: 271-284

- Regel J and Putz K** 1997 Effect of human disturbance on body temperature and energy expenditure in penguins. *Polar Biology* 18: 246-253
- Rey AR, Trathan P, Puetz K and Schiavini A** 2007 Effect of oceanographic conditions on the winter movements of rockhopper penguins *Eudyptes chrysocome chrysocome* from Staten Island, Argentina. *Marine Ecology Progress Series* 330: 285-295
- Rock JC, Leonard ML and Boyne AW** 2007 Foraging habitat and chick diets of roseate tern, *Sterna dougallii*, breeding on Country Island, Nova Scotia. *Avian Conservation and Ecology/Écologie et conservation des oiseaux* 2: 1-10
- Rodary D, Bonneau W, Le Maho Y and Bost CA** 2000 Benthic diving in male emperor penguins *Aptenodytes forsteri* foraging in winter. *Marine Ecology Progress Series* 207: 171-181
- Rodary D, Wienecke BC and Bost CA** 2000 Diving behaviour of Adélie penguins (*Pygoscelis adeliae*) at Dumont d'Urville, Antarctica: nocturnal patterns of diving and rapid adaptations to changes in sea-ice condition. *Polar Biology* 23: 113-120
- Ropert-Coudert Y, Baudat J, Kurita M, Bost CA, Kato A, Le Maho Y and Naito Y** 2000 Validation of oesophagus temperature recording for detection of prey ingestion on captive Adélie penguins (*Pygoscelis adeliae*). *Marine Biology* 137: 1105-1110
- Ropert-Coudert Y, Grémillet D and Kato A** 2006 Swim speeds of free-ranging great cormorants. *Marine Biology* 149: 415-422
- Ropert-Coudert Y, Grémillet D, Ryan P, Kato A, Naito Y and Le Maho Y** 2004 Between air and water: the plunge dive of the Cape gannet *Morus capensis*. *Ibis* 146: 281-290
- Ropert-Coudert Y, Kato A, Baudat J, Bost CA, Le Maho Y and Naito Y** 2001 Feeding strategies of free-ranging Adélie penguins *Pygoscelis adeliae* analysed by multiple data recording. *Polar Biology* 24: 460-466
- Ropert-Coudert Y, Kato A, Bost CA, Rodary D, Sato K, Le Maho Y and Naito Y** 2002 Do Adélie penguins modify their foraging behaviour in pursuit of different prey? *Marine Biology* 140: 647-652
- Ropert-Coudert Y, Kato A, Naito Y and Cannell BL** 2003 Individual diving strategies in the little penguin. *Waterbirds* 26: 403-408
- Ropert-Coudert Y, Kato A, Wilson RP and Cannell B** 2006 Foraging strategies and prey encounter rate of free-ranging little penguins. *Marine Biology* 149: 139-148
- Ropert-Coudert Y, Wilson RP, Daunt F and Kato A** 2004 Patterns of energy acquisition by a central place forager: benefits of alternating short and long foraging trips. *Behavioral Ecology* 15: 824-830
- Ropert-Coudert YAN, Grémillet D and Kato A** 2004 A fine-scale time budget of Cape gannets provides insights into the foraging strategies of coastal seabirds. *Animal Behaviour* 67: 985-992
- Ryan PG, Petersen SL, Peters G and Grémillet D** 2004 GPS tracking a marine predator: the effects of precision, resolution and sampling rate on foraging tracks of African penguins. *Marine Biology* 145: 215-223
- Sagar PM, Murdoch R, Sagar MW and Thompson DR** 2005 Rockhopper penguin (*Eudyptes chrysocome filholi*) foraging at Antipodes Islands. *Notornis* 52: 75-80
- Sagar PM and Weimerskirch H** 1996 Satellite tracking of southern Buller's albatrosses from The Snares, New Zealand. *Condor* 98: 649-652
- Sato K, Charrassin JB, Bost CA and Naito Y** 2004 Why do macaroni penguins choose shallow body angles that result in longer descent and ascent durations? *Journal of Experimental Biology* 207: 4057-4065
- Sato K, Daunt F, Watanuki Y, Takahashi A and Wanless S** 2008 A new method to quantify prey acquisition in diving seabirds using wing stroke frequency. *Journal of Experimental Biology* 211: 58-65

- Sato K, Naito Y, Kato A, Niizuma Y, Watanuki Y, Charrassin JB, Bost CA, Handrich Y and Le Maho Y** 2002 Buoyancy and maximal diving depth in penguins: do they control inhaling air volume? *Journal Of Experimental Biology* 205: 1189-1197
- Schmid D, Grémillet DJH and Culik BM** 1995 Energetics of underwater swimming in the great cormorant (*Phalacrocorax Carbo Sinensis*). *Marine Biology* 123: 875-881
- Seefelt NE and Gillingham JC** 2006 Foraging locations of double-crested cormorants in the Beaver Archipelago of northern Lake Michigan: potential for impacts on Smallmouth bass. *Waterbirds* 29: 473-480
- Shaffer SA, Costa DP and Weimerskirch H** 2001 Behavioural factors affecting foraging effort of breeding wandering albatrosses. *Journal of Animal Ecology* 70: 864-874
- Shaffer SA, Costa DP and Weimerskirch H** 2003 Foraging effort in relation to the constraints of reproduction in free-ranging albatrosses. *Functional Ecology* 17: 66-74
- Shaffer SA, Costa DP and Weimerskirch H** 2004 Field metabolic rates of black-browed albatrosses *Thalassarche melanophrys* during the incubation stage. *Journal of Avian Biology* 35: 551-558
- Shaffer SA, Tremblay Y, Awkerman JA, Henry RW, Teo SLH, Anderson DJ, Croll DA, Block BA and Costa DP** 2005 Comparison of light- and SST-based geolocation with satellite telemetry in free-ranging albatrosses. *Marine Biology* 147: 833-843
- Shaffer SA, Tremblay Y, Weimerskirch H, Scott D, Thompson DR, Sagar PM, Moller H, Taylor GA, Foley DG, Block BA and Costa DP** 2006 Migratory shearwaters integrate oceanic resources across the Pacific Ocean in an endless summer. *Proceedings of the National Academy of Sciences of the United States of America* 103: 12799-12802
- Shepard ELC, Wilson RP, Halsey LG, Quintana F, Laich AG, Gleiss AC, Liebsch N, Myers AE and Norman B** 2008 Derivation of body motion via appropriate smoothing of acceleration data. *Aquatic Biology* 4: 235-241
- Simeone A and Wilson RP** 2003 In-depth studies of magellanic penguin (*Spheniscus magellanicus*) foraging: can we estimate prey consumption by perturbations in the dive profile? *Marine Biology* 143: 825-831
- Skov H, Humphreys E, Garthe S, Geitner K, Grémillet D, Hamer KC, Hennicke J, Parner H and Wanless S** 2008 Application of habitat suitability modelling to tracking data of marine animals as a means of analyzing their feeding habitats. *Ecological Modelling* 212: 504-512
- Steinfurth A, Vargas FH, Wilson RP, Spindler M and Macdonald DW** 2008 Space use by foraging Galápagos penguins during chick rearing. *Endangered Species Research* 4: 105-112
- Stokes DL and Boersma PD** 1999 Where breeding magellanic penguins *Spheniscus magellanicus* forage: satellite telemetry results and their implications for penguin conservation. *Marine Ornithology* 27: 59-65
- Suryan RM, Dietrich KS, Melvin EF, Balogh GR, Sato F and Ozaki K** 2007 Migratory routes of short-tailed albatrosses: use of exclusive economic zones of North Pacific Rim countries and spatial overlap with commercial fisheries in Alaska. *Biological Conservation* 137: 450-460
- Suryan RM, Irons DB and Benson J** 2000 Prey switching and variable foraging strategies of black-legged kittiwakes and the effect on reproductive success. *Condor* 102: 374-384
- Suryan RM, Sato F, Balogh GR, Hyrenbach KD, Sievert PR and Ozaki K** 2006 Foraging destinations and marine habitat use of short-tailed albatrosses: a multi-scale approach using first-passage time analysis. *Deep-Sea Research Part II-Topical Studies in Oceanography* 53: 370-386
- Takahashi A, Kokubun N, Mori Y and Shin HC** 2008 Krill-feeding behaviour of gentoo penguins as shown by animal-borne camera loggers. *Polar Biology* 31: 1291-1294



- Takahashi A, Matsumoto K, Hunt GL, Shultz MT, Kitaysky AS, Sato K, Iida K and Watanuki Y** 2008 Thick-billed murre use different diving behaviors in mixed and stratified waters. *Deep-Sea Research Part II-Topical Studies in Oceanography* 55: 1837-1845
- Takahashi A, Sato K, Naito Y, Dunn MJ, Trathan PN and Croxall JP** 2004 Penguin-mounted cameras glimpse underwater group behaviour. *Proceedings of the Royal Society B: Biological Sciences* 271: 281-282
- Takahashi A, Watanuki Y, Sato K, Kato A, Arai N, Nishikawa J and Naito Y** 2003 Parental foraging effort and offspring growth in Adélie penguins: does working hard improve reproductive success? *Functional Ecology* 590-597
- Terauds A and Gales R** 2006 Provisioning strategies and growth patterns of light-mantled sooty albatrosses *Phoebastria palpebrata* on Macquarie Island. *Polar Biology* 29: 917-926
- Trathan PN, Green C, Tanton J, Peat H, Poncet J and Morton A** 2006 Foraging dynamics of macaroni penguins *Eudyptes chrysolophus* at South Georgia during brood-guard. *Marine Ecology Progress Series* 323: 239-251
- Trebilco R, Gales R, Baker GB, Terauds A and Sumner MD** 2008 At sea movement of Macquarie Island giant petrels: relationships with marine protected areas and Regional Fisheries Management Organisations. *Biological Conservation* 141: 2942-2958
- Tremblay Y and Cherel Y** 2000 Benthic and pelagic dives: a new foraging behaviour in rockhopper penguins. *Marine Ecology Progress Series* 204: 257-267
- Tremblay Y and Cherel Y** 2003 Geographic variation in the foraging behaviour, diet and chick growth of rockhopper penguins. *Marine ecology progress series* 251: 279-297
- Tremblay Y and Cherel Y** 2005 Spatial and temporal variation in the provisioning behaviour of female rockhopper penguins *Eudyptes chrysocome filholi*. *Journal of Avian Biology* 36: 135-145
- Tremblay Y, Cook TR and Cherel Y** 2005 Time budget and diving behaviour of chick-rearing Crozet shags. *Canadian Journal of Zoology* 83: 971-982
- Tuck GN, Polacheck T, Croxall JP, Weimerskirch H, Prince PA and Wotherspoon S** 1999 The potential of archival tags to provide long-term movement and behaviour data for seabirds: first results from wandering albatross *Diomedea exulans* of South Georgia and the Crozet Islands. *Emu* 99: 60-68
- Van Dam RP, Ponganis PJ, Ponganis KV, Levenson DH and Marshall G** 2002 Stroke frequencies of emperor penguins diving under sea ice. *Journal of Experimental Biology* 205: 3769-3774
- Veit RR and Prince PA** 1997 Individual and population level dispersal of black-browed albatrosses *Diomedea melanophris* and grey-headed albatrosses *D. chrysostoma* in response to antarctic krill. *Ardea* 85: 129-134
- Votier SC, Bearhop S, Ratcliffe N and Furness RW** 2004 Reproductive consequences for great skuas specializing as seabird predators. *Condor* 106: 275-287
- Votier SC, Crane JE, Bearhop S, de Leon A, McSorley CA, Minguez E, Mitchell IP, Parsons M, Phillips RA and Furness RW** 2006 Nocturnal foraging by great skuas *Stercorarius skua*: implications for conservation of storm-petrel populations. *Journal of Ornithology* 147: 405-413
- Walker BG and Boersma PD** 2003 Diving behavior of magellanic penguins (*Spheniscus magellanicus*) at Punta Tombo, Argentina. *Canadian Journal of Zoology/Revue Canadienne de Zoologie* 81: 1471-1483
- Wanless S, Finney SK, Harris MP and McCafferty DJ** 1999 Effect of the diel light cycle on the diving behaviour of two bottom feeding marine birds: the blue-eyed shag *Phalacrocorax atriceps* and the European shag *P. aristotelis*. *Marine ecology Progress series* 188: 219-224

- Watanuki Y, Daunt F, Takahashi A, Newei M, Wanless S, Sat K and Miyazaki N** 2008 Microhabitat use and prey capture of a bottom-feeding top predator, the European shag, shown by camera loggers. *Marine Ecology-Progress Series* 356: 283-293
- Watanuki Y, Ishikawa K, Takahashi A and Kato A** 2004 Foraging behavior of a generalist marine top predator, Japanese cormorants (*Phalacrocorax filamentosus*), in years of demersal versus epipelagic prey. *Marine Biology* 145: 427-434
- Watanuki Y, Kato A, Mori Y and Naito Y** 1993 Diving performance of Adélie penguins in relation to food availability in fast sea-ice areas: comparison between years. *Journal of Animal Ecology* 62: 634-646
- Watanuki Y, Kato A, Naito Y, Robertson G and Robinson S** 1997 Diving and foraging behaviour of Adélie penguins in areas with and without fast sea-ice. *Polar Biology* 17: 296-304
- Watanuki Y, Kato A, Sato K, Niizuma Y, Bost CA, Le Maho Y and Naito Y** 2002 Parental mass change and food provisioning in Adélie penguins rearing chicks in colonies with contrasting sea-ice conditions. *Polar Biology* 25: 672-681
- Watanuki Y, Mehlum F and Takahashi A** 2001 Water temperature sampling by foraging Brunnich's Guillemots with bird-borne data loggers. *Journal of Avian Biology* 32: 189-193
- Watanuki Y, Niizuma Y, Gabrielsen GW, Sato K and Naito Y** 2003 Stroke and glide of wing-propelled divers: deep diving seabirds adjust surge frequency to buoyancy change with depth. *Proceedings of the Royal Society of London Series B: Biological Sciences* 270: 483-488
- Watanuki Y, Takahashi A, Daunt F, Wanless S, Harris M, Sato K and Naito Y** 2005 Regulation of stroke and glide in a foot-propelled avian diver. *Journal of Experimental Biology* 208: 2207-2216
- Watanuki Y, Takahashi A and Sato K** 2003 Feeding area specialization of chick-rearing Adélie Penguins *Pygoscelis adeliae* in a fast sea-ice area. *Ibis* 145: 558-564
- Watanuki Y, Takahashi A, Sato K, Kato A and Bost CA** 2004 Inter-colony and sex differences in the effects of parental body condition and foraging effort on the brood growth of Adélie penguins. *Journal of Ethology* 22: 91-98
- Watanuki Y, Wanless S, Harris M, Lovvorn JR, Miyazaki M, Tanaka H and Sato K** 2006 Swim speeds and stroke patterns in wing-propelled divers: a comparison among alcids and a penguin. *Journal of Experimental Biology* 209: 1217-1230
- Waugh S, Troup C, Filippi D and Weimerskirch H** 2002 Foraging zones of southern royal albatrosses. *Condor* 104: 662-667
- Waugh SM and Weimerskirch H** 2003 Environmental heterogeneity and the evolution of foraging behaviour in long ranging greater albatrosses. *Oikos* 103: 374-384
- Waugh SM, Weimerskirch H, Cherel Y and Prince PA** 2000 Contrasting strategies of provisioning and chick growth in two sympatrically breeding albatrosses at Campbell Island, New Zealand. *Condor* 102: 804-813
- Waugh SM, Weimerskirch H, Cherel Y, Shankar U, Prince PA and Sagar PM** 1999 Exploitation of the marine environment by two sympatric albatrosses in the Pacific Southern Ocean. *Marine Ecology Progress Series* 177: 243-254
- Weimerskirch H, Akesson S and Pinaud D** 2006 Postnatal dispersal of wandering albatrosses *Diomedea exulans*: implications for the conservation of the species. *Journal of Avian Biology* 37: 23-28
- Weimerskirch H, Catard A, Prince PA, Cherel Y and Croxall JP** 1999 Foraging white-chinned petrels *Procellaria aequinoctialis* at risk: from the tropics to Antarctica. *Biological Conservation* 87: 273-275

- Weimerskirch H, Chastel O, Cherel Y, Henden JA and Tveraa T** 2001 Nest attendance and foraging movements of northern fulmars rearing chicks at Bjørnøya Barents Sea. *Polar Biology* 24: 83-88
- Weimerskirch H, Cherel Y, CuenotChaillet F and Ridoux V** 1997 Alternative foraging strategies and resource allocation by male and female wandering albatrosses. *Ecology* 78: 2051-2063
- Weimerskirch H, Corre ML, Ropert-Coudert Y, Kato A and Marsac F** 2006 Sex-specific foraging behaviour in a seabird with reversed sexual dimorphism: the red-footed booby. *Oecologia* 146: 681-691
- Weimerskirch H, Doncaster CP and Cuenotchaillet F** 1994 Pelagic seabirds and the marine environment: foraging patterns of wandering albatrosses in relation to prey availability and distribution. *Proceedings of the Royal Society of London Series B: Biological Sciences* 255: 91-97
- Weimerskirch H, Gault A and Cherel Y** 2005 Prey distribution and patchiness: factors in foraging success and efficiency of wandering albatrosses. *Ecology* 86: 2611-2622
- Weimerskirch H and Guionnet T** 2002 Comparative activity pattern during foraging of four albatross species. *Ibis* 144: 40-50
- Weimerskirch H, Guionnet T, Martin J, Shaffer SA and Costa DP** 2000 Fast and fuel efficient? Optimal use of wind by flying albatrosses. *Proceedings of the Royal Society of London Series B: Biological Sciences* 267: 1869-1874
- Weimerskirch H, Le Corre M and Bost CA** 2008 Foraging strategy of masked boobies from the largest colony in the world: relationship to environmental conditions and fisheries. *Marine Ecology Progress Series* 362: 291-302
- Weimerskirch H, Le Corre M, Jaquemet S and Marsac F** 2005 Foraging strategy of a tropical seabird, the red-footed booby, in a dynamic marine environment. *Marine Ecology Progress Series* 288: 251-261
- Weimerskirch H, Le Corre M, Jaquemet S, Potier M and Marsac F** 2004 Foraging strategy of a top predator in tropical waters: great frigatebirds in the Mozambique Channel. *Marine Ecology Progress Series* 275: 297-308
- Weimerskirch H, Le Corre M, Ropert-Coudert Y, Kato A and Marsac F** 2005 The three-dimensional flight of red-footed boobies: adaptations to foraging in a tropical environment? *Proceedings of the Royal Society of London Series B: Biological Sciences* 272: 53-61
- Weimerskirch H, Mougey T and Hindermeyer X** 1997 Foraging and provisioning strategies of black-browed albatrosses in relation to the requirements of the chick: natural variation and experimental study. *Behavioral ecology* 8: 635-643
- Weimerskirch H, Pinaud D, Pawlowski F and Bost CA** 2007 Does prey capture induce area-restricted search? A fine-scale study using GPS in a marine predator, the wandering albatross. *American Naturalist* 170: 734-743
- Weimerskirch H, Wilson RP, Guinet C and Koudil M** 1995 Use of seabirds to monitor sea-surface temperatures and to validate satellite remote-sensing measurements in the southern ocean. *Marine Ecology-Progress Series* 126: 299-303
- Weimerskirch H, Wilson RP and Lys P** 1997 Activity pattern of foraging in the wandering albatross: a marine predator with two modes of prey searching. *Marine Ecology Progress Series* 151: 245-254
- Weimerskirch H, Zimmermann L and Prince PA** 2001 Influence of environmental variability on breeding effort in a long-lived seabird, the yellow-nosed albatross. *Behavioral Ecology* 12: 22-30
- Wendeln H and Becker PH** 1999 Effects of parental quality and effort on the reproduction of common terns. *Journal of Animal Ecology* 68: 205-214

- Werner SJ, King DT and Wooten DE** 2000 Double-crested cormorant satellite telemetry: preliminary insight. *Wildlife Damage Management Conferences Proceedings* 31
- Wienecke B, Kirkwood R and Robertson G** 2004 Pre-moult foraging trips and moult locations of Emperor penguins at the Mawson Coast. *Polar Biology* 27: 83-91
- Wienecke B, Robertson G, Kirkwood R and Lawton K** 2007 Extreme dives by free-ranging emperor penguins. *Polar Biology* 30: 133-142
- Wienecke BC and Robertson G** 1997 Foraging space of emperor penguins *Aptenodytes forsteri* in Antarctic shelf waters in winter. *Marine Ecology Progress Series* 159: 249-263
- Wilson R and Liebsch N** 2003 Up-beat motion in swinging limbs: new insights into assessing movement in free-living aquatic vertebrates. *Marine Biology* 142: 537-548
- Wilson R, Peters G, Regel J, Grémillet D, Putz K, Kierspel M, Weimerskirch H and Cooper J** 1998 Short retention times of stomach temperature loggers in free-living seabirds: is there hope in the spring? *Marine Biology* 130: 559-566
- Wilson R, Steinfurth A, Ropert-Coudert Y, Kato A and Kurita M** 2002 Lip-reading in remote subjects: an attempt to quantify and separate ingestion, breathing and vocalisation in free-living animals using penguins as a model. *Marine Biology* 140: 17-27
- Wilson RP** 1996 Body temperatures of free-living African penguins (*Spheniscus demersus*) and bank cormorants (*Phalacrocorax neglectus*). *Journal of Experimental Biology* 199: 2215-2223
- Wilson RP** 2003 Penguins predict their performance. *Marine Ecology Progress Series* 249: 305-310
- Wilson RP, Alvarez B, Latorre L, Adelung D, Culik B and Bannasch R** 1998 The movements of gentoo penguins *Pygoscelis papua* from Ardley Island, Antarctica. *Polar Biology* 19: 407-413
- Wilson RP, Bost CA, Putz K, Charrassin JB, Culik BM and Adelung D** 1997 Southern rockhopper penguin *Eudyptes chrysocome chrysocome* foraging at Possession Island. *Polar Biology* 17: 323-329
- Wilson RP, Cooper J and Plotz J** 1992 Can we determine when marine endotherms feed? A case study with seabirds. *Journal of Experimental Biology* 167: 267-275
- Wilson RP, Culik BM, Bannasch R and Lage J** 1994 Monitoring Antarctic Environmental Variables Using Penguins. *Marine Ecology Progress Series* 106: 199-202
- Wilson RP and Peters G** 1999 Foraging behaviour of the chinstrap penguin *Pygoscelis antarctica* at Ardley Island, Antarctica. *Marine Ornithology* 27: 85-95
- Wilson RP, Ropert-Coudert Y and Kato A** 2002 Rush and grab strategies in foraging marine endotherms: the case for haste in penguins. *Animal Behaviour* 63: 85-95
- Wilson RP, Scolaro A, Quintana F, Siebert U, Thor Straten M, Mills K, Zimmer I, Liebsch N, Steinfurth A and Spindler G** 2004 To the bottom of the heart: cloacal movement as an index of cardiac frequency, respiration and digestive evacuation in penguins. *Marine Biology* 144: 813-827
- Wilson RP, Scolaro JA, Grémillet D, Kierspel MAM, Laurenti S, Upton J, Gallelli H, Quintana F, Frere E and Muller G** 2005 How do magellanic penguins cope with variability in their access to prey? *Ecological monographs* 75: 379-401
- Wilson RP, Scolaro JA, Peters G, Laurenti S, Kierspel M, Gallelli H and Upton J** 1995 Foraging areas of Magellanic penguins *Spheniscus magellanicus* breeding at San Lorenzo, Argentina, during the incubation period. *Marine Ecology Progress Series* 129: 1-6
- Woo KJ, Elliott KH, Davidson M, Gaston AJ and Davoren GK** 2008 Individual specialization in diet by a generalist marine predator reflects specialization in foraging behaviour. *Journal of Animal Ecology* 77: 1082-1091

- Wood AG, Naef-Daenzer B, Prince PA and Croxall JP** 2000 Quantifying habitat use in satellite-tracked pelagic seabirds: application of kernel estimation to albatross locations. *Journal of Avian Biology* 31: 278-286
- Xavier JC, Trathan PN, Croxall JP, Wood AG, Podesta G and Rodhouse PG** 2004 Foraging ecology and interactions with fisheries of wandering albatrosses (*Diomedea exulans*) breeding at South Georgia. *Fisheries Oceanography* 13: 324-344
- Yamamoto T, Takahashi A, Yoda K, Katsumata N, Watanabe S, Sato K and Trathan PN** 2008 The lunar cycle affects at-sea behaviour in a pelagic seabird, the streaked shearwater, *Calonectris leucomelas*. *Animal Behaviour* 76: 1647-1652
- Yoda K** 1999 Precise monitoring of porpoising behaviour of Adélie penguins determined using acceleration data loggers. *Journal of Experimental Biology* 202: 3121-3126
- Yoda K, Kohno H and Naito Y** 2007 Ontogeny of plunge diving behaviour in brown boobies: application of a data logging technique to hand-raised seabirds. *Deep-Sea Research Part II-Topical Studies in Oceanography* 54: 321-329
- Yoda K, Naito Y, Sato K, Takahashi A, Nishikawa J, Ropert-Coudert Y, Kurita M and Le Maho Y** 2001 A new technique for monitoring the behaviour of free-ranging Adélie penguins. *Journal of Experimental Biology* 204: 685-690
- Yoda K and Ropert-Coudert Y** 2007 Temporal changes in activity budgets of chick-rearing Adélie penguins. *Marine Biology* 151: 1951-1957
- Yorio P, Quintana F, Gatto A, Lisnizer N and Suárez N** 2004 Foraging patterns of breeding Olrog's gull at Golfo San Jorge, Argentina. *Waterbirds* 27: 193-199
- Zavalaga CB, Benvenuti S, Dall'Antonia L and Emslie SD** 2008 Foraging areas of breeding blue-footed boobies *Sula nebouxii* in northern Peru, as determined by direction recorders. *Journal of Avian Biology* 39: 405-412
- Zharikov Y, Lank DB, Huettmann F, Bradley RW, Parker N, Yen PPW, McFarlane-Tranquilla LA and Cooke F** 2006 Habitat selection and breeding success in a forest-nesting Alcid, the marbled murrelet, in two landscapes with different degrees of forest fragmentation. *Landscape Ecology* 21: 107-120