

Table 4 Proportion of animals with poor animal-based welfare measures (score 1 or 2) for each batch. See Welfare Quality protocol[®] for pigs (Welfare Quality, 2009) for the exact definition of the scores

Batch	Body Condition	Manure on the body		Lameness		Wounds on the Body		Tail Biting	Bursitis/Haernias		Panting	Pumping	Panic response to humans	Mortality
	Score 2 (%)	Score 1 (%)	Score 2 (%)	Score 1 (%)	Score 2 (%)	Score 1 (%)	Score 2 (%)	Score 2 (%)	Score 1 (%)	Score 2 (%)	Score 2 (%)	Score 2 (%)	Score 2 (%)	(%)
1	0	50.0	50.0	0.5	0	0	0	0	0.5	0	0	0	>60	1.7
2	0	50.0	20.0	0	4.3	0	0.6	0	0	0	0	0	>60	1.7
3	0	20.0	0	0	0	2.4	0	0	0	0	0	0	>60	4.7
4	0	60.0	10.0	2.8	0	0	0	0	0	0	0	0	>60	4.7
5	0	0	100.0	0	0	0	0	0.6	0	0	0	0	>60	8.0
6	0	10.0	90.0	0	0	0	0	0	0	0	0	0	>60	8.0
7	0	80.0	20.0	0	2.9	0	0	0	4.4	0	0	0	>60	7.4
8	0	0	100.0	0.5	0	0	0	0	0	0	0	0	>60	6.6
9	0	0	100.0	2.0	0.5	0	0	0	0	0	0	0	>60	6.6
10	10.0	0	0	2.1	0	0	0	0	0.7	0	0	0	>60	7.4
11	0	0	100.0	0.7	0	0	0	0	1.5	0	0	0	>60	5.9
12	0	100.0	0	0	0	10.0	0	0	0	0	0	0	>60	5.9
13	0	0	100.0	0	0.7	0	0	0	0	0	0	0	>60	5.8
14	0	0	0	0	0	0	0	0	0	0	>20	3	>60	5.8
15	0	0	0	0	0	0	0	4.5	0	0	0	0	>60	5.0
16	0	0	0	0	0.8	0	0	10.0	0	0	<20	0	>60	5.0
17	10.0	60.0	40.0	0	0	0	0	0	0	0	0	0	>60	4.1
18	10.0	80.0	20.0	0	0	0	0	0	0	0	0	0	>60	4.1
19	0	0	0	1.5	0	20.0	0	0	0	0	0	0	>60	5.9
20	0	0	0	0	0	20.0	0	0	0	0	0	0	>60	5.9
21	20.0	0	0	0	0	0	0	0	0	0	0	0	0	4.0
22	10.0	0	100.0	0	3.0	0	0	0	0	0	0	0	0	3.5
23	14.3	0	0	0	0	0	0	0	0	0	0	0	0	0
24	16.6	0	0	0	0	0	0	0	0	0	0	0	0	0
25	10.0	100.0	0	0	0	0	0	0	0	0	0	0	>60	3.5
26	0	0	0	0	0	0	0	0	0	0	0	0	0	4.0
27	0	0	100.0	0	2.1	0	0	0	3.6	0	0	0	0	9.9
28	0	0	100.0	0	0	0	0	0	0	0	0	0	0	9.9
29	0	95.6	4.4	0	0	2.7	0	0	0	0	0	0	0	3.7
30	0	19.7	19.7	1.5	0	0	0	0	0	0	0	0	0	3.7

Note: Score 2= poorest welfare; score 1= intermediate level of welfare; score 0= best level of welfare, but not included in the table.