THE NATIONAL CONFIDENTIAL INQUIRY INTO SUICIDE AND SAFETY IN MENTAL HEALTH

Address: Professor Sir Louis Appleby, PO Box 86, Manchester, M20 2EF Tel: 0161 275 0700/0701

Suicide Questionnaire

Version: 04/2023

If other mental health professionals have been involved in the management of this patient, please consult them before completing this questionnaire

	Initials	Date
Checked by		
Inputted by		
Counterchecked by		
FOR OFFICE	USE ONLY	

Director: Professor Sir Louis Appleby

Work commissioned by The Healthcare Quality Improvement Partnership (HQIP)



SECTION 1: Priority patients

The National Confidential Inquiry is particularly interested in suicides that occur in the circumstances described below. Please answer the following questions about the patient:

1.1	Was he/she a psychiatric in-patient at the time of suicide (including
	patients on leave)?

No = 0 Yes = 1

1.2 Did he/she die within 3 calendar months of discharge from psychiatric in-patient care?

No = 0 Yes = 1 Not applicable - in-patient at time of death = 7

1.3 Was he/she under the care of a crisis team* at the time of suicide?

No = 0 Yes = 1

* By crisis team care we mean patients receiving home-based acute care as an alternative to an in-patient admission or to facilitate step-down care, e.g. allowing early discharge. Frequently these are called crisis resolution and home treatment (CRHT) teams but other names are also used.

SECTION 2: Demographic information (at the time of death) 2.1 Age in years 2.2 Sex M = 1F = 22.3 **Civil Status** 1 Divorced/separated 2 Married/co-habiting 3 Single 4 Widowed 5 Same sex marriage/civil partnership **Employment Status** 2.4 01 In paid employment (including part-time and self-employed) Unemployed 02 Housewife/husband 03 Full-time student 04 05 Long-term sick 06 Retired 07 Apprenticeship/training scheme Disability benefit/long-term disability allowance 08 Other (please specify)...... 88 2.5 Ethnicity/Nationality (based on ONS categories) Black/African/Caribbean/Black British 01 Black African 02 Black Caribbean Any other Black/African/Caribbean background (please specify).......... Asian/Asian British 04 South Asian (please specify either 5, 6 or 7 if known) 05 Indian 06 **Pakistani** 07 Bangladeshi 08 Chinese 09 Any other Asian background (please specify)...... White 10 White British 11 Irish 12 Gypsy or Irish traveller 13 White East European Any other White background (please specify)...... 14

	Other	•			
	15	Mixed/multir	ole ethnic group	o	
	16	Arab/Middle	• .		
	88	•			
	99	Not known	2 3pccn y /		
	33	NOC KHOWH			
2.6	To your knowledge what was the patient's sexual orientation?				
	1	Heterosexua			
	2	Lesbian or ga	ıy		
	3	Bisexual			
	8	Other (please	e specify)		
2.7	Did t	he patient ide	ntify as trans (e	e.g. transgender, non-binary) group?	
	No = (Yes =	1		
2.8	Was t	he patient:			
	-	~ .	-	he UK? (e.g. asylum seeker, refugee; visa ing to continue living in the UK)	
	N	o = 0	Yes = 1		
	b) re	sident in the U	JK for less than	5 years?	
	N	o = 0	Yes = 1		
2.9		nmodation at t to admission)	the time of suic	cide (for in-patients, give accommodation	
	01	Hamalass/s	fived abade		
	01		fixed abode		
	02		ast (long-term)		
	03			ervised)/local authority accommodation	
	04			ure training centre	
	05	House or flat			
	06	Nursing/care			
	07		g Offender Insti		
	08	_		e/Short-term Holding Facility	
	09		pported accom		
	88	••	e specify)		
	99	Not known			

2.10	0 Living Circumstances		
	1 Alone		
	2 With parent(s)		
	With spouse/partner (with or without children)		
	4 With child(ren) only (aged under 18)		
	5 Other shared (e.g. friends)		
	6 Foster family		
	7 Prison/Young Offender Institution		
	8 Other (please specify)		
2.11	Was the patient providing care for anyone else in the home?		
	No = 0 Yes = 1		
2.12	Was the patient registered with a GP?		
	No = 0 Yes = 1		
2.13	Was the person a former member of the Armed Forces?		
	0 No		
	1 Yes, less than a year ago		
	Yes, between a year and 5 years ago		
	3 Yes, more than 5 years ago		
	4 Yes, but not known when		

SECT	ON 3: Psychosocial history	
3.1 Pri	nary psychiatric diagnosis	_
	Schizophrenia or other primary psychotic disorders	
	2 Drug-induced psychotic disorder	
	3 Bipolar affective disorder	
	4 Depressive disorder	
	5 Anxiety disorder/phobia/panic disorder/OCD	
	6 PTSD	
	7 Eating disorder	
	8 Dementia	
	9 Alcohol dependence/misuse	
	O Drug dependence/misuse	
	1 Personality disorder	
	2 Adjustment disorder	
	3 Organic disorder	
	4 Learning disability	
	5 Autism spectrum disorder	
	6 ADHD	
	7 Conduct-dissocial disorder	
	8 Somatoform/somatisation disorder	
	9 Mental disorder present but not able to specify	
	No information available/information lacking	
	7 No mental disorder (i.e. not 01 to 19 or 88)	
	8 Other (please specify)	
	9 Not known	
3.2	econdary Diagnosis (coding as above)	
	3) 4)	
3.3	the patient was diagnosed with personality disorder, what type was it?	
	Antisocial	
	Emotionally unstable/Borderline	_
	Other (please specify)	

Not applicable 7 If the patient had psychosis, was the most recent episode a first episode psychosis? 3.4 Not applicable = 7 No = 0Yes = 1

No = 0 Yes = 1 Not applicable = 7 3.6 Duration of mental illness (since clear onset of disorder coded under 3.1) 1 Less than 3 months 2 3-12 months (but less than a year) 3 1-5 years 4 More than 5 years 7 No mental disorder 3.7 When was the first contact with mental health services?	
 Less than 3 months 3-12 months (but less than a year) 1-5 years More than 5 years No mental disorder 	
 3-12 months (but less than a year) 1-5 years More than 5 years No mental disorder 	
 3 1-5 years 4 More than 5 years 7 No mental disorder 	
4 More than 5 years 7 No mental disorder	
7 No mental disorder	
3.7 When was the first contact with mental health services?	
1 Less than 3 months ago	
2 3-12 months ago (but less than a year)	
3 1-5 years ago	
4 More than 5 years ago	
4 Word than 5 years ago	
3.8 Did the patient have a major physical illness at the time of death? (include conditions even if well controlled by treatment)	
No = 0 Yes = 1 [If no, please go to question 3.9]	
3.9 If yes, did the patient have any of the following major physical illnesses?	
No = 0 Yes = 1	
Cancer	
	1 1
Cardiovascular disease, including cerebrovascular disease	
Chronic pain	
Chronic pain Diabetes	
Chronic pain	

	Endocrin	e & metabolic dis	ease		
	Impaired mobility				
	Musculoskeletal disease				
	Respiratory disease				
	Other (please specify)				
	Specific physical diagnosis (optional)				
3.10	Did the p	oatient have any l	hearing impairments at the time of death?		
	No = 0	Yes = 1			
3.11	=	=	contact with any specialist mental health support earing impairment?		
	No = 0	Yes = 1	Not applicable (patient had no hearing impairme	nt) = 7	
Pati	Patients aged under 25				
	_	· ·	for patients who were <u>aged under 25</u> at the was not aged under 25, please go to question	3.13.	
3.12		re a history of Loc children's home o	cal Authority Care? or foster care)		
	No = 0	Yes = 1			
3.13	Did the p	patient previously	y have a childhood psychiatric diagnosis?		
	No = 0	Yes = 1			
3.14	If the an	swer to 3.10 is ye	es, what was the primary diagnosis?		
		DHD			
		onduct disorder			
		utism spectrum d			
			r, e.g. depression, anxiety, etc		
		sychosis			
	8 0	rtner (piease spec	ify)		

3.15	Had the patient been under the care of the following agencies as a child/minor:			
	No = 0 Yes = 1			
	Young Offender Institution			
	Child protection			
	Youth justice team			
	Secure care under Local Authority services (e.g. secure children's home/secure treatment centre)			
	Child and adolescent mental health services			
	Other (please specify)			
Lifet	time history			
Did t	he patient have a history of the following at any time? No = 0 Yes = 1			
	No = 0 Yes = 1			
3.16	Admission to a high security hospital/medium secure unit			
3.17	Treatment by specialist military mental health services			
3.18	Being in prison (including being a remand prisoner)			
3.19	Exposure to suicide (family, partner, friends)			
3.20	Self-harm Self-harm			
3.21	Alcohol misuse			
3.22	Drug misuse			
3.23	If there was a history of drug misuse, which substances were misused? (Base your answer on frequency and potential harmfulness)			
	No = 0 Yes = 1 Not applicable = 7			
	Heroin/other opiates			
	Stimulants (e.g. amphetamines, LSD, mushrooms, crack/cocaine, ecstasy)			

	Ketamine	
	Benzodiazepines (other than as prescribed)	
	Cannabis	
	Skunk (or other potent forms of cannabis)	
	New psychoactive substances (often called 'legal highs')	
	Other (please specify)	
3.24	Childhood abuse	
	No = 0 Yes = 1	
	Physical	
	Psychological or emotional	
	Sexual	
3.25	Domestic/intimate partner violence, i.e. as a victim	
	No = 0 Yes = 1	
	Sexual assault	
	Physical assault	
	Psychological or emotional abuse	
3.26	Violence as a perpetrator (includes serious threat)	
	No = 0 Yes = 1	
	Sexual assault	
	Physical assault	
	Psychological or emotional abuse	

Recent experiences The following section is on life events or stressors experienced in the **3 months** before the suicide. Did the patient recently experience any of the following? Yes = 1No = 0Social: 3.27 Serious financial difficulties If yes, did these financial difficulties relate to any of the following? 3.28 No = 0Yes = 1Not applicable = 7 Debt (e.g. loans, credit or store cards) Mortgage/rent arrears Loss of welfare benefits/disability benefits Instability or loss of job Loss of housing Other (please specify)..... Workplace stressors (e.g. intimidation or bullying) 3.29 3.30 Assessment for, or change in, welfare benefits such as Universal Credit, Personal Independence Payment (PIP), Adult Disability Payment 3.31 Gambling Alcohol misuse 3.32 **Drug misuse** 3.33 If there was recent drug misuse, which substances were misused? 3.34 (Base your answer on frequency and potential harmfulness) Not applicable = 7 No = 0Yes = 1Heroin/other opiates Stimulants (e.g. amphetamines, LSD, mushrooms, crack/cocaine, ecstasy)

	Benzodiazepines (other than as prescribed)	
	Cannabis	
	Skunk (or other potent forms of cannabis)	
	Ketamine	
	New psychoactive substances (often called 'legal highs')	
	Other (please specify)	
Crimii	nality and violence:	
3.35	Criminal charges	
3.36	Victim of:	
	Crime	
	Hate crime	
	Stalking	
	Intimidation	
3.37	Domestic/intimate partner violence, i.e. as a victim	
	Sexual assault	
	Physical assault	
	Psychological or emotional abuse	
3.38	Violence as a perpetrator (includes serious threat)	
	Sexual assault	
	Physical assault	
	Psychological or emotional abuse	
Emoti	ional and physiological:	
3.39	Bereavement	

3.40	Menopause				
3.41	Fertility problems or concerns				
3.42	Insomnia				
3.43	Self-harm				
If the	ere was no recent self-harm, please go to question 3.48				
3.44	When did this episode of self-harm occur before the suicide?				
	 Less than 1 week More than a week but less than a month Between 1 and 3 months Not applicable – no recent self-harm 				
3.45	What method of self-harm was used in this recent episode?				
3.46	Did this episode of self-harm lead to contact with services (including the Emergency Department)?				
	No = 0 Yes = 1				
3.47	If yes, what was the result?				
	 Not assessed Assessment only – no follow-up Referral to a mental health team for further follow-up Referral to another service for follow-up Admission to a psychiatric bed Not applicable 				
	8 Other (please specify)				
3.48	Any other recent life events or stressors (please specify)				

Coronavirus (COVID-19) outbreak					
3.49	Was the CO\ to the suicid		k, or any restrictions, implicated as contributing		
	No = 0	Yes = 1			
3.50	If yes, did an	y of the follow	ring occur due to the COVID-19 outbreak?		
	No = 0	Yes = 1	Not applicable = 7		
	Loss of job				
	Other financ	ial stressors			
	Physically ill	with the virus			
	Bereavemen	it			
	Disruption to	o formal suppo	rt from mental health services		
	Isolation or I	imitations to da	aily life		
	Victim of domestic violence				
	Increased use of alcohol				
	Other (please	e specify)			

SECTION 4: DETAILS OF SUICIDE

Before sending you this form, we have usually been informed that the death has been classified as suicide or undetermined.

ucut	11 1143	been classified as saicide of affacter fillified.
4.1	Metho	od (if more than one, please give direct cause)
	01	Self-poisoning
	02	Strangulation
	03	Hanging
	04	Drowning
	05	Firearms
	06	Cutting or stabbing
	07	Jumping from a height/multiple injuries
	80	Jumping/lying before a train
	09	Jumping/lying before any other vehicle
	10	Burning
	11	Electrocution
	12	Suffocation/asphyxiation
	13	Inhalation of gases (please specify)
	88	Other (please specify)
	99	Not known
4.2	16 - 16	
4.2		poisoning, specify substance (if more than one substance, select most
	пкету с	cause of death). If not self-poisoning, please go directly to question 4.5.
	01	Antipsychotic drugs
	02	Tricyclic anti-depressant
	03	SSRI/SNRI anti-depressant
	04	Lithium/Mood stabiliser
	05	Other anti-depressant
	06	Benzodiazepine/Hypnotic
	07	Paracetamol
	08	Paracetamol/opiate compound
	09	Other analgesic
	10	Opiate (heroin, methadone, etc)
	11	Insulin
	12	Other poisons (e.g. weed killer)
	88	Other substance (please specify)
	99	Not known

4.3	If the s	substance in question 4.2 was an opiate, what type was it?	
	_		
	1	Heroin/morphine	
	2 3	Methadone Codeine	
	3 4	Tramadol	
	7	Not applicable - substance was not an opiate	
	8	Other (please specify)	
	J	Circi (picase specify)	
4.4	If the s	substance in question 4.2 was an opiate or a paracetamol/opiate	
	compo	ound, how was it obtained?	
	_		
	1	Prescribed for the patient for treatment of pain	
	2	Prescribed for the patient for treatment of drug misuse Prescribed for someone else	
	3 4		
	4 5	Illicitly Not prescribed, i.e. over the counter	
	7	Not applicable - substance was not an opiate or paracetamol/opiate compou	nd
	8	Other (please specify)	114
	Ü	Certer (prease speed y)	
4.5	Did the	e suicide occur in the following circumstances?	
7.5	Dia tile	e suicide occur in the following circumstances:	
	No = 0	Yes = 1	
	Homici	de followed by suicide	
	Diadia	a suicilionest	
	Died in	a suicide pact	
4.6	was th	nere evidence of suicide-related internet use?	
	No = 0	Yes = 1	
		ed information (e.g. method details) on how to die by suicide	
	(please	specify source of information)	
		<u>,</u>	
	Maria al	the transfer of the control of the state that the description of	
	visitea	websites that may have discussed/encouraged suicide, including chat rooms	
	Commi	unicated suicidal ideas/intent online	
	23111111		
	Commi	unicated suicidal ideas/intent via social media (e.g. Twitter, Instagram,	
	Facebo	ook)	
		and and and the allocations	
	Experie	enced online bullying	

4.7	Did the suicide occur in a woman who was pregnant or post-natal?	
	0 No	
	1 Yes, woman was pregnant	
	2 Yes, suicide was less than one year after childbirth	
4.8	Did the suicide occur in any of these settings?	
	01 Home	
	02 Hospital ward	
	03 Multi-storey car park	
	04 Bridge	
	05 Coastal location	
	06 River location	
	07 Railway location	
	08 Road/highway location	
	09 Park/woods	
	88 Other public place (please specify)	
		••••
4.9	To your knowledge, was the location of suicide a place of emotional sig	nificance?
	O No	
	1 A place of death of a family member or friend	
	2 A place someone else they knew died by suicide	
	3 Any other emotionally significant place (please specify)	
	3 Any other emotionary significant place (piease specify)	
		•••••
4.10	To your knowledge, did the suicide occur on or near an anniversary or a	1
	significant date?	
	0 No	
	1 The patient's birthday	
	2 Anniversary of a death of a family member or friend	
	3 Any other significant date (please specify)	
4.11	Was the suicide thought to be part of a cluster of suicides?	
	The same and anone in the part of a diagram of an induced.	
	No = 0 Yes = 1	

SECTION 5: In-patient suicides

Complete this section only if the patient was a **psychiatric in-patient** at the time of suicide (including patients on leave). Otherwise, go to Section 6 (page 16).

(pag	e 16)		
5.1	Date	of admission to the in-patient unit	
	Day	Month Year	
5.2	Did tl	he suicide occur within 7 days of admission?	
	No =	0 Yes = 1	
5.3	Pleas	e provide the time of death (if unknown please put best estimate using 24-	hour clock)
5.4	Wast	the ward where the patient died within the <u>local</u> in-patient unit?	
	No =	0 Yes = 1	
5.5	Туре	of ward (if patient was on leave, where they were prior to leave)	
	1	General psychiatry open ward	
	2	Psychiatric intensive care ward	
	3	Low/medium secure unit or high secure hospital Rehabilitation unit	
	5	CAMHS ward (including forensic ward)	
	6	Eating disorders ward/unit	
	7	Older person's unit	
	8	Other (please specify)	
5.6	Patie	nt's legal status at the time of suicide	
	1	Informal/voluntary	
	2	Detained for assessment	
	2	(section 2 in England & Wales; forms 7, 8 or 9 in Northern Ireland)	
	3	Detained for treatment (section 3 in England & Wales; forms 10, 11 or 12 in Northern Ireland)	
	4	Detained under short term emergency section or under doctors' or	
	4	nurses' holding powers	
		(section 4 or 5 in England & Wales; forms 5 or 6 in Northern Ireland)	
	5	Detained under forensic section (Part 3 of MHA) or similar	
	8	Other (please specify)	

5.7	Did any of	the following occur at the last admission?	
	No = 0	Yes = 1	
	Manual res	straint	
	Seclusion		
	Urgent intr	ramuscular (IM) or intravenous (IV) medication	
5.8	Patient's o	observation status at the time of suicide	
	1 Cor	nstant (observation within eyesight or within arm's length)	
	2 Inte	ermittent (observation every 15-30 minutes)	
	3 Ger	neral observation	
	7 Not	t applicable - patient was on leave	
	8 Oth	ner (please specify)	
5.9	Were there	e particular problems in observing this patient on the ward because of following?	
	No = 0	Yes = 1	
	Ward desig	gn	
	Staff shorts	ages	
	Staff were	busy, e.g. with other patients, handover	
	Other (plea	ase specify)	
5.10	Where did	the suicide take place?	
		the ward	
		nospital grounds (not on the ward)	
		hospital grounds	
	8 Oth	ner (please specify)	
5.11	If the patie	ent was off the ward, , to what extent had leave been granted at the tin	ne of
suicid	e?		
	1 Pat	ient was on agreed leave	
		ient was off the ward with staff agreement	
		ient was off the ward without staff agreement	
		ient was off the ward and had not returned from agreed leave	
		t applicable - patient was on the ward at the time of suicide	
		ner (please specify)	

5.12	I	If the pa	atient was off	the ward with staff agreement, was the patient:	
	No = 0		Yes = 1	Not applicable = 7	
	On agr	eed lea	ve as a step to	owards planning discharge	
	On esc	corted le	eave (with a m	nember of staff or family)	
5.13	If the p	patient	was off the w	vard without staff agreement, how did they leave?	
	No = 0		Yes = 1	Not applicable = 7	\neg
	Throug	gh the n	nain unit door		
	By scal	ling a ba	arrier (e.g. per	rimeter fence)	
	Other ((please	specify)		
5.14	If the s	suicide 1	took place on	the ward, what was the location of the suicide?	7
	1	Shared	d room or dori	mitory	
	2		bedroom		
	3	_	bathroom		
	4	En-suit	te bathroom		
	7	Not ap	plicable - suic	cide occurred off the ward	
	8	-	•	y)	
5.15	If the s	suicide	occurred on t	he ward by hanging/strangulation or asphyxiation:	
	a)	What	did the patien	nt use in dying by this method?	7
	1		towel etc.		
,	2	Tie			
	3	Belt Shoela	1505		
	4 5			cifically for purpose (e.g. rope)	
	6	Plastic		cincany for purpose (e.g. rope)	
	7		_	th was not by hanging/strangulation or asphyxiation on ward	
	8	-	•		
				•	

b)	What did th	e patient han	g/strangle him/herself from?	
01	Bed curtain	rail		
02	Pipes			
03	Hook or han	dle		
04	Door			
05	Bed head			
06	Window			
07	Self-strangul	lation, i.e. no	ligature point	
77	Not applicab	ole - death wa	s not by hanging/strangulation on ward	
88	• •			
c)	Did the pation	ent use a low	-lying ligature point (i.e. below head height)?	
	No = 0	Yes = 1	Not applicable – death was not by hanging/strangulation on the ward = 7	



SECTION 6: Community patients (including patients no longer in contact with services)

Complete this section if the patient was living outside hospital at the time of suicide. Questions relating to CTO will only apply to England and Wales.

Last	admis	ssion
6.1	Nature	e of last admission to psychiatric in-patient care
	0	None [If none, please go directly to question 6.13]
	1	Informal/voluntary
	2	Detained for assessment
		(section 2 in England & Wales; forms 7, 8 or 9 in Northern Ireland)
	3	Detained for treatment
		(section 3 in England & Wales; forms 10, 11 or 12 in Northern Ireland)
	4	Detained under short term emergency section or under doctors' or
		nurses' holding powers
		(section 4 or 5 in England & Wales; forms 5 or 6 in Northern Ireland)
	5	Detained under forensic section (Part 3 MHA) or similar
	6	Under the power of recall of a Community Treatment Order (CTO)
	8	Other (please specify)
6.2	\A/ac +l	he last admission to the <u>local</u> in-patient unit?
0.2	vvas ti	ne last authission to the <u>local</u> in-patient unit:
	No = 0	Yes = 1
	140 - 0	
6.3	Durati	on of last admission
	1	3 days or less
	2	4-7 days
	3	More than 1 week but less than 4 weeks
	4	Between 4 and 13 weeks
	5	More than 13 weeks
6.4		his a re-admission within 3 months of a previous discharge from atric in-patient care?
	No = 0	<u> </u>

Post	t-discharge and follow-up
6.5	Date of last discharge from psychiatric in-patient care (if patient was discharged in last year)
	Day Month Year
	(Note. Please enter 77 if the patient was not discharged in last year or enter 99 if date was unknown)
6.6	When did the suicide occur after discharge?
	1 Less than 3 days
	2 Between 3 and 6 days
	3 7 days or more
6.7	Nature of last discharge from psychiatric in-patient care
	1 Planned
	2 Discharge following self-harm or breach of ward rules (e.g. drinking, violence)
	3 Self-discharge
	8 Other (please specify)
6.8	In your opinion, had the patient been discharged before risk had sufficiently been reduced?
	No = 0 Yes = 1
6.9	If yes, in your opinion was this due to any of the following factors?
	No = 0 Yes = 1 Not applicable = 7
	Pressure on beds
	Pressure from the patient or family
	Policy locally
	Other (please specify)
6.10	Was the patient being discharged to any of the following unresolved problems?
	No = 0 Yes = 1
	Housing, financial, employment problems
	Poor social support

	Drug/alcohol misuse	
	Physical ill health	
	Other (please specify)	
6.11	Following discharge from psychiatric in-patient care, when was the first follow-up contact with a member of the multi-disciplinary team?	
	0 No follow-up arranged [If no follow-up, please go to question 6.13]	
	1 Within 3 days	
	2 More than 3 days but within a week	
	3 A week or more	
	8 Other (please specify)	
6.12	Did the suicide occur before the follow-up appointment took place?	
	No = 0 Yes = 1	
6.13	What was the nature of the first follow-up contact with psychiatric services?	
	1 Face-to-face	
	2 Telephone	
	3 SMS/email	
	4 Zooms, Teams, Skype (or similar)	
	8 Other (please specify)	
Crisi	teams/CRHT	
	patient was not under the care of CRHT at the time of death, please go estion 6.15	
6.14	How long had the patient been under the care of CRHT services?	
	1 Less than 24 hours	
	2 More than 1 day but less than 1 week	
	3 A week or more	
6.15	Did the care plan under CRHT include provision of additional social support at home, e.g. from a relative, friend or neighbour?	
	No = 0 Yes = 1	

6.16	Was the patient made subject to a Community Treatment Order (CTO) at the time of his/her last discharge?			
	No =	0 Yes = 1	Not applicable - no previous admission = 7	
6.17	Was	the patient subject t	to a CTO at the time of death?	
	1	Yes		
	2	No, CTO revoked		
	7	•	not subject to CTO or no previous admission	
6.18	How	long had the patient	t been under CTO?	
	1	Less than 6 month	ns	
	2	Between 6 months	s and a year	
	3	A year or more		
	7	Not applicable – n	not subject to CTO or no previous admission	
Early	y inte	ervention		
6.19	Was	the patient seen und	der Early Intervention services?	
	No =	0 Yes = 1		
6.20	If yes	s, was the patient se	en within two weeks of referral?	
6.20	If yes		en within two weeks of referral? Not applicable - patient not seen under EI = 7	
	No =	0 Yes = 1		
	-	0 Yes = 1		
	No =	0 Yes = 1		
Sect	No =	0 Yes = 1	Not applicable - patient not seen under EI = 7	
	No =	0 Yes = 1 36 the patient conveye		
Sect	No =	0 Yes = 1 36 the patient conveyer (or Article 130 MHC)	Not applicable - patient not seen under EI = 7 ed to a <u>hospital based</u> place of safety under S136 of the	
Sect 6.21	No = ion 1 was MHA	0 Yes = 1 36 the patient conveyer (or Article 130 MHC)	Not applicable - patient not seen under EI = 7 ed to a <u>hospital based</u> place of safety under S136 of the D in Northern Ireland) in the <u>3 months</u> prior to suicide?	
Sect 6.21	No = ion 1 Was MHA No =	o Yes = 1 the patient conveyed (or Article 130 MHC) Yes = 1 s, what was the results	Not applicable - patient not seen under EI = 7 ed to a <u>hospital based</u> place of safety under S136 of the D in Northern Ireland) in the <u>3 months</u> prior to suicide?	
Sect 6.21	No = ion 1 was MHA No = If yes	O Yes = 1 The patient conveyed (or Article 130 MHC) O Yes = 1 So, what was the result Assessment only -	Not applicable - patient not seen under EI = 7 ed to a hospital based place of safety under S136 of the D in Northern Ireland) in the 3 months prior to suicide? elt? no follow-up	
Sect 6.21	No = ion 1 was MHA No = If yes	O Yes = 1 36 the patient conveyed (or Article 130 MHC) O Yes = 1 s, what was the result Assessment only - Referral to a ment	Not applicable - patient not seen under EI = 7 ed to a hospital based place of safety under S136 of the D in Northern Ireland) in the 3 months prior to suicide? Ilt? In o follow-up tal health team for further follow-up	
Sect	No = ion 1 was MHA No = If yes	O Yes = 1 36 the patient conveyed (or Article 130 MHC) O Yes = 1 s, what was the result Assessment only - Referral to a ment	Not applicable - patient not seen under EI = 7 ed to a hospital based place of safety under S136 of the D in Northern Ireland) in the 3 months prior to suicide? elt? no follow-up	
Sect 6.21	No = No = No = If yes 1 2 3	O Yes = 1 36 the patient conveyed (or Article 130 MHC) O Yes = 1 s, what was the result Assessment only - Referral to a ment Referral to another	Not applicable - patient not seen under EI = 7 ed to a hospital based place of safety under S136 of the D in Northern Ireland) in the 3 months prior to suicide? Ilt? In o follow-up tal health team for further follow-up	

6.23	Was the patient conveyed to a <u>custody based</u> place of safety under S136 of the MHA (or Article 130 MHO in Northern Ireland) in the <u>3 months</u> prior to suicide?				
	No = 0	Yes = 1			
6.24	If yes, wha	at was the result?			
	 Ref Ref Adr Not 	sessment only - no follow-up ferral to a mental health team for further follow-up ferral to another service for follow-up mission ot applicable her (please specify)			
Rece	ent conta	ct with services			
servi with	ces. In add other team	you about contact the patient had with a range of specialist lition to these, we would like to know whether there was corns or services.			
6.25	Which oth	ner services was the patient under at the time of death?			
	No = 0	Yes = 1			
	Acute day	hospital			
	Alcohol ser	rvices			
	(Assertive)) outreach service			
	CAMHS				
	Children's	social services (including child protection services)			
	CMHT				
	Criminal ju	ustice liaison and diversion team/street triage			
	Drug servic	ces			
	J				
	Employme	ent services			
		ent services ommunity team			

	Liaison psychiatry		
	Maternal/perinatal mental health		
	Older peoples' mental health services		
	Probation		
	Recovery/rehabilitation		
	Specialist military mental health services		
	Specialist personality disorder service		
	Specialist psychotherapy services		
	Other (please specify)		
6.26	Was the contact the patient had with services a one-off contact?		
	No = 0 Yes = 1		
6.27	Was there a transfer of care from another trust (health board) in the 12 months prior to suicide		
	No = 0 Yes = 1		
	If yes, please specify		
6.28	Had the patient been subject to an <u>urgent</u> referral to specialist mental health services by a GP in the <u>3 months</u> prior to suicide?		
	No = 0 Yes = 1		
6.29	If yes, what was the result?		
	1 Assessment only – no follow-up		
	2 Referral to mental health team but not seen		
	3 Admission4 Not yet seen		
	4 Not yet seen7 Not applicable		
	8 Other (please specify)		
	Conc. (picase specify		

6.30		e patient been subject to a <u>routine</u> referral to specialist mental services by a GP in the <u>3 months</u> prior to suicide?	
	No = 0	Yes = 1	
6.31	If yes, w	vhat was the result?	
	2 F 3 A 4 F 7 F	Assessment only – no follow-up Referral to mental health team but not seen Admission Not yet seen Not applicable Other (please specify)	
6.32	Did any that app	of the following occur when accessing mental health care? (please tick all ply)	
	No = 0	Yes = 1	
	1 /	A delay in providing mental health care due to the volume of referrals	
	2 9	Service was unable to provide the treatment requested	
	3 F	Patient was not accepted as the clinical problem was not severe enough	
		Patient was not suitable for care/treatment due to comorbid problems (e.g. self-harm, substance misuse)	
	5 F	Patient was on a waiting list for admission	
6.33	Had the previou	ere been a transition from CAMHS to adult services in the as year?	
	No = 0	Yes = 1	
Loss	of con	tact with services	_
6.34		patient miss their last appointment (with any member of the health team in a clinic or in the community)?	
	No = 0	Yes = 1	

6.35	Following the	missed appo	intment, what action was taken?	
	No = 0	Yes = 1	Patient did not miss final appointment = 7	
	Patient discha	orged from fol	low-up	
	Further appoi	ntment/letter	sent	bracket
	Telephone cal	ll to patient to	arrange follow-up	
	Professional h	ome visit (fac	re-to-face)	
	GP informed			
	Contact betwe	een mental he	ealth team and patient's family	

SECTION 7: Treatment (all patients)

		uestions refer to the treatment that the patient was time of death.	
7.1	Which of the	following interventions was the patient receiving at the time of death?	
	No = 0	Yes = 1	
	Drug treatme	ent	
	Antips	sychotics:	
		Oral	
		Depot	
	Antide	epressants:	
		Tricyclics	
		SSRI/SNRI and related	
		Lithium/mood stabilisers	
		Other antidepressants	
	Benzo	diazepines	
	Other	psychotropic drugs	
	Other	drug treatment (please specify)	
	Psychological	treatment (a course of CBT, family therapy, IPT, group therapy)	
	(please specif	y)	
	Educational/e	employment support	
	(please specif	y)	
7.2		efusing to take medication as prescribed (e.g. non-adherent) before death?	
	No = 0 (<u>Note:</u> Enter 0	Yes = 1) if no medication was prescribed)	

7.3	Did the patient complain of distressing psychotropic drug side-effects?			
	No = 0	Yes = 1	Not prescribed medication = 7	
7.4	If yes, what t	type of side e	ffects did the patient complain of?	
	No = 0	Yes = 1	No side effects/not prescribed medication = 7	
	Weight gain			
	Extrapyramic	dal symptoms		
	Sedation			
	Arousal/agita	ation/insomni	ia	
	Sexual dysfui	nction		
	Other (please	e specify)		
7.5	What was th	ie main reasoi	n for not taking medication as prescribed?	
	2 Lack of3 Dependent4 Patien5 Stigm6 Not a7 Not a	nt found no po na attached to opplicable - pa opplicable - pa	illness persistent benzodiazepine use against medical advice) ositive effect from medication taking medication tient not prescribed medication tient was taking medication as prescribed ify)	


SECTION 8: Last contact (all patients)

The following questions refer to the **last formal contact or appointment with a member of the mental health team** before suicide (i.e. telephone or face-to-face contact). In the case of in-patients this refers to the **last consultation with a member of clinical staff.**

of cli	nical st	taff.
8.1	How lo	ong before the suicide did the last contact occur?
	1	Less than 24 hours
	2	1-7 days
	3	More than 1 week to 4 weeks
	4	More than 4 weeks to 13 weeks
	5	More than 13 weeks
8.2	What	was the nature of the last contact?
	1	Face-to-face
	2	Telephone
	3	SMS or email
	4	Zoom, Teams, Skype (or similar)
	8	Other (please specify)
8.3	What	was the reason for this last contact?
	1	Routine/non-urgent
	2	Urgent request by patient
	3	Urgent request by family
	4	Urgent request by professional
	5	Formal police referral (e.g. Section 136 in England & Wales, Article 130 in N.I.)
	6	Assessment after self-harm
	7	Request for self-discharge (in-patient)
	8	Other (please specify)
8.4	Whore	e did this last contact take place?
0.4	vviicio	a did this last contact take place.
	01	Patient's home
	02	Community/GP clinic
	03	Emergency department
	04	Mental Health Unit (including outpatients and day hospitals)
	05	Psychiatric in-patient ward
	06	Telephone/video call contact
	07	Medical ward
	80	Criminal justice setting
	88	Other (please specify)
	99	Not known

8.5 Was th		s there clear evidence of any of the following at last contact?				
	No = 0	0 Yes = 1				
	Deter	rioration in mental state				
	Increased use of alcohol/drugs					
	Decrease in social support					
	Increa	easing suicidal ideas or self-harm				
Risk	asses	ssment				
The f	followi	ring questions refer to the assessment of suicide risk.				
8.6	How I	high was the long term risk thought to be at last contact?				
		high was the <u>long term</u> risk thought to be, at last contact?				
	1	No risk				
	1 2	No risk Low				
	1 2 3	No risk Low Moderate				
	1 2 3 4	No risk Low				
	1 2 3	No risk Low Moderate High				
8.7	1 2 3 4 5 6	No risk Low Moderate High Risk not considered				
	1 2 3 4 5 6	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact?				
	1 2 3 4 5 6 How	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk				
	1 2 3 4 5 6 How 1	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low				
	1 2 3 4 5 6 How 1 2 3	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate				
	1 2 3 4 5 6 How 1 2 3 4	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate High				
	1 2 3 4 5 6 How 1 2 3	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate				
	1 2 3 4 5 6 How 1 2 3 4 5 6	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate High Risk not considered				
8.7	1 2 3 4 5 6 How 1 2 3 4 5 6	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate High Risk not considered Risk not categorised in this way was the risk assessed?				
8.7	1 2 3 4 5 6 How 1 1	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate High Risk not considered Risk not categorised in this way was the risk assessed? Clinical assessment				
8.7	1 2 3 4 5 6 How 1 1 2 3 4 5 6 1 2	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate High Risk not considered Risk not categorised in this way was the risk assessed? Clinical assessment Local risk tool				
8.7	1 2 3 4 5 6 How 1 1	No risk Low Moderate High Risk not considered Risk not categorised in this way high was the immediate risk thought to be, at last contact? No risk Low Moderate High Risk not considered Risk not categorised in this way was the risk assessed? Clinical assessment				

8.9	If the immediate risk was viewed as moderate or high, was the management plan changed after the assessment?			
	No = 0	Yes = 1	Not applicable = 7	
8.10	If the manag	gement plan v	was not changed, was this due to any of the following factor	s?
	No =0	Yes = 1	Not applicable = 7	
	Patient was	viewed as hav	ring mental capacity to make safety decisions	
	Patient refus	sed additional	input	
	The family w	as able to pro	ovide additional support	
	Other (pleas	e specify)		>



not otherwise specified.

SECTION 9: Your view on prevention

not otherwise specified.

		ı
Whic	h of the following would have made the suicide significantly less likely at time?	
	No = 0 Yes = 1	
9.1	Better supervision of junior/inexperienced staff	
9.2	Increased staffing	
9.3	Better staff training in risk assessment	
9.4	Closer supervision of patient	
9.5	Closer working with GP	
9.6	Use of mental health legislation	
	(please specify)	
9.7	Better communication between teams	
9.8	Less frequent use of agency/locum staff	
9.9	Closer contact with patient's family	
9.10	Better out of hours care	
9.11	Greater availability of psychiatric beds	
9.12	Decrease in case loads	
9.13	Better crisis facilities	
9.14	Availability of dual diagnosis, alcohol or drug services	
9.15	Increased access or lower waiting times for psychological therapies	
Enter v	what you consider to be the most accurate answer in the boy on the right-hand side. If not known, enter Q	

9.16	Patient taking medication in line with treatment plan (e.g. adherence with treatment)	
9.17	Other (please specify)	
SEC	TION 10: Case review	_
10.1	Please use this section to give us any additional information that has not already been covered	
10.2	Can you give examples of good practice in your service that other services might adopt?	
The f	following questions relate to the time period following the suicide:	
10.3	Has there been a review or investigation of the case <u>following</u> the patient's death?	
	No = 0 Yes = 1	
10.4	Did the relatives/carers of the patient take part in the review process?	
	No = 0 Yes = 1 Not applicable (no review) = 7	
10.5	Did the relatives/carers of the patient receive any formal support following his/her death?	
	No = 0 Yes = 1	
	If yes, please specify	
10.6	In your opinion, were positive changes made to mental health care as a result of the review or internal investigation?	
		0 : 0

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

0 = No

1 = Yes, within the team

2 = Yes, within the wider trust/health board

	7 = Not applicable If wes, please specify	
	ii yes, piease speciiy.	
SEC	TION 11: Your	details
11.1	Were you the clinicial during the year befo	in responsible for the patient's care <u>at any point</u> re death?
	No = 0 Yes = 3	
11.2	Did you know the pa	tient personally?
	No = 0 Yes =	1
11.3	Completed by (Name	e):
11.4	Signature:	
11.5	Job title:	
11.6	Contact telephone n	umber:
	Please return to F	k you for completing this questionnaire. rofessor Sir Louis Appleby, PO Box 86, Manchester, M20 2EF
FOR C	OFFICE USE ONLY:	
11.7	Country in which pat	ient was treated:
	1 England3 Scotland	2 Wales 4 Northern Ireland

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

© 2023 Healthcare Quality Improvement Partnership (HQIP)

