








Online material

Appendix 1. Pictures of the 12 morphotypes of rotifer resting eggs collected from the sediment core ORTA 07/1A.

		
MT1 [86 x 62 µm] unknown	MT2 [75 x 75 µm] cfr. <i>Synchaeta lakowitziana</i> (Koste, 1978)	MT3 [56 x 34 µm] cfr. <i>Anuraeopsis fissa</i> (Koste, 1978)
		
MT4 [66 x 59 µm] cfr. <i>Polyarthra dolichoptera</i> (Koste, 1978)	MT5 [64 x 60 µm] cfr. <i>Synchaeta longipes</i> (Koste, 1978)	MT6 [76 x 128 µm] cfr. <i>Brachionus calyciflorus</i> (Bogoslovsky, 1963)
		
MT7 [130 x 131 µm] cfr. <i>Asplanchna priodonta</i> (Koste, 1978)	MT8 [87 x 62 µm] cfr. <i>Trichocerca stylata</i> (Wesenberg-Lund, 1930)	MT9 [74 x 66 µm] <i>Rinoglena frontalis fertöensis</i> (Koste, 1978)
		
MT10 [61 x 70 µm] <i>Pompholyx sulcata</i> (Nipkow, 1961)	MT11 [79 x 55 µm] cfr. <i>Collotheeca ornata</i> (Wesenberg-Lund, 1923)	MT12 [55 x 66 µm] cfr. <i>Proales parasita</i> (Budde, 1925)