[Supplementary material]

Mortuary practices of the first Polynesians: formative ethnogenesis in the Kingdom of Tonga

Frederique Valentin<sup>1,\*</sup>, Geoffrey Clark<sup>2</sup>, Philip Parton<sup>2</sup> & Christian Reepmeyer<sup>3</sup>

<sup>1</sup> ArScAn-Ethnologie Préhistorique, CNRS, Nanterre, France

<sup>2</sup> Department of Archaeology and Natural History, The Australian National University, Australia

<sup>3</sup> College of Arts, Society and Education, James Cook University, Australia

\* *Author for correspondence (* frederique.valentin@cnrs.fr)

Table S1. Radiocarbon determinations calibrated (95.4%) with Calib7.10 (Stuiver *et al.* 2018). Charcoal ages calculated with the SHCal13 curve (Hogg *et al.* 2013); marine shell ages calibrated with the Marine13 dataset with Delta R set at 11±83 years after Petchey and Clark (2011); human bone results calibrated with mixed Marine and SH Atmosphere curve with %Marine carbon set at 50% to account for a significant marine diet contribution.

Lab Number	Unit and depth	Material and association	CRA	$\Delta^{13}C$	Calibrated (95%)
Wk-28234	TP.1: 0.55–0.60m	Carbonised coconut endocarp: shell midden	2473±31	-21.3±0.2	2353–2701
Wk-28235	TP.1: 0.70–0.75m	Carbonised coconut endocarp: shell midden	2510±30	-21.3±0.2	2379–2715
Wk-33572	TP.2: Spit 4, 0.15–0.20m	Carbonised coconut endocarp: shell midden	2533±25	-22.6±0.2	2437–2735

Wk-33573	TP.2: Spit 11, 0.50–0.55m	Carbonised coconut endocarp: shell midden	2448±25	-22.5±0.2	2347–2693
Wk-33574	TP.2: Spit 18, 0.85–0.90m	Carbonised coconut endocarp: shell midden	2504±25	-23.0±0.2	2376–2710
Wk-22876	TP.1: 0.91m	Charcoal from F6: structure	2452±30	-23.5±0.2	2347–2698
Wk-23002	TP.1: 0.80m	Charcoal from F5: structure	2562±30	-25.0±0.2	2487–2745
Wk-22999	TP.1: 0.40m	modified <i>Tridacna</i> sp.: grave good	2767±37	2.2±0.2	2291–2718
Wk-23000	TP.1: 0.65m	modified <i>Tridacna</i> sp.: grave good	2726±30	2.8±0.2	2209–2695
Wk-23001	TP.1: 0.80m	modified Conus sp.: grave good	2682±30	3.5±0.2	2148–2657
Wk-25461	TP.1: bone concentration	Human bone: humerus (burned)	2499±31	12.2±0.2	2346-2440
Wk-34949	TPBG, BG2	Human bone: femur	2571±29	-15.51	2327–2647
Wk-34950	TPBG, BG3	Human bone: humerus	2580±25	-15.89	2336–2647
Wk-40023	TPO, Sk5	Human bone: femur	2554±20	-15.90	2331–2469
Wk-41883	TPA2, Sk10	Human bone: fibula	2594±20	-16.44	2346–2651
Wk-41885	TPA2, Sk14	Human bone: scapula	2606±20	-16.33	2350-2663
Wk-41886	TPB2, SK17	Human bone: scapula	2559±20	-16.37	2335–2474

Table S2. Sample descriptions and selected measurement data for three coral files. Grey rows identify duplicate U-Th analyses with age uncertainties at 2σ. Analyses were processed in the Radiogenic Isotope Facility at the University of Queensland using protocols described in Burley *et al.* (2012).

Analysis/ sample	Context	Description	<sup>232</sup> Th (ppm)	<sup>230</sup> Th/ <sup>232</sup> Th	Uncorrected date (BP)	Corrected date BP
05WZ16-68 TAL-1	TPD2	Branch coral file, 72mm in length, 14mm diameter at base, worked tip 10mm.	0.590	520.17	3223±11	3151±11
06 WZ16-69 TAL-2	TPE2	Branch coral file, 75mm in length, 8mm diameter at base, worked tip 5mm.	0.537	648.66	3115±10	3045±10
FL09-50 TAL-2	TPE2	As above	0.960	391.7	3497±18	3423±18
07 WZ16-70 TAL-3	TPA2	Branch coral file, 60mm in length (curved), 11mm diameter at base, worked tip 27mm.	0.131	2182	2701±10	2635±10
FL09-51 TAL-3	TPA2	As above	0.165	1712.8	2730±18	2662±18

Table S3. Inventory of burials from Talasiu. Age and sex determination used recommendations of Bruzek (2002), Ferembach *et al.*(1979), Scheuer & Black (2000) and Schmitt (2005).

Test pit	Burial context	Number of individuals per	Burial ID	Age, adult (Schmitt 2005); Age,	Sex, coxal (Bruzek
		context		sub-adult (Ubelaker 1989;	2002);
				Scheuer & Black 2000)	Sex, skull
					(Ferembach <i>et al</i> .
					1979)
TP1	Cremains	Multiple (n=4),		Three adults,	Male (skull)
		three adults, one child		one child (3–10 years)	
TPBG	BG2	Single (n=1);	BG2	Adult (20–49 years)	Female
	BG3	Single (n=1),	BG3	Adult (>50 years)	Female
		scattered remains of one child			
		(1.5–2 years) and one adult			
ТРА	Sk1	Single (n=1),	Sk1	Adult (>40 years)	Female
		scattered remains of one adult			
TPF and	Sk2	Multiple n(=4)	Sk2.1	Adult	Unknown
extension			Sk2.2	Adult	Male
			Sk2.3	Adult	Unknown
			Sk2.4	Adolescent (12-16 years)	-

TPG	Sk3	Multiple (n=2), and scattered	Sk3.1	Adult	Female
		remains of at least one other	Sk3.2	Adult	Male
		adult and three perinates			
ТР М	Sk4	Single (n=1)	Sk4	Child (2.5 years)	-
		Scattered remains of at least			
		one adult			
ТРО	Sk5	Single (n=1)	Sk5	Adult (>30 years)	Male
ТРТ	Sk6	Single (n=1)	Sk6	Adult	Male (skull)
TP A2 and	Four contexts:	Three singles (n=1) (Sk10,	Sk10	Adult	Female
extension	Sk14, Sk10,	Sk11, Sk14);	Sk11	Child (1.5–2.5 years)	-
	Sk11, Sk7	one multiple (n=2) and	Sk14	Adult	Male
		scattered remains of at least	Sk7.1	Adult	Unknown
		three other adults and one	Sk7.2	Adult	Unknown
		child (Sk7)			
TP B2	Sk17	Single (n=1)	Sk17	Adult	Unknown
TP D2/E2	4 contextes,	Three single (n=1) and	Sk16	Adult	Female
	Sk16, Sk12,	remains of at least two adults	Sk13	Child (1.5–2.5 years)	-
	Sk13, Sk9	and two children (Sk12, Sk13,	Sk12	Adult	-
		Sk16);	Sk9.1	Child (7–11 years)	-
			Sk9.2	Adult	-
			Sk9.3	Adult	Unknown

		one multiple (n=3) and			
		remains of at least one other			
		adult (Sk9)			
TP N2	Sk15	Single (n=1)	Sk15	Adult	Unknown

Table S4. Ornaments and mortuary characteristics of Talasiu burials.

Area	Context	Individuals	Ornaments/goods	Mode of	Skeletal	Interpretation
				inhumation	representation	
TP1	Cremains	Four	Four modified shells	Deposited as bone	Over-representation	Transfer of skull
		individuals,			of skull	remains
		including one				
		male and one				
		child				
BG	BG2, BG3	Two females	One shell bead	Deposited as	Incomplete	Absence of skull due
			One shell bead	cadavers	skeletons, missing	to removal or
				supine and prone	skull in one	disturbance in one
					individual and lower	individual: no
					half of skeleton in	interpretation
					the other	
TPA	Sk1	One female		Deposited as	Neurocranium	Absence of skull due
				cadaver,	missing	to removal

				prone		
TPF	Sk2	Four+	One modified shell	Deposited as	Under-representation	Absence of skull and
		individuals,		cadavers,	of skull and fibulas,	fibula possibly due
		including one		supine and prone	partial articulations	to removal
		male and one				
		adolescent				
TPG	Sk3	Two+		Deposited as	Sub-complete	Absence of male
		individuals,		cadavers,	skeletons in	skull and fibulas due
		including one		supine	articulation, male	to removal
		male and one			neurocranium	
		female			missing, fibulas	
					missing in both	
					individuals	
TPM	Sk4	One child	One shell bead	Deposited as	Incomplete skeleton,	Absence of skull due
				cadaver?	no articulation	to removal or
				disturbed		disturbance: no
						interpretation
ТРО	Sk5	One male		Deposited as	Incomplete skeleton,	Absence of skull and
				cadaver, supine	in articulation	fibula possibly due
						to removal

ТРТ	Sk6	One male		Deposited as bone	1 isolated skull and	Transfer of skull
					some cervical	
					vertebras	
TPA2	SK7	Five		Deposited as	Under-representation	Absence of skull and
		individuals,		cadavers?	of skull and fibulas,	fibula due to
		including one		disturbed	very incomplete	removal or
		child			skeletons, some	disturbance: no
					partial articulations	interpretation
					of bones	
TPD2-E2	Sk9	Three+		Deposited as	Under-representation	Absence of skull
		individuals,		cadavers	of adult skull,	possibly due
		including one		reorganised	incomplete	removal
		child			skeletons, some	
					partial articulations	
TPA2	Sk10	One female	One shell bead, one shell	Deposited as cadaver	Incomplete skeleton,	No absence of skull
			long unit	On face	skull and fibula	and fibula
					present, in	
					articulation	
TPA2	Sk11	One child		Deposited as	Incomplete skeleton,	No absence of skull
				cadaver,	skull and fibulas	and fibula
				disturbed		

					present, some	
					articulations	
TPD2-E2	Sk12	One female	One shell long unit	Deposited as	Incomplete skeleton,	No absence of skull
				cadaver,	skull and fibulas	and fibula
				prone	present, in	
					articulation	
TPD2-E2	Sk13	One child		Deposited as	Incomplete skeleton,	No absence of skull
				cadaver,	skull and fibulas	and fibula
				disturbed	present, some	
					articulations	
TPA2	Sk14	One male	Two grooved sea urchin	Deposited as	Incomplete, in	Absence of skull and
			spines	cadaver,	articulation	fibula due to
				supine		removal
TPN2	Sk15	One		Deposited as bone	Isolated skull	Transfer of skull
		individual of				
		unknown sex				
TPD2-E2	Sk16	One female		Deposited as	Very incomplete,	Absence of skull due
				cadaver?	pelvis in articulation	to removal or
				undeterminable		disturbance: no
						interpretation

TPB2	Sk17	One	Deposited as	Very incomplete,	Absence of
		individual of	cadaver?	scattered remains	neurocranium due
		unknown sex	disturbed		to removal or
					disturbance: no
					interpretation

Table S5. Funerary behaviour of Ancestral Polynesian Society reconstructed from historical linguistics (lexemes reconstructed forPolynesian language, after Kirch & Green (2001): 196, 239–55; PPN = Proto-Polynesian language).

Language stage	Lexeme	Gloss
Abstract concept	s fundamental to Po	lynesian culture that structure major life transitions
PPN	*mana	Supernatural power, related to human head
PPN	*tapu	Under ritual restrictions
PPN	*noa	Ordinary, related to food remains
Spatial organisat	ion and funerary act	ivities
PPN	*tupunga or	Ancestors
	*tupuna	
PPN	*qafu	Sacred house base foundation (containing ancestors remains
PPN	*fale-{qatua}	Sacred house, containing remains of ancestors

PPN	*malaqe	Open clear space used as ceremonial or meeting place,
		located seaward of sacred house

## References

BRUZEK, J. 2002. A method for visual determination of sex, using the human hip bone. *American Journal of Physical Anthropology* 117: 157–68. https://doi.org/10.1002/ajpa.10012

BURLEY, D., M.I. WEISLER & J-X. ZHAO. 2012. High precision U/Th dating of first Polynesian settlement. PLoS ONE 7:e48769.

http://dx.doi.org/10.1371/journal. pone.48769

FEREMBACH D, I. SCHWIDETZKY & M. STLOUKAL. 1979. Recommandations pour déterminer l'âge et le sexe sur le squelette. *Bulletins et Mémoires de la Société d'Anthropologie de Paris* 6(13): 7–45. https://doi.org/10.3406/bmsap.1979.1945

HOGG, A. et al. 2013. SHCal13 Southern Hemisphere calibration, 0-50 000 years cal BP. Radiocarbon 55: 1889-903.

https://doi.org/10.2458/azu\_js\_rc.55.16783P

KIRCH, P.V. & R.C. GREEN. 2001. *Hawaiki, ancestral Polynesia: an essay in historical anthropology*. Cambridge: Cambridge University Press. PETCHEY, F. & G. CLARK. 2011. Tongatapu hardwater: investigation into the <sup>14</sup>C marine reservoir offset in lagoon, reef and open-ocean

environments of a limestone island. Quaternary Geochronology 6: 539–49. https://doi.org/10.1016/j.quageo.2011.08.001

SCHEUER, L. & S. BLACK. 2000. *Developmental juvenile osteology*. Cambridge (MA): Academic. https://doi.org/10.1016/B978-012624000-9/50004-6

SCHMITT, A. 2005. Une nouvelle méthode pour estimer l'âge au décès des adultes à partir de la surface sacro-pelvienne iliaque. *Bulletins et Mémoires de la Société d'Anthropologie de Paris* 17: 1–13.

STUIVER, M., P.J. REIMER & R.W. REIMER. 2018. CALIB 7.1. Available at: http://calib.org (accessed 23 April 2020).