



Data supplement

Table DS1 Use of services over the 12-week follow-up period, categorised by method of analysis: values are mean (s.d.)

	Randomised		Patient preference		Preference and randomised arms		Treatment received > 50% of time	
	Ward (n=14)	Crisis house (n=12)	Ward (n=14)	Crisis house (n=30)	Ward (n=28)	Crisis house (n=42)	Ward (n=31)	Crisis house (n=39)
<i>Hospital contacts</i>								
Index admission ward, nights	19 (23)	21 (17)	35 (42)	8 (36)	27 (34)	11 (32)	37 (43)	2 (5)
Index admission crisis house, nights	9 (13)	11 (20)	2 (6)	27 (13)	5 (10)	23 (17)	2 (6)	27 (14)
Subsequent in-patient admission ward, nights	7 (24)	3 (8)	6 (10)	18 (42)	6 (18)	14 (36)	12 (32)	10 (30)
Subsequent in-patient admission crisis house, nights	1 (4)	0 (0)	2 (4)	2 (6)	1 (4)	1 (5)	1 (3)	2 (6)
Out-patient/day patient attendances	0 (1)	1 (2)	0 (1)	3 (7)	0 (1)	2 (6)	0 (1)	2 (6)
A&E attendances	0 (1)	0 (1)	1 (2)	0 (1)	1 (1)	0 (1)	1 (1)	0 (1)
<i>Community services</i>								
GP contacts	3 (2)	1 (1)	2 (2)	5 (7)	3 (2)	4 (6)	2 (2)	4 (6)
Practice nurse contacts	0 (1)	0 (0)	0 (1)	0 (0)	0 (1)	0 (0)	0 (1)	0 (0)
Care coordinator/case manager contacts	4 (6)	3 (4)	4 (5)	3 (4)	2 (3)	5 (5)	4 (5)	4 (4)
Community psychiatric nurse contacts	0 (0)	3 (5)	0 (1)	0 (1)	1 (3)	0 (1)	1 (3)	0 (0)
Clinical psychologist contacts	0 (1)	0 (0)	0 (1)	1 (3)	0 (1)	1 (2)	0 (1)	1 (2)
Home treatment/crisis resolution team contacts	3 (11)	1 (3)	1 (4)	1 (2)	1 (3)	2 (7)	1 (3)	2 (7)
Counsellor contacts	0 (0)	0 (0)	0 (1)	1 (2)	0 (0)	1 (2)	0 (0)	1 (2)
Drug and alcohol counsellor/worker contacts	0 (1)	3 (8)	0 (1)	0 (0)	0 (1)	1 (4)	1 (5)	0 (0)
Social worker contacts	1 (2)	1 (4)	0 (1)	0 (1)	1 (2)	0 (2)	1 (3)	0 (1)
Home help contacts	1 (3)	0 (0)	0 (0)	4 (17)	3 (17)	1 (3)	3 (16)	0 (2)
Day centre/drop-in attendances	3 (8)	2 (7)	1 (3)	0 (1)	2 (6)	1 (4)	2 (5)	1 (5)
Art/music therapy contacts	0 (0)	0 (1)	0 (0)	1 (2)	0 (0)	0 (2)	0 (0)	0 (2)
Advice service contacts	1 (5)	0 (0)	1 (1)	0 (2)	0 (1)	1 (3)	0 (1)	1 (3)
Helpline calls	0 (1)	0 (1)	0 (1)	0 (0)	0 (1)	0 (1)	0 (0)	0 (1)
Self-help group contacts	0 (0)	2 (7)	0 (1)	0 (1)	0 (0)	1 (4)	1 (4)	0 (1)
Housing support worker contacts	0 (0)	1 (4)	0 (1)	0 (1)	0 (2)	0 (1)	0 (0)	0 (2)
<i>Supported accommodation</i>								
Supported accommodation, weeks	4 (7)	0 (0)	1 (2)	0 (0)	2 (5)	0 (0)	1 (5)	0 (2)
<i>Criminal justice</i>								
Police custody, nights	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Police officer contacts	0 (1)	0 (1)	0 (1)	0 (1)	1 (1)	0 (1)	0 (1)	0 (1)
Solicitor contacts	0 (1)	0 (1)	0 (0)	0 (1)	0 (1)	0 (1)	0 (1)	0 (1)

A&E, accident and emergency; GP, general practitioner.

**Fig. DS1** Cost-effectiveness acceptability curve for quality-adjusted life-years (QALYs) showing the probability (%) that crisis houses are more cost-effective than traditional psychiatric wards for the randomised arms (willingness to pay in UK£).**Fig. DS2** Cost-effectiveness acceptability curve for quality-adjusted life-years (QALYs) showing the probability (%) that crisis houses are more cost-effective than traditional psychiatric wards for the patient-preference arms (willingness to pay in UK£).