

Appendix 4. Data recorded from trapped mice (data from some genotyped mice omitted)																				
<b>id</b> is the link among t complex genotypes (Appendix 1), multiple-sire genotypes (Appendix 2) and trapping data; id includes year trapped (1989, 1995, 1996) farm in Larimer Co. Colorado, mouse accession number; mice trapped in Senegal include da,db, sls <b>recapture</b> identifies mice released and subsequently recaptured; most mice were sacrificed at initial capture <b>type</b> includes "m" (male); "f" (usually nonpregnant female); l1 (female with some hair missing from nipple area indicating dam had lactated); "l2" (female with more hair missing from nipple area indicating recent lactation); "p" (pregnant); *mq" (juvenile male: ambiguous sex); "fq" (juvenile female: ambiguous sex) <b>headbod</b> is mm measured, on a live mouse with ventrum to substrate, from snout tip to tail base <b>tail</b> is mm from tail base to tail tip measured on a live mouse with ventrum to substrate <b>pelage</b> color on ventrum lists various shades of brown (b) including cream (c) white (w), tan (t); grey (g) <b>traps</b> include ketchall (K), tincat (T), Longworth (L) <b>dead</b> refers to mouse dead in traps, usually killed between ketchall blades when the mouse was moved to the storage chamber <b>location</b> refers to areas within a barn or outdoor enclosure <b>mom</b> includes pregnant dams <b>fet size</b> includes fetuses too small to dissect: yellow (y), pink (p), red (r) in color; s (small size) <b>julian</b> refers to julian date in 1995 or 1996 <b>worms</b> collected from the intestinal cavity were donated to Shawn Meagher <b>ear</b> includes first-trapped mice with mutilated ears: evidence that ear clipping may ambiguously identify trapped mice (subset of data) <b>toe</b> includes first-trapped mice with mutilated toes: evidence that toe clipping may ambiguously identify trapped mice (subset of data) <b>ball</b> includes yellow globules in liver, from a past infection																				
id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96wo9	96	wo	9		L1	97	82	18	cw	K48	s	s				216				
96wo8	96	wo	8		L1	65	68	6	t	T27		E				216	0			0
96wo7	96	wo	7		L1	100	82	24	cw	K30		D	mom	4	y	216	0			0
96wo6	96	wo	6		L2	100	87	25	c	T27		E	mom	8		216	0			0
96wo58	96	wo	58		m	76	77	10	w	K63		g				218				
96wo57	96	wo	57		m	72	75	8	w	K56		g				218	0			0
96wo56	96	wo	56		f	73	76	8	w	K65		g				218	0			0
96wo55	96	wo	55		f	69	71	8	w	K65		g				218	0			0
96wo54	96	wo	54		m	77	76	10	w	K65		g				218	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96wo53	96	wo	53		m	75	79	10	w	K67		g				218	0			0
96wo52	96	wo	52		m	72	70	10	t	T6		B				218	0			0
96wo51	96	wo	51		m	73	67	9	t	K6		B				218	0			0
96wo50	96	wo	50		m	75	67	9	t	T11		B				218	0			0
96wo5	96	wo	5		L2	98	74	24	cw	K17		E	mom	9		216	0			0
96wo49	96	wo	49		m	70	68	8	w	K19		E				218	0			0
96wo48	96	wo	48		m	72	71	8	tw	K19		E				218	0			0
96wo47	96	wo	47		f	63	62	6	tw	T24		E				218	0			0
96wo46	96	wo	46		m	62	62	8	t	K24		E				218	0			0
96wo45	96	wo	45		f	65	67	3	g	T43		s				218	0			0
96wo44	96	wo	44		f	64	69	6	g	K31		D				217	0			0
96wo43	96	wo	43		f	78	75	11	w	T2		g				218	0			0
96wo42	96	wo	42		m	78	77	9	w	T2		g				218	0			0
96wo41	96	wo	41		f	81	72	10	w	T27		E				218	0			0
96wo40	96	wo	40		m	73	68	9	t	K31		D				217	0			0
96wo4	96	wo	4		m	88	76	17	tw	K6		B				216	0			0
96wo39	96	wo	39		m	83	85	13	c	K31		D				217	0			0
96wo38	96	wo	38		m	73	71	9	t	K31		D				217	0			0
96wo37	96	wo	37		f	64	62	7	t	T18		E				218	0			0
96wo36	96	wo	36		m	90	75	21	t	K48		s				0				0
96wo35	96	wo	35		L1	93	86	19	w	K47	w	s	mom	5	p	218	0			0
96wo34	96	wo	34		L1	92	87	23	w	K47	w	s	mom	8	p	218	0			0
96wo33	96	wo	33		L1	82	78	14	w	T4		A	mom	5	p	218	0			0
96wo32	96	wo	32		L1	83	83	15	w	T4		A	mom	5	p	218	0			0
96wo31	96	wo	31			56	58	4	g	T7		D				218	0			0
96wo30	96	wo	30		m	88	68	17	w	T4		A				218	0			0
96wo3	96	wo	3		L1	93	77	18	t	K6		B	mom		y	216	0			g
96wo29	96	wo	29		m	90	72	20	c	T4		A				218	0			0
96wo28	96	wo	28		L1	94	88	19	w	T4		A	mom	5		218	0			0
96wo27	96	wo	27		m	78	70	10	gt	K15		D				217	0			0
96wo26	96	wo	26		m	90	82	18	t	K15		D				217				
96wo25	96	wo	25		f	76	68	12	t	K70		g				217	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96wo24	96	wo	24		f	68	68	8	t	T11		B				217	0			0
96wo23	96	wo	23		m	70	68	8	t	K32		D				217	0			0
96wo22	96	wo	22		m	92	83	18	c	K59		s				217	0			0
96wo21	96	wo	21		m	94	38	23	t	T27		E				217	0			0
96wo20	96	wo	20		m	96	83	19	w	K3		g				217	0			0
96wo2	96	wo	2		L1	96	86	22	cw	K1	n	A	mom	6		216	0			0
96wo19	96	wo	19		m	95	52	22	w	K70		g				217	0			0
96wo18	96	wo	18		L1	93	82	18	w	K32		D	mom	7		217	0			0
96wo17	96	wo	17		L1	88	73	20	t	T26		E	mom	5		217	0			0
96wo16	96	wo	16		L1	88	72	20	cw	K17		E	mom	7		217	0			0
96wo15	96	wo	15		L1	97	85	21	tw	K67		D	mom	6	p	217	0			0
96wo14	96	wo	14		L1	96	82	21	w	K67	w		mom	8	p	217	0			0
96wo13	96	wo	13		L1	95	88	21	w	K30	w	D				217				
96wo12	96	wo	12		L1	98	82	25	w	K31		D	mom	5		216	0			0
96wo11	96	wo	11		L1	93	89	19	t	K30		D	mom	9	p	216	0			0
96wo10	96	wo	10		L2	98	78	30	t	K30		D	mom	6		216	0			0
96wo1	96	wo	1		L1	92	88	26	w	K3		g	mom	6		215	0			0
96we7	96	we	7		m	54	56	4	g	K67		h				225	0			0
96we6	96	we	6		m	76	78	8	t	K67		h				223	0			0
96we5	96	we	5		m			15	c	K10		s				222	0			g
96we4	96	we	4		m	82	76	14	gt	K49		s				222	0			0
96we3	96	we	3		m	90	82	15	t	K39		h				222	0			0
96we2	96	we	2		L1	98	82	21	c	K39		h				222	0			0
96we1	96	we	1		L1	93	80	16	t	K15		s	mom	5		222	0			0
96tr5	96	tr	5		f	68	64	7		T26		tr					0			0
96tr4	96	tr	4		j			4		T17		tr								
96tr3	96	tr	3		f			8		K34	s	G				205				
96tr2	96	tr	2		L1	93	86	18	b							227				
96tr1	96	tr	1		L1	96	77	22	t	K41		tr				225	0			0
96sl9	96	sl	9		L2	102	95	27	t	K24		c	mom	3		224	0			0
96sl8	96	sl	8		L1	100	90	23	bt	K14		c	mom	8		224				
96sl72	96	sl	72		m	80	78	11	t	T2	s	t				225				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96sl71	96	sl	71		f	70	72	7	t	T5	s	t				226				
96sl70	96	sl	70		m	58	59	5	t	K11	s	c				225				
96sl7	96	sl	7		L1	93	84	20	t	K14		c	mom	3	p	224	0			0
96sl69	96	sl	69		j					K11	s	c				225				
96sl68	96	sl	68		m	78	72	10	t	K40	s	n				225				
96sl67	96	sl	67		f	68	76	6	g	K2	s	c				225				
96sl66	96	sl	66		f	78	72	9	t	K2	s	c				226				
96sl65	96	sl	65		m	77	75	10	t	K53		t				225	0			0
96sl64	96	sl	64		m	85	87	12	t	K53	d	t				225				
96sl63mom	96	sl	63		f	85	82	12	t	K56		t				225	0			0
96sl62	96	sl	62		L1	92	88	14	t	K43		s				224	0			0
96sl61	96	sl	61		f	74	76	10	t	K36		s				225	0			0
96sl60	96	sl	60		m	67	72	7	g	K14		c				225	0			0
96sl6	96	sl	6		f	59	54	5	t	K65		c				224	0			0
96sl59	96	sl	59		f	68	72	6	g	K14		c				225	0			0
96sl58	96	sl	58		f	75	82	9	t	T4		t				225	0			0
96sl57	96	sl	57		m	85	85	12	t	K65		c				225	0			0
96sl56	96	sl	56		m	74	80	9	t	K32		m				224	0			0
96sl55	96	sl	55		f	72	76	9	t	K56		t				226	0			0
96sl54	96	sl	54		m	78	73	10	c	K61		m				226	0			0
96sl53	96	sl	53		m	91	83	14	t	K68		c				224				
96sl52	96	sl	52		f	68	73	8	t	T4		t				226	0			0
96sl51	96	sl	51		f	75	75	10	t	T4		t				226	0			g
96sl50	96	sl	50		L1	98	87	17	t	K30		c				224	0			g
96sl5	96	sl	5		f	87	80	14	t	K33		s				224	0			0
96sl49	96	sl	49		m	82	82	11	t	K10		m				224				
96sl48	96	sl	48		f	67	75	7	g	K4		t				226	0			0
96sl47	96	sl	47		m			7	c	K40	d	n				224				
96sl46	96	sl	46		f	85	78	11	t	K40		n				224				
96sl45	96	sl	45		f	62	65	6		T27	s	c				226				
96sl44	96	sl	44			92	82	16	t	K34		s				224	0			0
96sl43	96	sl	43		m	78	72	10	t	K67		c				224	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96sl42	96	sl	42		f	62	66	8	t	K24	n	c				226				
96sl41	96	sl	41		m	90	83	20	gt	T2	s	t				226				
96sl40	96	sl	40			77	74	10	w	K34		s				226	0			0
96sl4	96	sl	4		L1	95	87	25	t	K33		s	mom	6		224	0			g
96sl39	96	sl	39		m	92	78	19	cw	K34	s	s				226				
96sl38	96	sl	38		L1	100	92	29	c	K64		s	mom	10		226	0			0
96sl37	96	sl	37		m	82	79	12	w	T1		s				226	0			0
96sl36	96	sl	36		L1	100	75	22	b	T5	t					225				
96sl35	96	sl	35		L1	98	62	21	ct	T5	t					225	0			0
96sl34	96	sl	34		f	96	79	16	bt	K4	s	t				226				
96sl33	96	sl	33		L1	90	82	18	gt	K4		t	mom	5		226	0			0
96sl32	96	sl	32		f	85	83	13	g	K70		c				224	0			0
96sl31	96	sl	31		m	82	73	11	g	Ksm		c				224	0			0
96sl30	96	sl	30		m	82	76	10	t	K15		m				224	0			0
96sl28	96	sl	28		m	68	70	7	t	K29	d	n				225				
96sl27	96	sl	27		f	86	80	12	t	K18		c				224	0			0
96sl26	96	sl	26		m	85	82	14	t	K18		c				224	0			0
96sl25	96	sl	25		f	85	83	13	t	K50		s				225	0			0
96sl24	96	sl	24		m	83	80	12	t	K32		m				225	0			0
96sl23	96	sl	23		m	87	87	15	t	K53		t				225	0			0
96sl22	96	sl	22		L1	95	78	18		K53		t				225	0			0
96sl21	96	sl	21		L1	95	73	19	c	K51		t				225	0			0
96sl20	96	sl	20		m	90	88		cw	K51		t				225	0			0
96sl2	96	sl	2		L1	102	89	23	t	T1		s	mom	6	p	224	0			0
96sl19	96	sl	19		L1	92	84	19	gt	T5		t	mom	6	p	225	0			0
96sl18	96	sl	18		L1	100	80	23	c	K34		s	mom	5		225	0			0
96sl17	96	sl	17		m	88	78	15	t	K26		t				225	0			0
96sl16	96	sl	16		f	87	83	18	g	K32		s	mom	5	p	225	0			0
96sl15	96	sl	15		m	95	82	20	c	K32		m				225	0			g
96sl14	96	sl	14		m	96	82	20	t	K4		t				225	0			0
96sl13	96	sl	13		L1	92	83	22	t	K6	s	m	mom	7	p	224	0			0
96sl12	96	sl	12		f	95	88	25	t	K2		c	mom	7		224	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96sl11	96	sl	11		L1	95	88	30	t	K2		c	mom	6		224	0			0
96sl10	96	sl	10		m	92	75	18	t	K24		c				224	0			0
96sl1	96	sl	1		L1	103	84	32	t	K36		s	mom	5		224	0			0
96ma9	96	ma	9			95	91	21	t	K15	w	b	mom			228	0			0
96ma8	96	ma	8		m	88	83	17	gw	K66		c				227	0			0
96ma7	96	ma	7		m	90	78	17	cw	K20		s				227	0			0
96ma6	96	ma	6		L1	97	92	18	c	K10		s	mom	2	p	227	0			0
96ma5	96	ma	5		m	93	83	23	t	T8		b				227	w			g
96ma4	96	ma	4		L1	102	75	22	t	K48		c	mom	5		227	0			0
96ma3	96	ma	3		m			20		K15		b				227	0			0
96ma2	96	ma	2		L2	94	86	22	t	K15		b				227	0			0
96ma17	96	ma	17		f	72	73	7	t		s									
96ma16	96	ma	16		m	67	69	7	g	T8		b				228	0			0
96ma15	96	ma	15		f	70	73	8	t	K20		c				228	0			0
96ma14	96	ma	14		m	90	88	16	t	K15		b				228	0			0
96ma13	96	ma	13		L1	97	93	24	cw	K15		b	mom	9	p	228	0			0
96ma12	96	ma	12		m	78	73	11	gt	K15		b				228	0			0
96ma11	96	ma	11		m	94	88	20	t	K15		b				228	0			0
96ma10	96	ma	10		m	83	88	15	g	T5		c				228	0			0
96ma1	96	ma	1		m	93	84	19	t	K59		c				227	0			0
96lo8	96	lo	8		L1			26	w				mom	5	s	181				
96lo7	96	lo	7		f			14					mom	7	s	181				
96lo6	96	lo	6		m			16	w							181				
96lo5	96	lo	5		L1			26	w				mom	10	s	181				
96lo4	96	lo	4		m			12	w							180				
96lo3	96	lo	3		L1			19	w				mom	4		180				
96lo2	96	lo	2		f			12	w							180				
96lo1	96	lo	1		L1			22	w				mom	15	s	180				
96ko9	96	ko	9		L1	93	84	19	c	T6		c	mom	4	p	223	w			0
96ko8	96	ko	8		L1	97	88	20	t	K8		c				223	0			0
96ko7	96	ko	7		L1	95	83	19	t	K7		c				223	w			0
96ko6	96	ko	6		L1	96	82	20	cw	K13		c				223	w			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96ko5	96	ko	5		L1	98	79	22	c	K9		c	mom	5	p	223	0			0
96ko4	96	ko	4		L1	97	82	20	c	K9		c				223	0			0
96ko37	96	ko	37		f	58	56	4	t	T19		c				224	0			0
96ko36	96	ko	36		f	62	67	5	t	K22		c				224	0			0
96ko35	96	ko	35		m	68	69	6	t	K28		c				226	0			0
96ko34	96	ko	34		m	78	74	9	t	K28		c				226	0			0
96ko33	96	ko	33		f	66	64	8	g	T29		c				222	0			0
96ko32	96	ko	32		m	80	77	10	t	T29		c				222	0			0
96ko31	96	ko	31		f			5		T18	d	c				223				
96ko30	96	ko	30		m	87	81	17	t	T18		c				223	0			0
96ko3	96	ko	3		L1	88	82	13	c	T17	d	c				223				
96ko29	96	ko	29		m	80	64	11	t	T7		c				223	0			0
96ko28	96	ko	28		f	75	67	8	t	T7		c				223	0			0
96ko27	96	ko	27		f	70	72	7	g	T7		c				223	0			0
96ko26	96	ko	26		m	72	69	8	t	T7		c				223	0			0
96ko25	96	ko	25		m	82	78	10	t	T7		c				223	0			0
96ko24	96	ko	24		f			5		T6	d	c				223				
96ko23	96	ko	23		m	78	75	10	ct	T6		c				223	0			0
96ko22	96	ko	22		m	62	55	5	t	T29		c				223	0			0
96ko21	96	ko	21		m	69	65	8	t	T29		c				223	0			0
96ko20	96	ko	20		m	67	62	8	t	K35		g				224	0			0
96ko2	96	ko	2		L1	96	76	21	ct	T17		c				223	0			0
96ko19	96	ko	19		m	65	62	7	g	K35		g				224	0			0
96ko18	96	ko	18		m	62	58	5	g	K28		g				224	0			0
96ko17	96	ko	17		m	95	82	16	c	K22		c				223	0			0
96ko16	96	ko	16		L1	95	65	20	c	K22		c	mom			223	0			0
96ko15	96	ko	15		L1	92	67	15	t	T13		c	mom	1		224	0			0
96ko14	96	ko	14		L1	98	82	23	t	T18		c	mom	5	p	224	0			0
96ko13	96	ko	13		m	95	76	18	ct	K12		c				223	w			0
96ko12	96	ko	12		f	73	68	8	gw	K28	n	c				223				
96ko11	96	ko	11		L1	93	78	18	t	K28		c				223	0			0
96ko10	96	ko	10		f	73	68	9	gt	T6		c				223	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96ko1	96	ko	1		L1	88	76	13	t	T17		c				223	0			0
96db2	96	db	2		f	86	79	17	w				mom	4		191				
96db1	96	db	1		m	76	71	11	w							191				
96da7	96	da	7		m	75	77	13	t							184				
96da6	96	da	6		L1	98	87	26	t				mom	8		184				
96da5	96	da	5		m	82	74	14	t							184				
96da4	96	da	4		m	76	72	13	t							184				
96da3	96	da	3		L1	88	82	19	t				mom	11	s	184				
96da2	96	da	2		f			10	g							175				
96da1	96	da	1		m			19	g							175	w			
96co9	96	co	9		m	85	77	15	w	K54		c				227	0			0
96co8	96	co	8		L1	94	82	19	t	K10		c	mom	4		227	w			0
96co7	96	co	7		m	91	88	19	w	K49		c				227	0			0
96co6	96	co	6		f	93	84	20	t	K49		c	mom	6		227	0			0
96co5	96	co	5		m	88	82	16	cw	K1		c				227	0			0
96co4	96	co	4		L1	93	83	20	t	K1		c				227	w			0
96co3	96	co	3		L1	92	92	21	t	K24	d	c				227				
96co22	96	co	22		f			14	t	K10	s	c				227				
96co21	96	co	21		f	88	84	15	c	K10	s	c				227				
96co20	96	co	20		f	62	67	5	t	K5	s	c				227				
96co2	96	co	2		L1	88	78	17	w	K24	d	c				227				
96co19	96	co	19		f	72	78	8	t	K5		c				227	0			0
96co18	96	co	18		f	73	65	9		T11		c				228	0			0
96co17	96	co	17		f	68	71	8	cw	T11		c				228	0			0
96co16	96	co	16		f	72	77	10	w	T11		c				228	0			0
96co15	96	co	15		f	81	81	10	t	K1		c				228	0			0
96co14	96	co	14		m	85	82	15	w	K6		c				228	0			0
96co13	96	co	13		L1	82	78	15	w	K54	w	c				228				
96co12	96	co	12		L1	93	72	22	t	K56		c				228	w			0
96co11	96	co	11		m	92	91	19	t	T1		c				227				
96co10	96	co	10		m	89	80	19	cw	K54	s	c				227				
96co1	96	co	1		L1	88	78	19	t	K24	d	c				227				



id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96cm9	96	cm	9		L1	94	82	19	t	K63		g				214	w			g
96cm8	96	cm	8		f	90	82	16	t	K63		g	mom	5		214	0			0
96cm7	96	cm	7		f	86	80	15	w	K1	n	c	mom	7	s	213	0			0
96cm6	96	cm	6		f	92	82	19	tw	K6		c	mom			213	0			0
96cm5	96	cm	5		f	87	81	15	t	K67		c	mom	6	s	213	0			0
96cm40	96	cm	40		m	73	68	9	t	T27		g				214	0			0
96cm4	96	cm	4		m	85	82	14	t	K67		c				213				
96cm39	96	cm	39		f	77	76	10	ct	T27		g				214	0			0
96cm38	96	cm	38		f	63	68	5	t	T11		g				217	0			0
96cm37	96	cm	37		L1	93	83	16	t				mom	6	p	218	0			0
96cm36	96	cm	36		f	70	72	8	w	K6							0			0
96cm35	96	cm	35		f	82	72	8	t	K58		g				214				
96cm34	96	cm	34		f	76	82	12	t	T11		g	mom			214				
96cm33	96	cm	33		f	73	69	10	t	T27		g				214				
96cm32	96	cm	32		f	78	79	10	t	T27		g				214				
96cm31	96	cm	31		f	74	66	10	g	K70		g				215				
96cm30	96	cm	30		f	74	73	9	g	K70	n	g				215				
96cm3	96	cm	3		m	90	85	20	t	K67		c				213	0			0
96cm29	96	cm	29		m	93	82	17	t	K32		g				214	0			0
96cm28	96	cm	28		m	95	88	20	t	K64		g				215	0			0
96cm27	96	cm	27		m	90	83	17	t	K17		g				215	0			0
96cm26	96	cm	26		f	77	74	10	t	K32		g				214	0			0
96cm25	96	cm	25		m	93	87	19	g	K32		g				214	0			0
96cm24	96	cm	24		m	80	75	9	t	K59	d	g				215	0			0
96cm23	96	cm	23		f	70	63	7	g	K59	n	g				215	0			0
96cm22	96	cm	22		f	64	62	5	g	K59	d	g				215				
96cm21	96	cm	21		f	90	83	18	t	K59	d	g	mom			215	0			0
96cm20	96	cm	20		L1	90	86	20	t	K63		g	mom	8		215	0			0
96cm2	96	cm	2		m	94	88	21	t	K14		c				213				
96cm19	96	cm	19		L1	88	77	17	t	K58		g	mom	7		214	0			0
96cm18	96	cm	18		L1	88	81	22	t	K58		g	mom	6		214	0			0
96cm17	96	cm	17		f	85	82	17	ct	K48		c	mom	6		214	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
96cm16	96	cm	16		m	88	82	16	cw	K11		g				214	0			0
96cm15	96	cm	15		f			14	t	K11		g	mom	5	p	214	0			0
96cm14	96	cm	14		m	88	78	16	tw	T30		g				214	0			0
96cm13	96	cm	13		L1	87	82	24	t	K64	n	g	mom	4		214	0			0
96cm12	96	cm	12		L1	98	88	24	t	K68		c	mom	11		214				
96cm11	96	cm	11		L1	82	83	17	g	K67		c	mom	7		214				
96cm10	96	cm	10		m	94	82	20	t	K54		g				214	0			0
96cm1	96	cm	1		f	90	86	18	t	K48		c	mom	5		213	0			0
96Ba2	96	Ba	2		m	88	89	16	c	K10		g				219	0			0
96ba1	96	ba	1		f	70	70	8	t	K16		g				214				
962m99	96	2m	99		m	48	45	4	t	K14		D				204	0			0
962m98	96	2m	98		m	71	70	9	t	K26		F				204	0			0
962m97	96	2m	97		m	68	68	8	t	K26		F				204	0			0
962m96	96	2m	96		m	66	69	6	g	K28		B				202	0			0
962m95	96	2m	95		f			11	cw	K23		E				204	0			0
962m94	96	2m	94		m	78	74	10	c	T2		D				204	0			0
962m93	96	2m	93		m	70	68	6	t	T25		A				202	0			0
962m92	96	2m	92		f	79	81	10	t	T11		K				201	0			0
962m91	96	2m	91		L1	98	87	25	t	K26		F				204	0			0
962m90	96	2m	90		m	98	84	24	gw	K26		F				204	0			g
962m9	96	2m	9		L1	95	78	24	bt	K32		K	mom	9		200	0			g
962m89	96	2m	89		L1	100	78	24	cw	T8		E	mom	6	y	204	w			
962m88	96	2m	88		L1	99	81	24	w	K29		F	mom		y	204	0			g
962m87	96	2m	87		L1	105	85	26	cw	K25		F				204	0			0
962m86	96	2m	86		L1	100	88	26	cw	T26		F				204	0			g
962m85	96	2m	85		L1	100	85	22	tw	K24		E	mom		y	204	0			0
962m84	96	2m	84		L1	100	62	21	t	K23	s	E				203				
962m83	96	2m	83		L1	100	84	21	t	K22	s	E				203	0			0
962m82	96	2m	82		m	100	80	26	t	K12	s	D				203	0			g
962m81	96	2m	81		f	88	82	21		K12	s	D	mom	5		203	0			g
962m80	96	2m	80		f	92	88	30		K29	s	F	mom	8		203	0			
962m8	96	2m	8		L1	88	73	17	c	K3		J	mom	6		200	w			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
962m79	96	2m	79		f	87	78	20		T15	s	E	mom	3		203	0			0
962m78	96	2m	78		m	85	78	18	t	K29		F				203	0			
962m77	96	2m	77		L1	90	85	28	t	K29	s	F	mom	7		203	0			g
962m76	96	2m	76		f	72	74	8	t	K29	s	F				203	0			0
962m75	96	2m	75		L1	92	78	21	t	K29	s	F	mom		p	203	0			0
962m74	96	2m	74		L1	95	82	20	t	K29	s	F	mom	7		203	0			0
962m73	96	2m	73		L1	92	85	26	t	K29	s	F	mom	2		203	w			g
962m72	96	2m	72		m	67	67	6	t	K28		F				203	0			0
962m71	96	2m	71		m	67	69	6	t	K28	s	F				203	0			0
962m70	96	2m	70		L1	96	45	28	t	K28	s	F	mom	6		203	0			g
962m7	96	2m	7		f	92	82	19	t	K3		J				200	0			g
962m69	96	2m	69		L1	91	82	18	t	T29	s	F				203	0			0
962m68	96	2m	68		m	83	84	22	t	K26	s	F				203	0			0
962m67	96	2m	67		L1	92	92	26	t	K26	s	F				203	0			0
962m66	96	2m	66		L1	92	80	20	t	T27	s	F				203	0			g
962m65	96	2m	65		L1	85	68	29	t	T27	s	F	mom	8		203	0			0
962m64	96	2m	64		m	72	70	8	g	K26		F				203				
962m63	96	2m	63		L1	98	85	24	t	K26	s	F	mom		p	203	0			
962m62	96	2m	62		f	72	75	13	bt	K25	s	F				203				
962m61	96	2m	61		m	82	85	17	t	K25	s	F				203				
962m60	96	2m	60		m	88	84	23	bt	K25	s	F				203	w			g
962m6	96	2m	6		L1	100	85	30	c	K8		J	mom	6		200	0			
962m59	96	2m	59		m	90	78	14	t	T26		F				203	0			0
962m58	96	2m	58		L1			24	t	T26		F	mom	9		203	0			0
962m57	96	2m	57		m	62	58	5	g	T18		C				201	0			0
962m56	96	2m	56		m	64	72	6	bg	T18		C				201	0			0
962m55	96	2m	55		f	78	83	10	bg	K48		C				201	0			0
962m54	96	2m	54		f	60	63	4	gw	T26		C				201	0			0
962m53	96	2m	53		m	65	68	6	bt	T45		J				200				
962m52	96	2m	52		f	75	70	10	bt	K2		C				200	0			0
962m51	96	2m	51		f	78	80	10	cw	T3		J				200	0			0
962m50	96	2m	50		m	80	64	10	t	K36		A				200	0			g

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
962m5	96	2m	5			87	73	18	w	K39		B	mom	7		200				
962m49	96	2m	49		f	83	73	11	w	K18		B				200	0			0
962m48	96	2m	48		m	63	73	5	g	K28		B				200	0			0
962m47	96	2m	47		m	82	83	12	t	K52		C				202	0			0
962m46	96	2m	46		m	90	83	16	cw	K52		C				202	0			0
962m45	96	2m	45		m	82	73	16	w	K48	s	C				202	0			g
962m44	96	2m	44		L1	102	86	26	t	K70	s	B				202				
962m43	96	2m	43		L1	102	88	22	t	K2		C				202	w			g
962m42	96	2m	42		m	87	79	16	t	K70		B				200				
962m41	96	2m	41		m	77	75	10	w	T1		K				200				
962m40	96	2m	40		m	98	82	18	t	K68		K				200	0			g
962m4	96	2m	4		L1	105	73	30	w	K29		B	mom	5		200	0			
962m39	96	2m	39		m	83	76	14	tw	K15		C				200				
962m38	96	2m	38		f	87	75	14	tw	K63		A				200				g
962m37	96	2m	37		m	93	79	16	t	K45		B				200	0			0
962m36	96	2m	36		m	102	72	22	t	K60		C				200	w			
962m35	96	2m	35		m	87	73	15	w	K67		B				200	0			g
962m34	96	2m	34		f	88	78	18	w	K11	s	A	mom	7		200	0			g
962m33	96	2m	33		m	83	72	12	tw	K53		A				200	0			0
962m32	96	2m	32		m	92	83	18	tw	K40		A				200	0			
962m31	96	2m	31		m	95	72	18	t	K26		A				200				
962m30	96	2m	30		m	98	73	21	gt	K5		J				200	0			
962m3	96	2m	3		L2	98	84	23	bt	K35		B	mom	9	y	200	0			g
962m29	96	2m	29		m	73	72	10	w	K58		J				200				
962m28	96	2m	28		L1	93	78	20	gt	K58		K	mom	8	y	200	w			0
962m27	96	2m	27		f	96	57	21	tw	K58		K	mom	8		200	w			
962m26	96	2m	26		m	89	87	16	tw	T26		C				200				
962m25	96	2m	25		L1	93	77	18	tw	T26		C	mom	6	p	200	0			g
962m24	96	2m	24		m	88	78	16	tw	K21		J				200				g
962m23	96	2m	23		L1			25	tw	K21		J	mom	7		200	w			
962m22	96	2m	22		L1	92	78	20	g	K48		C				200				
962m210	96	2m	210		m	77	77	12		K48		tr					0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
962m21	96	2m	21		f	67	66	6	t	K30		C	mom	7	p	200	0			
962m206	96	2m	206		f			9		K21	s	E				203				
962m205	96	2m	205		j					K54	s	F								
962m204	96	2m	204					4		K30	s	C				201				
962m203	96	2m	203					2		K66	s	B				209				
962m202	96	2m	202		f			9		K64	s	r				208				
962m201	96	2m	201		f			8		K32	s									
962m200	96	2m	200		f			6		K19	s	E				203				
962m20	96	2m	20		m	82	72	14	t	K30		C				200				0
962m2	96	2m	2		L1	102	83	32	bt	K62		C	mom	9		200	0			g
962m199	96	2m	199		f			3		T13	s	D				205				
962m198	96	2m	198		f			4		K43	s	C				202				
962m197	96	2m	197		m			7		T27	s	F				204				
962m196	96	2m	196		f			20		T25	s	E				203				
962m195	96	2m	195		f			24		K14	s	D				203				
962m194	96	2m	194		f			28		K14	s	D				203				
962m193	96	2m	193		f			18		K1	s					205				
962m192	96	2m	192		m			14		K25	w	F				205				
962m191	96	2m	191		f			22		K24	s	E				203				
962m190	96	2m	190		m			22		K24	s	E				203				
962m19	96	2m	19		L1	104	82	28	tw	K51		J	mom		y	201	w			g
962m189	96	2m	189		f			18		K59	s	G				205				
962m188	96	2m	188		f			22		K40	s	G				205				
962m187	96	2m	187		m	73	72	7	g	K8		J				201	0			0
962m186	96	2m	186		f	75	78	9	cw	K65		r				206	0			0
962m185	96	2m	185		m	76	82	10	cw	T17		K				201	0			0
962m184	96	2m	184		f	72	73	8	g	K56		F				206	0			0
962m183	96	2m	183		f	61	65	4	g	K28		B				201	0			0
962m182	96	2m	182		f	72	72	8	g	T44		G				206	0			0
962m181	96	2m	181		m	82	79	12	cw	K50		F				206	0			0
962m180	96	2m	180		m	72	71	9	t	K21		J				201	0			0
962m18	96	2m	18		L1	102	80	30	gt	K44		C	mom	8		201				g

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
962m179	96	2m	179		m	90	82	16	c	K51		F				206	w			g
962m178	96	2m	178		m	60	64	6	gt	K66		B				202	0			0
962m177	96	2m	177		m	70	69	8	g	T29		A				202	0			0
962m176	96	2m	176		m	79	82	10	c	T19		C				202	0			0
962m175	96	2m	175		f	73	76	10	g	K25		F				204	0			0
962m174	96	2m	174		f	77	76	12	t	K25		F				204	0			0
962m173	96	2m	173		f	61	64	6	t	T27		F				204	0			0
962m172	96	2m	172		m	66	72	6	t	T27		F				204	0			0
962m171	96	2m	171		f		78	11	t	K64	d	r				205				
962m170	96	2m	170		m	93	88	22	t	K64		r				205	0			
962m17	96	2m	17		L1	92	86	20	gt	K14		C	mom		y	201				g
962m169	96	2m	169		m	70	74	6	g	K56		F				205	0			0
962m168	96	2m	168		L1		84	20	t	K56		F	mom	9	p	205	0			0
962m167	96	2m	167		f	72	68	8	g	T44		G				205	0			0
962m166	96	2m	166		f	72	73	9	t	T44		G				205	0			0
962m165	96	2m	165		f	70	72	7	t	T44		G				205	0			0
962m164	96	2m	164		f	78	80	12	gw	K50		F				208	0			0
962m163	96	2m	163		f	68	60	7	gt	T43		G				208	0			0
962m162	96	2m	162		m	68	67	7	gt	T40		G				208	0			0
962m161	96	2m	161		f	83	74	12	gt	K64		r				208	0			0
962m160	96	2m	160		f	78	77	11	g	K54		F				208	0			0
962m16	96	2m	16		m	82	72	13	t	K58		K				200				g
962m159	96	2m	159		f	80	75	12	w	K56		F				208	0			0
962m158	96	2m	158		m	88	76	15	gt	T1		rs				209	0			g
962m157	96	2m	157		f	96	74	20	t	K29		rs	mom		p	209	0			0
962m156	96	2m	156		m	93	88	20	t	K29		rs				209	0			g
962m155	96	2m	155		f	62	55	4	tw	K5		gr				209	0			0
962m154	96	2m	154		m	93	83	20	t	K28		rs				209	0			0
962m153	96	2m	153		m	82	65	14	t	K22		rs				209	0			0
962m152	96	2m	152		m	103	82	24	t	K20		gr				208	w			0
962m151	96	2m	151		m	88	75	16	c	K61		E				208	0			0
962m150	96	2m	150		m	97	80	22	gt	K22		rs				208	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
962m15	96	2m	15		m	92	82	16	c	K58		K				200	0			0
962m149	96	2m	149		m	85	80	14	w	K6		r				208	0			0
962m148	96	2m	148		L1	100	82	23	c	K43		G	mom		p	208	0			g
962m147	96	2m	147		L1	100	80	26	gt	K58		G				208	w			g
962m146	96	2m	146		L1	96	78		c	T4		gr				208	w			g
962m145	96	2m	145		L1	96	83	24	bt	K44		G	mom		p	208	0			0
962m144	96	2m	144		L1	98	80	28	bt	K26		rs				208	w			0
962m143	96	2m	143		L1	97	77	20	c	K15		rs	mom			208	0			0
962m142	96	2m	142		m	92	80	18	c	T13		rs				207	0			0
962m141	96	2m	141		f	68	69	8	g	K41		G				205				
962m140	96	2m	140		m	63	67	6	cg	K41		G				205				
962m14	96	2m	14		m	85	78	14	cw	K58		K				200	0			g
962m139	96	2m	139		f			8	g	K41		G				205	0			0
962m138	96	2m	138		m	70	68	8	gw	T43		G				205	0			0
962m137	96	2m	137		f	67	65	6	w	K34		G				205	0			0
962m136	96	2m	136		m	70	73	8	g	K23		E				205	0			0
962m135	96	2m	135		m	70	69	8	g	K41		G				205	0			0
962m134	96	2m	134		m	68	66	7	g	K41		G				205	0			0
962m133	96	2m	133		f	67	67	6	g	K29		F				205	0			0
962m132	96	2m	132		m	83	86	12	w	K24		E				205	0			0
962m131	96	2m	131		f	78	78	11	t	K47		G				205	0			0
962m130	96	2m	130		f	72	73	9	g	T45		G				205	0			0
962m13	96	2m	13		f	96	76	20	g	K49		C	mom			200	0			g
962m129	96	2m	129		m	75	75	10	cw	T45		G				206	0			0
962m128	96	2m	128		f	70	68	8	g	K28		F				206	0			0
962m127	96	2m	127		m	92	78	18	cw	K64		r				206	0			g
962m126	96	2m	126		m	90	75	18	c	K48		G				206	0			g
962m125	96	2m	125		f	68	67	7	g	K39		G	mom			206	0			0
962m124	96	2m	124		m	61	58	6	w	K41		G				206	0			0
962m123	96	2m	123		m	65	67	6	tw	K41		G				206	0			0
962m122	96	2m	122		f	70	60	8	gw	K40		G				206	0			0
962m121	96	2m	121		f	82	88	13	tw	K6		r				206	0			0

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
962m120	96	2m	120		L1	97	87	20	t	K43		G	mom	7	p	206	0			0
962m12	96	2m	12		L1	100	86	22	g	K49	s	C				200	0			0
962m119	96	2m	119		L1	96	96	24	t	K44		G				206	0			0
962m118	96	2m	118					2		K44	n	G				206				
962m117	96	2m	117		m	88	81	18	w	T43		G				206	0			0
962m116	96	2m	116		f	76	73	10	t	K54		F				206				
962m115	96	2m	115		L1	100	85	21	cw	K54		F				205	0			g
962m114	96	2m	114		m	78	75	10	cw	T45		G				205	0			0
962m113	96	2m	113		L1	100	52	21	cw	T45		G	mom	4	y	205	0			g
962m112	96	2m	112		m	82	86	14	t	K52		F				205	0			0
962m111	96	2m	111		m	82	82	14	cw	K65		D				205	0			0
962m110	96	2m	110		L1	107	88	30	t	K51		F				205	w			
962m11	96	2m	11		m	80	78	10	cw	K32		K				200				g
962m109	96	2m	109		m	88	74	16	t	K49		F				205	0			0
962m108	96	2m	108		m	92	78	22	t	K39		G				205	0			0
962m107	96	2m	107		L1	100	86	26	cw	K45		G	mom	8		205	0			0
962m106	96	2m	106		m	102	78	19	cw	K65		D				205	w			0
962m105	96	2m	105		L1	102	82	26	t	K65		D	mom		y	205	0			0
962m104	96	2m	104		f	96	68	24	t	K43	d	G	mom		y	205	0			g
962m103	96	2m	103		L1	98	85	25	t	K43		G	mom	5		205	0			g
962m102	96	2m	102		f	70	73	7	t	K28		F				204	0			0
962m101	96	2m	101		m	94	83	21	t	K30		F				204	0			g
962m100	96	2m	100		f	70	72	8	t	K14		D				204	0			0
962m10	96	2m	10		L1	86	82	20	ct	K32		K	mom	4		200				g
962m1	96	2m	1		m	92	58	20	w	T19		C				200	w			g
95ws1	95	ws	1		m	88	85	17	t	K29		s				214	??			??
95wo9	95	wo	9		f	92	82	18	cw	K8		?				220				
95wo81	95	wo	81		f	67	67	9	w	T2	d	?				221				
95wo80	95	wo	80		f	76	72	10	w	T2	d	?				221				
95wo8	95	wo	8		L2	88	78	18	cw	K11		sh				220				
95wo79	95	wo	79		m	73	70	9	cw	T2	d	?				221				
95wo78	95	wo	78		f			8	ct	K57	d	2				221				



id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95wo77	95	wo	77		L2			25		K37	d	4	mom	10		221				
95wo76	95	wo	76		L1			11		K37	d	4				221				
95wo75	95	wo	75		m			15	ct	K37	n	4				221				
95wo74	95	wo	74		m	98	74	22	cw	K15	n	6				221				
95wo73	95	wo	73		m	73	55	8	w	K70	n	3				221				
95wo72	95	wo	72		m	82	74	13	cw	K43	w	5				221				
95wo71	95	wo	71		f	70	68	7	gw	K28	d	sh				221				
95wo70	95	wo	70		m	83	76	14	cw	K28		sh				221				
95wo7	95	wo	7		m	93	83	23	cw	K11		sh				220				
95wo69	95	wo	69		m	80	79	11	cw	K28		sh				221				
95wo68	95	wo	68		L1	95	73	20	cw	K3		4	mom	8	y	221				
95wo67	95	wo	67		f	79	71	11	cw	K9		2				221				
95wo66	95	wo	66		m	92	81	19	w	K9		2				221				
95wo65	95	wo	65		m	91	81	19	cw	K52		3				221				
95wo64	95	wo	64		f	72	64	9	w	T17		6				221				
95wo63	95	wo	63		f	65	64	6	gt	T17		6				221				
95wo62	95	wo	62		m	98	60	23	tw	K22		5				221				
95wo61	95	wo	61		f	82	77	12	w	K24		3				221				
95wo60	95	wo	60		m	93	82	19	cw	K24		3				221				
95wo6	95	wo	6		m	82	76	13	cw	K45		5				220				
95wo59	95	wo	59		f	68	64	7	w	T27		4				221				
95wo58	95	wo	58		L1	87	72	16	w	K44		1	mom	4		221				
95wo57	95	wo	57		f	87	82	16	w	K44		1	mom	7		221				
95wo56	95	wo	56		m	96	68	21	gt	K15		6				221	w			
95wo55	95	wo	55		f	92	78	17	gt	K15		6	mom	8		221				
95wo54	95	wo	54		L1	92	82	17		K37		4	mom	9	y	221				
95wo53	95	wo	53		f	94	79	21	ct	K37		4	mom	6		221				
95wo52	95	wo	52		L1			38	c	K25		4	mom	8		221				
95wo51	95	wo	51		f	87	73	16	cw	K3		4	mom	4	s	221				
95wo50	95	wo	50		L1	90	80	18	cw	T27		4	mom	6	s	221				
95wo5	95	wo	5		f	82	78	15	cw	K45		5	mom			220				
95wo49	95	wo	49		L2	92	78	21	cw	T27		4	mom	9	s	221				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95wo48	95	wo	48		L2	92	76	18	gt	K23		4	mom	5	s	221				
95wo47	95	wo	47		L2	92	78	18	gt	K23		4				221				
95wo46	95	wo	46		L1	92	78	17	gt	K34		5	mom	7	s	221				
95wo45	95	wo	45		L2	96	82	22	c	K43		5	mom	7	s	221				
95wo44	95	wo	44		f	78	78	12	w	K20		?				220				
95wo43	95	wo	43		L1		84	26		K20		?				220				
95wo42	95	wo	42		m	96	77	21	gt	K20	d	?				220				
95wo41	95	wo	41		f	87	78	17	w	K20	d	?	mom			220				
95wo40	95	wo	40		m	94	79	20	w	K39		4				220				
95wo4	95	wo	4		L2	96	80	25	cw	K45		5	mom	6		220				
95wo39	95	wo	39		L1			27	cw	K39		4	mom	9	s	220				
95wo38	95	wo	38		L1	94	72	24	ct	K39		4	mom	9	s	220				
95wo37	95	wo	37		m	77	77	13	cw	T29		?				220				
95wo36	95	wo	36		L2	102	78	26	w	T29		?				220				
95wo35	95	wo	35		L1	98	83	27	gt	T29		?	mom	8		220				
95wo34	95	wo	34		L1	93	79	21	cw	T29		?				220				
95wo33	95	wo	33		L1	102	83	24	cw	T29		?				220				
95wo32	95	wo	32		f	73	68	8	gt	K57		2				220				
95wo31	95	wo	31		m	74	72	8	gw	K57		2				220				
95wo30	95	wo	30		m	77	72	9	gw	K57		2				220				
95wo3	95	wo	3		L1	92	84	23	w	K45	d	5	mom	6		220				
95wo29	95	wo	29		m	93	77	18	c	K57	d	2				220				
95wo28	95	wo	28		m	75	72	11	tw	K57	n	2				220				
95wo27	95	wo	27		L2	88	78	16	ct	K10		4				220				
95wo26	95	wo	26		L2	92	80	17	cw	K10		4				220				
95wo25	95	wo	25		m	97	68	22	cw	K10		4				220				
95wo24	95	wo	24		m			11	w	K7	n	5				220				
95wo23	95	wo	23		L1	98	86	22	c	K7		5	mom	5	s	220				
95wo22	95	wo	22		L1	101	83	24	c	K7		5	mom	6	s	220				
95wo21	95	wo	21		L1	98	83	23	ct	K7	w	5	mom		y	220				
95wo20	95	wo	20		f	79	73	12	w	K5						220				
95wo2	95	wo	2		f	88	86	14	ct	K33		2				220				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95wo19	95	wo	19		f	83	78	14	w	K5		3	mom	6	s	220				
95wo18	95	wo	18		m	88	74	17	gt	K5		3				220				
95wo17	95	wo	17		f	86	79	14	bt	K68		sh	mom		s	220				
95wo16	95	wo	16		m	82	79	13	w	K27		1				220				
95wo15	95	wo	15		m	82	78	13	c	K27		1				220				
95wo14	95	wo	14		m	98	86	20	bt	K27		1				220				
95wo13	95	wo	13		L1	102	77	32	c	K27		1	mom	13		220				
95wo12	95	wo	12		L1	98	83	30	cw	K27		1	mom	6		220				
95wo11	95	wo	11		L1	93	88	19	cw	K27	d	1	mom		s	220				
95wo10	95	wo	10		L1	94	81	10	cw	K8		?	mom		s	220				
95wo1	95	wo	1		m	88	42	16	gt	K33	d	2				220				
95wi9	95	wi	9		L1	93	85	18	cw	K66		wrk	mom	3	y	243				
95wi8	95	wi	8		L1	85	84	16	gt	K24		co	mom	5	y	243				
95wi7	95	wi	7		m	88	85	18	cw	K27		wrk				243				
95wi6	95	wi	6		m	84	82	15	cw	K19		wrk				243				
95wi5	95	wi	5		L1	84	83	13	cw	K19		wrk	mom	6	y	243				
95wi4	95	wi	4		L1	83	87	14	cw	K48		wrk	mom	6	y	243				
95wi3	95	wi	3		L1	95	82	19	gt	K36		wrk	mom	1		243				
95wi24	95	wi	24		f	74	72	9	gt	K48		wr				244				
95wi23	95	wi	23		m	73	74	9	cw	K48		wr				244				
95wi22	95	wi	22		f	75	72	10	cw	K48		wr				244				
95wi21	95	wi	21		f	76	81	9	c	K41		ow				244				
95wi20	95	wi	20		m	72	69	9	gt	K41		ow				244				
95wi2	95	wi	2		L2	92	84	21	gt	K11		co	mom		y	243				
95wi19	95	wi	19		m	78	79	12	cw	K41		ow				244				
95wi18	95	wi	18		m	78	79	10	gt	K45		ow				244				
95wi17	95	wi	17		m	92	78	17	cw	K54		co				244				
95wi16	95	wi	16		m	88	89	18	cw	K30		ow				244				
95wi15	95	wi	15		L2	95	87	19	t	K16		wr	mom	6	y	244				
95wi14	95	wi	14		m	85	82	17	cw	K6		co				243				
95wi13	95	wi	13		m	78	71	12	gt	K6		co				243				
95wi12	95	wi	12		m	88	83	15	ct	K47		ow				243				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95wi11	95	wi	11		L1	88	82	18	cw	K14		ow	mom	5		243				
95wi10	95	wi	10		m					K66		wr	mom			243				
95wi1	95	wi	1		L1	94	83	29	gt	K6		co	mom	4		243	0			
95we9	95	we	9		m	78	76	12	c	K43		eq				251				
95we8	95	we	8		L1	82	82	13	ct	K43		eq	mom		y	251				
95we7	95	we	7		L1	96	89	21	ct	K40		sw	mom	5		251				
95we6	95	we	6		L1	95	67	21	c	K40		sw				251				
95we58	95	we	58		f	60	56	5	gt	T15		?sw				252				
95we57	95	we	57		m	65	59	6	gt	T15		?sw				252				
95we56	95	we	56		f	60	53	4	tw	T15		?sw				252				
95we55	95	we	55		m	64	61	6	cw	T15		?sw				252				
95we54	95	we	54		m	70	69	8	tw	K31		?sw				252				
95we53	95	we	53		m	59	51	5	gw	K31		?sw				252				
95we52	95	we	52		f	71	69	8	gw	K31		?sw				252				
95we51	95	we	51		f	54	62	5	ct	T45	d	eq				252				
95we50	95	we	50		m	64	59	6	gt	T15		sw				252				
95we5	95	we	5		L1	100	83	20	c	T11		sw	mom	3	y	251				
95we49	95	we	49		f	62	67	5	gt	T15		sw				252				
95we48	95	we	48		m	64	53	6	gt	T15		sw				252				
95we47	95	we	47		f	66	62	7	gw	K33	w	sw				252				
95we46	95	we	46		f	72	74	9	cw	T11		sw				252				
95we45	95	we	45		m	84	78	12	c	K14		eq				252				
95we44	95	we	44		m	65	62	7	gt	K33		sw				252				
95we43	95	we	43		f	72	71	10	cg	K33		sw				252				
95we42	95	we	42		f	75	73	11	t	K10		sw				252				
95we41	95	we	41		f	75	75	10	gw	K10		sw				252				
95we40	95	we	40		lf	67	62	7	ct	K10		sw				252				
95we4	95	we	4		L1	98	61	22	ct	K33		sw	mom	7		251				
95we39	95	we	39		f	74	75	10	ct	K10		sw	mom			252				
95we38	95	we	38		L1	83	73	12	cw	K51		eq	mom	8	s	252				
95we37	95	we	37		m	85	78	15	w	K51		eq				252				
95we36	95	we	36		m	76	72	11	cw	K34		sw				252				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95we35	95	we	35		m	69	70	8	gt	K8		sw				252				
95we34	95	we	34		m	72	76	9	gt	K13		sw				252				
95we33	95	we	33		L1	95	93	18	bc	K65		sw				252				
95we32	95	we	32		L1	102	85	23	ct	K65		sw	mom	6		252				
95we31	95	we	31		L2	95	63	22	t	K10		sw				252				
95we30	95	we	30		L1	92	88	19	ct	K10		sw	mom	6		252				
95we3	95	we	3		L1	97	72	20	gt	K31		sw	mom	5	s	251				
95we29	95	we	29		L2	95	85	20	ct	K31		sw				252				
95we28	95	we	28		m	81	76	15	cw	K10	n	sw				251				
95we27	95	we	27		f	72	71	11	gt	K8	w	sw				251				
95we26	95	we	26		m	82	76	12	cw	K13						251				
95we25	95	we	25		m	98	62	22	c	K13						251				
95we24	95	we	24		m	95	85	20	ct	T45		?sw				251				
95we23	95	we	23		f	62	63	5	gt	T45		?sw				251				
95we22	95	we	22		m	60	61	4	gw	T45		?sw				251				
95we21	95	we	21		L1	97	83	21	t	K33		sw	mom	4		251				
95we20	95	we	20		f	75	74	10	c	T11		sw				251				
95we2	95	we	2		L2	92	95	23	ct	K34		sw				251				
95we19	95	we	19		m	92	42	20	c	T11		sw				251				
95we18	95	we	18		m	82	78	13	cw	K51		eq				251				
95we17	95	we	17		f	72	75	7	t	K34		sw				251				
95we16	95	we	16		m			20	ct	K34		sw				251				
95we15	95	we	15		L1	85	92	18	ct	K34		sw				251				
95we14	95	we	14		m	76	76	10	ct	K40		sw				251				
95we13	95	we	13		m			10	ct	K40		sw				251				
95we12	95	we	12		m	60	62	5	ct	K40		sw				251				
95we11	95	we	11		L1	95	86	19	ct	K40		sw	mom	5		251				
95we10	95	we	10		L2	94	82	18	ct	K20		sw	mom	5	y	251				
95we1	95	we	1		L1	96	88	20	c	K34		sw	mom	5		251				
95ut5	95	ut	5		m	87	75	16	ct	K7		?				201				de
95ut4	95	ut	4							K23		br				202	r			
95ut4	95	ut	4	r	m	86	72	19	b	K23		br				201				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95ut34	95	ut	34		f	87	82	13	t	K?		?				202				
95ut33	95	ut	33		m	78	72	12	cw	K22		br				202				
95ut32	95	ut	32		mq	62	66	7	t	K65		br				202				
95ut31	95	ut	31		L1	95	78	21	t	T4		br				202				
95ut30	95	ut	30		f	85	84	11	ct	K43		?				202				
95ut3	95	ut	3		m	72	72	12	ct	T7		fd				201				
95ut24	95	ut	24		L1	94	73	18	ct	K23		br	mom		y	202				
95ut23	95	ut	23		m	74	77	11	cw	T5		h				202				
95ut22	95	ut	22		f	90	88	20	bt	K36		bt	mom	5	s	201				
95ut21	95	ut	21		f	92	83	19	gt	T4		br				201				
95ut208	95	ut	208																	
95ut20	95	ut	20							T4		br				202				
95ut20	95	ut	20	r	m	90	84	21	bt	K70		br				201				
95ut2	95	ut	2		f	72	62	13	gt	T7		fd				201				
95ut14	95	ut	14		m	92	84	18	gt	K7		?				201				ki
95ut13	95	ut	13		L2	98	84	25	gt	K7		?				201				
95ut12	95	ut	12		m	70	72	12	cw	K48		fd				201				
95ut11	95	ut	11		m	76	73	12	ct	K48		fd				201				
95ut10	95	ut	10		f	75	77	11	gt	K26		?				201				
95ut1	95	ut	1	r						K35		br				202				
95ut1	95	ut	1		f	77	14		gt	K46		br				201				
95ss6	95	ss	6		f	92	76	18	tw	K22	n					248				
95ss5	95	ss	5		f		80		gw	K41						248				
95ss4	95	ss	4		m	86	76	16	gw	T18						248				
95ss3	95	ss	3		f	92	72	14	cw	K32						248				
95ss2	95	ss	2		L1	92	78	18	t	T18			mom	7		248				
95ss1	95	ss	1		m	90	87	15	gt	K5						248				
95sp3	95	sp	3		m	71	69	6	w	K19						236				
95sp2	95	sp	2		m	98	84	20	cw	K6						235				
95sp1	95	sp	1		L1	92	77	19	t	K19						235				
95sn1005	95	sn											mom							
95sl9	95	sl	9		f	73	78	10	ct	T2		cb				218				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95sl8	95	sl	8		m	88	85	15	ct	K40		cb				218				
95sl7	95	sl	7		m	78	83	12	gt	K40	d	cb				218				
95sl6	95	sl	6		m	83	76	15	cw	K43	n	lf				218				
95sl53	95	sl	53		m	82	75	12	cw	K10		ls				219				
95sl52	95	sl	52		m	82	75	12	cw	K10		ls				219				
95sl51	95	sl	51		m	78	74	9	gt	T17		oh				219				
95sl50	95	sl	50		m	68	72	8	gw	T17		oh				219				
95sl5	95	sl	5		m			11	c	K27	w	cs				218				
95sl49	95	sl	49		m	72	72	8	ct	T17		oh				219				
95sl48	95	sl	48		f	69	70	8	ct	K35		oh				219				
95sl47	95	sl	47		L1	87	82	17	bt	K47		oh				219				
95sl46	95	sl	46		f	70	70	8	gt	K58		oh				219				
95sl45	95	sl	45		m	68	68	8	gt	K58		oh				219				
95sl44	95	sl	44		f	93	82	19	bc	K48		fs	mom	7		219				
95sl43	95	sl	43		L1	83	82	17	t	K48		fs	mom	7		219				
95sl42	95	sl	42		m	88	87	17	c	K48		fs				219				
95sl41	95	sl	41		m	95	92	17	cw	K48	d	fs				219				
95sl40	95	sl	40		m	87	92	15	c	K48	d	fs				219				
95sl4	95	sl	4		m	90	88	18	bt	K27		cs				218				
95sl39	95	sl	39		m	98	82	20	ct	K24		fs				219				
95sl38	95	sl	38		m	92	85	17	c	K24		fs				219				
95sl37	95	sl	37		m	63	65	6	w	K29		fs				219				
95sl36	95	sl	36		m	95	75	19	bt	K29		fs				219				
95sl35	95	sl	35		m	93	84	20	bt	K29		fs				219				
95sl34	95	sl	34		m	62	65	6	g	T6		cb				219				
95sl33	95	sl	33		m	79	80	11	gt	K27		cs				219				
95sl32	95	sl	32		m	73	73	9	bt	K27		cs				219				
95sl31	95	sl	31		m	88	84	17	c	K25	n	fs				219				
95sl30	95	sl	30		m					K2	d	lf				219				
95sl3	95	sl	3		m	81	76	12	ct	K50		cs				218	0	0		
95sl29	95	sl	29		L1	92	83	30	ct	K29		fs	mom	8		219				
95sl28	95	sl	28		L1	93	88	15	cw	K37		fs				218				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95sl27	95	sl	27		f	92	83	16	cw	K37		fs				218				
95sl26	95	sl	26		L1	100	83	22	ct	K6		fs				218				
95sl25	95	sl	25		m	97	86	21	ct	K23		fs				218	w			
95sl24	95	sl	24		m	95	88	18	c	K11	d	fs				218				
95sl23	95	sl	23		L1	92	83	16	c	K53		lf	mom		y	218				
95sl22	95	sl	22		m	83	72	13	ct	K2		lf				218				
95sl21	95	sl	21		m	74	65	8	gt	K2		lf				218				
95sl20	95	sl	20		L1	88	78	14	ct	K2		lf				218				
95sl2	95	sl	2		L2	100	83	23	ct	K50		cs				218	0	0		
95sl19	95	sl	19		m	72	58	8	gt	K2		lf				218				
95sl18	95	sl	18		f	79	77	10	cw	K2		lf				218				
95sl17	95	sl	17		L1	82	74	14	bt	K45		lf				218				
95sl16	95	sl	16		f	86	68	15	ct	K19		oh				218				
95sl15	95	sl	15		m	90	88	19	bc	K34		oh				218				
95sl14	95	sl	14		m	80	75	12	ct	K25		oh				218				
95sl13	95	sl	13		m	78	73	11	ct	K57		oh				218				
95sl12	95	sl	12		m	79	73	11	c	K57		oh				218				
95sl11	95	sl	11		m	78	78	12	ct	K58		oh				218				
95sl10	95	sl	10		m	75	72	10	gt	K33		cb				218				
95sl1	95	sl	1		L2	102	86	22	b	K27		cs	mom		y	218	0	0		
95sf3	95	sf	3		m	92	78	18	ct	K19						248				
95sf2	95	sf	2		m	87	77	16	ct	K15						248				
95sf1	95	sf	1		m	81	72	12	c	K58						248				
95se9	95	se	9		m	83	76	14	gt	T17						248				
95se8	95	se	8		m	92	72	18	gt	K20						248				
95se7	95	se	7		m	95	84	18	cw	K26						248				
95se6	95	se	6		m	87	72	12	cw	K65						248				
95se5	95	se	5		m	95	85	20	c	K65						248				
95se4	95	se	4		m	82	42	13	g	T13						248				
95se3	95	se	3		L1	92	83	19	t	K65						248				
95se2	95	se	2		L1	97	81	21	c	K20						248				
95se13	95	se	13		f	76	67	8	cw	K40						248				



id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95se12	95	se	12		f	81	68	10	cw	T45						248				
95se11	95	se	11		f	68	57	6	gt	T45						248				
95se10	95	se	10		m	70	65	8	g	T45						248				
95se1	95	se	1		L1	96	88	20	cw	K40						248				
95sa9	95	sa	9		m	72	66	8	gt	T27		f				203				
95sa8	95	sa	8		m	70	71	9	gw	T27		f				203				
95sa7	95	sa	7		m	92	82	19	c	T27		f				203				
95sa6	95	sa	6		m	86	68	15	bt	K21		f				203				ki
95sa5	95	sa	5		m	90	75	20	cw	K29	d	f				202				de
95sa4	95	sa	4		m	92	83	20	tw	K29		f				202				
95sa3	95	sa	3		L1	95	77	19	t	K18		f				202				
95sa2	95	sa	2	r						K29		f				203	r			
95sa2	95	sa	2		m	98	84	22	cw	K18		f				202				
95sa11	95	sa	11		m	96	85	22	bt	K29	k	f				203				
95sa1	95	sa	1		f	92	54	16	t	T27		f	mom	7	s	202				
95ro9	95	ro	9		m	61	65	5	gt	K47		cy				242				
95ro8	95	ro	8		f	61	63	5	t	T45		co				242				
95ro7	95	ro	7		m	61	62	6	gt	T45		co				242				
95ro6	95	ro	6		f	58	62	5	gt	T45		co				242				
95ro5	95	ro	5		L1	81	78	16	cw	K26		co	mom	6	s	241				
95ro4	95	ro	4		f	82	78	14	ct	K67		cy				241				
95ro3	95	ro	3		m	78	79	12	ct	K		co				240				
95ro2	95	ro	2		m	86	74	15	gt			dv				240				
95ro10	95	ro	10		f	68	64	8	gt	K65		dv				242				
95ro1	95	ro	1		L1	98	86	27	gt	K65		dv	mom			240				
95pr9	95	pr	9		m	88	89	15	cw	K11		p5				206				
95pr8	95	pr	8		L1	100	105	23	bt	K11		p5				206				
95pr7	95	pr	7		L1	98	97	33	bt	K11		p5	mom	9		206				
95pr6	95	pr	6		f	76	73	10	gt	T10		br				206				
95pr51	95	pr	51		m	67	70	6								208				
95pr50	95	pr	50		L1	92	85	17	t	K9		b	mom		y	207				
95pr5	95	pr	5		f	72	68	9	gt	T10		br				206				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95pr49	95	pr	49		m	64	65	6	gt	T5		b				207				
95pr48	95	pr	48		m	58	63	4	gt	T5		b				207				
95pr47	95	pr	47		fq	62	64	6	gt	T5		b				207				
95pr46	95	pr	46		m	82	83	15	cw	K30		p6				207				
95pr45	95	pr	45		f	82	72	13	gt	K30		p6	mom	5		207				
95pr44	95	pr	44		f	82	78	13	gt	K45		p10	mom		r	207				
95pr43	95	pr	43		f	82	87	14	gt	K45		p10				207				
95pr42	95	pr	42		L2	90	88	18	gt	K43	s	b	mom		y	207				
95pr41	95	pr	41		f	82	90	12	gt	K33		b				207				
95pr40	95	pr	40		L1			25	ct	K34		b				207				
95pr4	95	pr	4		m	88	86	17	gt	K27		br				206				g
95pr39	95	pr	39		f	68	81	7	gt	T44		ch				207				
95pr38	95	pr	38		m	97	95	21	ct	T44		ch				207				
95pr37	95	pr	37		m	70	77	10	gt	K37		p2				207				
95pr36	95	pr	36		m	94	78	19	ct	K52	d	p2				207				
95pr35	95	pr	35		m	80	85	15	c	K52		p2				207				
95pr34	95	pr	34		f	96	97	20	w	K66		p2	mom		y	206				
95pr33	95	pr	33		m	82	86	14	gt	K12		p6				206				
95pr32	95	pr	32		m	92	84	19	t	K43		b				206				
95pr31	95	pr	31		f	65	74	7	gt	T44		ch				206				
95pr30	95	pr	30		m			6	t	T44		ch				206				
95pr3	95	pr	3		m	69	67	8	gt	K50	d	br				206				de
95pr29	95	pr	29		m	94	86	18	bt	T44		ch				206				
95pr28	95	pr	28		L2			21	bt	T44		ch	mom		y	206				
95pr27	95	pr	27		m	82	85	14	tw	K32		p9				206				
95pr26	95	pr	26		m	82	88	12	gt	K41		p3				206				
95pr25	95	pr	25		m	95	92	19	bt	K41		p3				206				
95pr24	95	pr	24		p	93	92	29	gt	K41		p3	mom	10		206				
95pr23	95	pr	23		f	87	71	15	gt	?	d	dk				206				
95pr22	95	pr	22		m	88	82	14	w	?		dk				206				
95pr21	95	pr	21		m	85	86	18	gt	T5	d	b				206				de
95pr20	95	pr	20		m	70	69	8	gt	T5		b				206				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95pr2	95	pr	2		L1	92	92	19	t	K45		p10	mom		y	206				
95pr19	95	pr	19		m			16	tw	T5		b				206				
95pr18	95	pr	18		f	80	78	11	gt	K34		b				206				
95pr17	95	pr	17		f	78	78	11	gt	K34		b				206				
95pr16	95	pr	16		m	78	82	12	gt	K34		b				206				
95pr15	95	pr	15		m	92	88	19	gt	K34		b				206				
95pr14	95	pr	14		m	87	88	18	gt	K52		p2				206				
95pr13	95	pr	13		m	92	86	15	gt	K30		p6				206				
95pr12	95	pr	12		m	92	85	20	c	K30		p6				206				
95pr11	95	pr	11		m	88	90	15	gt	K21		p10				206				
95pr10	95	pr	10		m	93	88	17	gt	K21		p10				206				
95pr1	95	pr	1		L1	92	90	22	tw	K68		p3	mom	8	s	206				
95ny9	95	ny	9		f	82	88	14	w	K9		12p				257				
95ny8	95	ny	8		f	82	82	14	ct	K9		12p				257				
95ny7	95	ny	7		f	78	72	12	gt	K17		11p	mom	5	s	257				
95ny6	95	ny	6		f	81	75	15	gt	K51		8p				257				
95ny5	95	ny	5		m	87	82	18	ct	K51		8p				257				
95ny4	95	ny	4		f	88	85	17	ct	K29		6p	mom	3		257				
95ny32	95	ny	32		m	72	66	7	t	K65		12p				259				
95ny31	95	ny	31		m	72	72	10	gt	K17	d	11p				259				
95ny30	95	ny	30		m	83	82	14	cw	T1		10p				259				
95ny3	95	ny	3		m	82	78	14	ct	K4		8p				257				
95ny29	95	ny	29		m	82	73	14	cw	K24		10p				259				
95ny28	95	ny	28		m	88	81	15	cw	K25		2p				259				
95ny27	95	ny	27		m	87	85	15	ct	K9		12p				259				
95ny26	95	ny	26		f	94	77	15	gt	K35		10p				259				
95ny25	95	ny	25		f	88	82	12	c	K67		5p	mom	7	y	259				
95ny24	95	ny	24		f	82	81	12	gt	K50		4p				259				
95ny23	95	ny	23		f	82	78	16	gt	K17		11p	mom	5.	y	259				
95ny22	95	ny	22		L1	87	83	18	ct	K11	d	2p				259				
95ny21	95	ny	21		m	85	81	13	c	K14		2p				258				
95ny20	95	ny	20		m	85	83	14	cw	K49	d	4p				258				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95ny2	95	ny	2		L1	98	86	25	ct	K35		p	mom	4	y	257				
95ny19	95	ny	19		m	87	71	12	c	K22	w	1p				258				
95ny18	95	ny	18		f	84	78	14	ct	T13		12p	mom	6		258				
95ny17	95	ny	17		f	88	79	15	t	K35		10p	mom	4	y	258				
95ny16	95	ny	16		f	85	78	14	cw	K33		11p	mom			258				
95ny15	95	ny	15		f	88	86	16	t	K4		12p				258				
95ny14	95	ny	14		m	85	69	16	gt	T11		?				258				
95ny13	95	ny	13		m	91	78	15	cg	K2		11p				257				
95ny12	95	ny	12		m		73		ct	K66	d	6p				257				
95ny11	95	ny	11		m	78	75	14	ct	K65		12p				257				
95ny10	95	ny	10		f	82	81	13	ct	K65	d	12p	mom	5		257				
95ny1	95	ny	1		L1	93	85	24	ct	T13		12p	mom	7		257				
95mo9	95	mo	9		m	77	72	9	ct	K23		co				240				
95mo8	95	mo	8		f	85	62	14	c	K40		cy				240				
95mo7	95	mo	7		f	61	52	5	gw	T10		c				240				
95mo6	95	mo	6		m	62	51	4	gt	T10		c				240				
95mo5	95	mo	5		L1	88	77		bt	K3		cy				240				
95mo4	95	mo	4		m	87	80	16	ct	K4		st				240				
95mo33	95	mo	33		m	52	45	4	cw	K23		co				241				
95mo32	95	mo	32		m	81	81	11	cw	K19		c				241				
95mo31	95	mo	31		m	93	78	20	ct	K70						241				
95mo30	95	mo	30		m	73	62	8	cw	T44		sc				241				
95mo3	95	mo	3		m	80	80	11	gt	K4		st				240				
95mo29	95	mo	29		m	52	49	4	g	K66		sc				241				
95mo28	95	mo	28		f	80	73	13	ct	K24		sc				241				
95mo27	95	mo	27		f	74	78	10	cg	K22		sc				241				
95mo26	95	mo	26		f	77	79	10	ct	K22		sc				241				
95mo25	95	mo	25		m	82	84	13	ct	K50		cp				241				
95mo24	95	mo	24		m	90	85	16	ct	K66	w					240				
95mo23	95	mo	23		f	77	77	13	gt	K22	w					240				
95mo22	95	mo	22		f	82	76	13	gt	K50		co				240				
95mo21	95	mo	21		m	97	75	21	tw	K50		co				240				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95mo20	95	mo	20		m	89	68	16	tw	K6		co				240				
95mo2	95	mo	2		L1	98	90	28	cw	K11		co	mom	12		240				
95mo19	95	mo	19		m	78	82	11	gt	K15		cs				240				
95mo18	95	mo	18		m	87	85	13	t	K15		cs				240				
95mo17	95	mo	17		m	91	77	16	c	k11		co				240				
95mo16	95	mo	16		m	78	72	12	t	K27		lw				240				
95mo15	95	mo	15		m	77	72	11	cw	K3		cy				240				
95mo14	95	mo	14		m	90	66	16	cw	K3		cy				240				
95mo13	95	mo	13		m	95	88	20	ct	K15		cs				240				
95mo12	95	mo	12		m	95	74	18	ct	K23		co				240				
95mo11	95	mo	11		f	77	78	11	gt	K66		cs				240				
95mo10	95	mo	10		m	77	75	10	cw	K23		co				240				
95mo1	95	mo	1		L1	98	85	25	c	K4		st	mom	5	s	240				
95mi9	95	mi	9		m	92	82	18	gt	K41		t				213	0			
95mi8	95	mi	8		L1	92	83	24	bt	K21		f	mom	7	s	213				
95mi7	95	mi	7		m	67	58	7	cg	K48		f				213	0			
95mi6	95	mi	6		L2	85	75	23	cg	K48		f				213				
95mi5	95	mi	5		L2	92	20	24	c	K48		f	mom	5		213	0			
95mi4	95	mi	4		L2	88	77	20	c	K37		f	mom	10	s	213				
95mi3	95	mi	3		L2	97	88	21	c	K39	n	f				213	0			
95mi24	95	mi	24		m	88	78	22	t	K68	d	trk				215				
95mi23	95	mi	23		f	67	72	5	gt	K68	d	s				214				
95mi22	95	mi	22		m	78	79	12	gt	K68		s				214	0			
95mi21	95	mi	21		m	76	75	8	gw	K68		s				214	0			
95mi20	95	mi	20		L1	88	85	20	t	K48		f				214	0			
95mi2	95	mi	2		m	90	77	18	c	K24		f				213	0			
95mi19	95	mi	19		m	83	82	11	t	K4		e				214	0			
95mi18	95	mi	18		f	82	82	9	t	K30		f				214	0			
95mi17	95	mi	17		f	71	75	9	gt	K68		s				213				
95mi16	95	mi	16		L1	97	87	21	ct	K68		s	mom	9	s	213	0			
95mi15	95	mi	15		m	95	86	21	t	K68		s				213				
95mi14	95	mi	14		L1	92	84	20	t	K68		s	mom	7	y	213	0			

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95mi13	95	mi	13		f	72	70	7	g	K68	w	s				213				
95mi12	95	mi	12		m	93	77	18	c	K30		f				213	0			
95mi11	95	mi	11		f	77	78	8	c	K10	w	f				213	0			
95mi10	95	mi	10		L1	95	87	20	c	K10		f				213	0			
95mi1	95	mi	1		m	85	80	13	c	K12		f				213	0			
95le93	95	le	93		m	59	62	6	cw	K28		sil				232				
95le92	95	le	92		m	84	83	14	cw	K28		sil				232				
95le91	95	le	91		m	88	80	16	t	K8		sis				232				
95le90	95	le	90		f	70	71	7	w	K11		sin				232				
95le9	95	le	9		L1	90	82	17	tw	T17		sil				230				
95le89	95	le	89		m	75	69	9	gw	K53		sin				232				
95le88	95	le	88		m	84	78	14	cw	K15		sil				232				
95le87	95	le	87		m	78	68	9	tw	K9		sis				232				
95le86	95	le	86		L1	82	81	16	cw	K25		sil	mom		y	232				
95le85	95	le	85		f	80	68	12	t	K23		sil	mom	5	s	232				
95le84	95	le	84		L1	96	84	21	c	<52		sil	mom		y	232				
95le83	95	le	83		f	82	73	15	cw	<39		sil	mom	5	s	232				
95le82	95	le	82		f	68	68	7	gt	<31		sin				232				
95le81	95	le	81		L2	96	83	27	cw	K31		sin	mom	7		232				
95le80	95	le	80		L2	96	83	22	cw	K67		sin				232				
95le8	95	le	8		f	87	77	16	t	K39	n	sil	mom	8	s	230				
95le79	95	le	79		m	69	65	8	gt	K27	d	slo				231				
95le78	95	le	78		L1	87	73	14	gt	K53	n	sin				231				
95le77	95	le	77		m	56	58	4	w	T27	d	sis				231				
95le76	95	le	76		m	72	73	8	c	K58	d	sin				231				
95le75	95	le	75		m	78	70	11	c	K36						231				
95le74	95	le	74		m	82	73	10	gt	K29		slo				231				
95le73	95	le	73		L1	91	76	16	ct	K29		slo				231				
95le72	95	le	72		m	95	81	18	gt	K17		sin				231				
95le71	95	le	71		m	89	82	17	gt	K17		sin				231				
95le70	95	le	70		m	69	65	8	gt	K49		slo				231				
95le7	95	le	7		L1	87	75	17	c	K31	d	sin				230				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95le69	95	le	69		f	69	68	8	g	K9		sis				231				
95le68	95	le	68		m	78	72	10	gt	K43		sis				231				
95le67	95	le	67		m	78	68	11	gt	K11		sin				231				
95le66	95	le	66		m	98	84	21	gt	K11		sin				231				
95le65	95	le	65		m	78	65	9	gt	K46		sis				231				
95le64	95	le	64		m	71	69	9	gw	K8		sis				231				
95le63	95	le	63		m	73	68	10	gt	K8		sis				231				
95le62	95	le	62		f	80	77	12	w	K8		sis				231				
95le61	95	le	61		f	60	67	6	w	K31		sin				231				
95le60	95	le	60		f	62	64	6	w	K31		sin				231				
95le6	95	le	6		L2	87	78	16	cw	K37	d	sin				230				
95le59	95	le	59		m			16	t	K58		sin				231				
95le58	95	le	58		m			18	gt	K58		sin				231				
95le57	95	le	57		f	68	68	9	gw	K40		slo				231				
95le56	95	le	56		L1	80	70	15	t	K40		slo	mom	3		231				
95le55	95	le	55		L1	85	72	15	gt	K32		slo	mom	6		231				
95le54	95	le	54		f	72	68	9	gt	K51		sis				231				
95le53	95	le	53		L1	83	82	14	cw	K51		sis				231				
95le52	95	le	52		f	66	68	8	gt	T12		sin				231				
95le51	95	le	51		L1	102	85	31	c	T12		sin	mom	6		231				
95le50	95	le	50		L1	92	81	18	cw	K25		sil	mom		y	231				
95le5	95	le	5		L2	88	78	16	cw	K37	d	sin				230				
95le49	95	le	49		L1	96	83	19	ct	K25		sil	mom	6	s	231				
95le48	95	le	48		m	62	63	6	w	T27		sis				231				
95le47	95	le	47		L2	85	84	15	w	T27		sis				231				
95le46	95	le	46		f	75	72	11	g	K37		sin				231				
95le45	95	le	45		f			19	gt	K37		sin	mom	7		231				
95le44	95	le	44		m	70	71	8	cw	T27		sis				230				
95le43	95	le	43		m	90	78	18	c	K24	d	sis				230				
95le42	95	le	42		m	82	83	15	ct	K24	d	sis				230				
95le41	95	le	41		m	62	68	7	g	K8	d	sis				230				
95le40	95	le	40		m	72	69	8	gw	K8		sis				230				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95le4	95	le	4		L2	83	72	16	t	T5		ele	mom	7		230				
95le39	95	le	39		m	82	70	12	c	K44	d	sil				230				
95le38	95	le	38		m	85	78	15	c	T28	d	sis				230				
95le37	95	le	37		m	78	70	11	cw	T28	d	sis				230				
95le36	95	le	36		m	65	69	8	cw	K51	d	sis				230				
95le35	95	le	35		m	75	77	13	c	K51	d	sis				230				
95le34	95	le	34		m	72	72	11	c	K48	d	sis				230				
95le33	95	le	33		f	71	67	7	gw	K50	d	sis				230				
95le32	95	le	32		m	77	72	10	cw	K20	d	sis				230				
95le31	95	le	31		m	63	69	6	gt	K58	d	sin				230				
95le30	95	le	30		m	68	68	7	gw	K58	d	sin				230				
95le3	95	le	3		f	78	82	13	t	K3		sis	mom	6		230				
95le29	95	le	29		m	78	77	13	cw	K58	d	sin				230				
95le28	95	le	28		m	78	72	14	w	T12	d	sin				230				
95le27	95	le	27		m	62	62	5	cw	K46	d	sis				230				
95le26	95	le	26		m	87	75	15	bt	K67	d	sin				230				
95le25	95	le	25		m	84	78	16	cw	K37	d	sin				230				
95le24	95	le	24		f	80	82	16	c	K37	d	sin	mom		y	230				
95le23	95	le	23		L2	90	84	19	c	K53	d	sin				230				
95le22	95	le	22			90	82	18	c	K11	d	sil				230				
95le21	95	le	21		m	92	89	21	t	K29	d	slo				230				
95le20	95	le	20		m	67	71	7	gt	K29	d	slo				230				
95le2	95	le	2		L2	89	77	21		K27		ele	mom	7		230				
95le19	95	le	19		m	85	78	17	c	K25	d	sil				230				
95le18	95	le	18		m	83	76	13	c	K40		slo				230				
95le17	95	le	17		f	82	68	11	cw	K41		dmp				230				
95le16	95	le	16		f	70	68	6	gw	K10		dmp				230				
95le15	95	le	15		m	80	72	12	cw	K4		dmp				230				
95le14	95	le	14		m	82	81	13	gt	K5		dmp				230				
95le13	95	le	13		m	92	82	15	w	K25	d	sil				230				
95le12	95	le	12		m	77	75	10	t	K25	d	sil				230				
95le11	95	le	11		L1	87	83	17	cw	K52	d	sil				230				



id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95le10	95	le	10		f	93	84	14	t	K52	d	sil	mom			230				
95le1	95	le	1		L1	88	78	27	gt	K31	d	sin	mom	8		230				
95le	95	le			m	105	98			K16		sis				232				
95ku9	95	ku	9		m	64	62	5	ct	K30						221				
95ku8	95	ku	8		f	96	78	20	ct	K43						221				
95ku7	95	ku	7		m	75	73	9	gt	K47						220				
95ku6	95	ku	6		f	62	61	5	ct	K47						220				
95ku5	95	ku	5		m	88	80	15	cw	K56						220				
95ku4	95	ku	4		L2	93	79	16	c	T18						220				
95ku3	95	ku	3		m	81	77	11	cw	K30						220				
95ku2	95	ku	2		L1	93	75	17	ct	K46			mom	8		220				
95ku13	95	ku	13		m	70	72	7	gt	K47	d					221				
95ku12	95	ku	12		m	63	64	5		K47						221				
95ku11	95	ku	11		f	72	70	8	ct	K47						221				
95ku10	95	ku	10		f	70	72	8	cw	K47						221				
95ku1	95	ku	1		m	92	82	18	cw	K35						220				
95ko9	95	ko	9		f	70	65	8	gt	K6		c				215	0			
95ko8	95	ko	8		L2	90	82	16	c	K6	d	c				215				
95ko7	95	ko	7		l1	92	68	18	ct	K6	d	c	mom	2		215	0			
95ko61	95	ko	61		m	59	58	5	w	K28		g				217	0	0		
95ko60	95	ko	60		f	74	69	10	c	K53		g				217	0	0		
95ko6	95	ko	6		m	68	68	6	t	K6		c				215	0			
95ko59	95	ko	59		m	58	56	4	gt	K53		g				217	0	0		
95ko58	95	ko	58		f	68	73	8	gw	K33		g				217	0	0		
95ko57	95	ko	57		m	79	75	11	cw	K34		r				217	0	0		
95ko56	95	ko	56		L2	92	82	18	ct	K47		c				217		0		
95ko55	95	ko	55		f	68	69	9	w	K58		c				217	0	0		
95ko54	95	ko	54		m	73	72	8	gt	K43	n	g				216	0	0		
95ko53	95	ko	53		f	71	68	9	tw	K43		g				216	0	0		
95ko52	95	ko	52		m	72	76	8	cw	K33		g				216		0		
95ko51	95	ko	51		f	72	65	8	gw	K53		g				216	0	0		
95ko50	95	ko	50		f	65	66	7	tw	K53		g				216	0	0		

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95ko5	95	ko	5		m	72	69	9	w	K50		c				215				
95ko49	95	ko	49		m	71	72	8	w	K53		g				216	0	0		
95ko48	95	ko	48		L2	90	78	16	c	K33		g				216	0	0		
95ko47	95	ko	47		f	73	70	9	w	K53		g				216	0	0		
95ko46	95	ko	46		f	68	72	8	w	K47		c				216				
95ko45	95	ko	45		f	69	71	9	gt	K47		c				216	0	0		
95ko44	95	ko	44		f	72	70	9	w	K58		c				216	0	0		
95ko43	95	ko	43		m	68	69	8	ct	K58		c				216	0	0		
95ko42	95	ko	42		m	77	76	11	cw	K58		c				216	0	0		
95ko41	95	ko	41		f	75	72	10	c	K58		c				216	0	0		
95ko40	95	ko	40		f	78	72	12	cw	K6		c				216	0	0		
95ko4	95	ko	4		f	68	65	8	g	K53	n	g				215				
95ko39	95	ko	39		m	68	69	8	ct	K47		c				216	0	0		
95ko38	95	ko	38		f	69	67	8	w	K47		c				216	0	0		
95ko37	95	ko	37		m	69	75	8	cw	K47		c				216	0	0		
95ko36	95	ko	36		f	66	63	6	gw	K47		c				216	0	0		
95ko35	95	ko	35		f	73	65	10	c	K47		c				216	0	0		
95ko34	95	ko	34		f	78	66	12	cw	T42		c				216	0			
95ko33	95	ko	33		L2	88	85	21	c	K47		c	mom	7		216	0			
95ko32	95	ko	32		L2	92	85	20	c	K58		c	mom	5	y	215	0			
95ko31	95	ko	31		m	78	72	10	gt	K58		c				215	0			
95ko30	95	ko	30		L2	82	84	16	cw	K30		c				215	0			
95ko3	95	ko	3		m	73	68	9	gt	K6	n	c				215				
95ko29	95	ko	29		m	82	77		c	K30		c				215	w			
95ko28	95	ko	28		L2	94	65	19	cw	K34		c	mom	3		215				
95ko27	95	ko	27		L1	98	85	20	c	K34		c				215	w			
95ko26	95	ko	26		m	75	71	8	c	K47		c				215	0			
95ko25	95	ko	25		f	75	68	10	ct	K47		c				215				
95ko24	95	ko	24		m	90	85	15	ct	K47		c				215	0			
95ko23	95	ko	23		f	68	63	6	gt	K47		c				215	0			
95ko22	95	ko	22		f	68	62	7	gt	K47		c				215	0			
95ko21	95	ko	21		m	82	72	12	ct	K47		c				215				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95ko20	95	ko	20		f	69	66	8	w	K47		c				215				
95ko2	95	ko	2		m	73	72	7	gw	K6	n	c				215				
95ko19	95	ko	19		m	74	72	9	w	K47		c				215	0			
95ko18	95	ko	18		L2	90	82	19	cw	K47		c	mom	5	s	215				
95ko17	95	ko	17		m	82	78	14	c	K47		r				215				
95ko16	95	ko	16		L1	90	84	22	ct	K47		c	mom	4		215	wr			
95ko15	95	ko	15		m	78	63	11	cw	K9		c				215	0			
95ko14	95	ko	14		L2	83	75	15	c	K9	d	c				215	0			
95ko13	95	ko	13		L2	83	78	18	c	K9		c	mom	6		215	0			
95ko12	95	ko	12		f	72	70	8	gt	K6		c				215				
95ko11	95	ko	11		m	68	68	7	cw	K6		c				215				
95ko10	95	ko	10		L2	92	72	18	c	K6		c	mom	6	s	215	0			
95ko1	95	ko	1		L1	93	80	18	c	K43	n	g				215				
95ke2	95	ke	2		f	70	67	11	c	K22	w	k				218	0	0		
95ke1	95	ke	1		m	82	65	12	ct	T5		t				217	0	0		
95he9	95	he	9		L1	98	82	21	ct	K56		ms				237				
95he8	95	he	8		L1	98	77	21	ct	<48		ms				237				
95he7	95	he	7		m	83	80	17	bt	K49		ms				237				
95he6	95	he	6		L1	98	83	19	c	L49		ms	mom	5	y	237				
95he5	95	he	5		L1	93	83	25	ct	<13		ms	mom	9	s	237				
95he4	95	he	4		L1	102	78		ct	K13		ms	mom	5		237				
95he3	95	he	3		L1	103	81	27	ct	K18		ms				237				
95he28	95	he	28		L1	100	83	25	gt	K5		tru				239				
95he27	95	he	27		m	88	81	17	gt	K28		ms				238				
95he26	95	he	26		m	82	82	14	gt	K49		ms				238				
95he25	95	he	25		f	82	73	13	t	K67		ms				238				
95he24	95	he	24		m	85	78	16	gt	K70		ms				238				
95he23	95	he	23		L1	99	84	24	ct	K13		ms	mom	7	y	238				
95he22	95	he	22		L1		77	26	t	K18						238				
95he21	95	he	21		L1	96	86	21	t	K6		ms	mom	6	s	238				
95he20	95	he	20		m	81	82	13	ct	T25		ms				237				
95he2	95	he	2		L1	100	80	33	ct	K18	d	ms	mom	12		237				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95he19	95	he	19		m	92	82	16	gt	K50		ms				237				
95he18	95	he	18		m	82	68	12	t	K58		ms				237				
95he17	95	he	17		m	83	68	14	t	K58		ms				237				
95he16	95	he	16		m	88	78	17	gt	K11		ms				237				
95he15	95	he	15		f	75	72	8	ct	K5		ml				237				
95he14	95	he	14		m	86	79	15	ct	K35		ml				237				
95he13	95	he	13		m	82	81	12	ct	K36		ms				237				
95he12	95	he	12		m	86	72	14	w	K6		ms				237				
95he11	95	he	11		m	30	73	11	cw	K66		ms				237				
95he10	95	he	10		L1	88	78	13	t	K25		b1	mom	5	y	237				
95he1	95	he	1		m	89	73	15		K5		b1				237				
95gr4	95	gr	4		m	83	75	12	cg	K24		gr				209				
95gr3	95	gr	3		L2	98	88	23	w	K12		wd				208				
95gr2	95	gr	2		m	84	75	15	w	K49		br				208				
95gr1	95	gr	1		m	88	78	17	w	K24		gr				208				
95fe9	95	fe	9		f	72	72	10	w	K6		fl				258				
95fe8	95	fe	8		m	82	79	14	c	K6		fl				258				
95fe7	95	fe	7		m	89	80	16	cw	K56		ba				258				
95fe6	95	fe	6		m	83	86	20	ct	K3	d	fl				258				
95fe5	95	fe	5		L1	87	81	15	ct	K23		ba				258				
95fe4	95	fe	4		f	78	76	10	cw	T10		fl				258				
95fe3	95	fe	3		L1	93	89		cw	K18	n	fl				258				
95fe2	95	fe	2		L1	88	82	17	ct	K43		ba	mom	7	s	258				
95fe19	95	fe	19		m	78	72	14	gt	K18	n	fl				259				15
95fe18	95	fe	18		f	72	68	8	gw	T40		hb				259				
95fe17	95	fe	17		m	77	79	12	cw	T6		fl				259				
95fe16	95	fe	16		f	75	78	10	ct	T6		fl				259				
95fe15	95	fe	15		m	85	78	16	w	K6		fl				259				
95fe14	95	fe	14		m	72	68	9	c	K23		ba				259				
95fe13	95	fe	13		L1	98	81	22	gw	K13	n	fl				259				
95fe12	95	fe	12		f	79	73	10	ct	T2		hb				259				
95fe11	95	fe	11		L1	99	85	22	c	T6		fl	mom	2	y	259				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95fe10	95	fe	10		f	87	78	19	tw	K6		fl	mom	6		259				
95fe1	95	fe	1		L2	88	78	18	t	T6	d	fl				258				
95cr6	95	cr	6		m	90	82	13	c	K24		lb				207				
95cr5	95	cr	5		m	85	80	13	c	K24		lb				207				
95cr4	95	cr	4		j	75	72	8	tw	T28		lb				207				
95cr3	95	cr	3		L1	93	92	17	c	K49		lb				207				
95cr2	95	cr	2		m	92	45	16	ct	K49		lb				207				
95cr1	95	cr	1		L2	88	82	17	tw	K10		tk				207				
95cm8	95	cm	8		m			20	w	k53						251				
95cm70	95	cm	70		m			18	gt	K39		Al				251				
95cm65	95	cm	65		m				gt	K25		goo				252				
95cm65	95	cm	65	r	m			19		K25		goo				251				
95cm58	95	cm	58		p	95	91	19	cw	T5		gs	mom	6		194				
95cm57	95	cm	57		p	82	78	15	gt	T8		gs	mom	4		194	0			
95cm56	95	cm	56		f	92	85	24	cw	T17		go	mom	8		194				
95cm56	95	cm	56																	
95cm56	95	cm	56																	
95cm56	95	cm	56																	
95cm56	95	cm	56																	
95cm55	95	cm	55	r	f					K24		fn				197	r			op
95cm55	95	cm	55	r						K24		bo				197	r			op
95cm55	95	cm	55	r						K28		fn				195	r			
95cm55	95	cm	55		f	82	85	15	cw	K61		fn				194				
95cm54	95	cm	54		L2			24	tw	K61		fn				194				
95cm53	95	cm	53	r						K49		fn				196	r			
95cm53	95	cm	53							K20		fn				195	r			
95cm53	95	cm	53	r	m	85	78	18	ct	K58		fn				194				
95cm52	95	cm	52		f	90	74	23	t	K20		fn	mom	7		194				
95cm51	95	cm	51		L1	87	81	17	bt	K12		gs				193				
95cm50	95	cm	50		f	90	84	17	tw	K62		gs	mom	6		193				
95cm5	95	cm	5	r						K12		gs				193	r			

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95cm5	95	cm	5		m	92	76	20	tw	K8		gs				192				
95cm49	95	cm	49		f	92	92	19	cw	K18		go	mom	6		194	0			
95cm48	95	cm	48		p	92	82	27	cw	K18		go	mom	9		194	0			
95cm47	95	cm	47		m	76	77	19	gt	K70	d	go				194				
95cm46	95	cm	46		m	92	75	19	cw	K2	w	fn				194				
95cm45	95	cm	45		m	90	80	16	c	K62		gs				193				
95cm44	95	cm	44		f		62	4	cw	K43	d	gs				193				
95cm43	95	cm	43		m	67	65	6	gt	K43		gs				193				
95cm42	95	cm	42		L2	100	82	30	gt	T25		gs	mom	4		193				
95cm41	95	cm	41	r	m			20	ct	K22		goo				251				
95cm41	95	cm	41		m	73	76	14	ct	K44		gs				193				
95cm40	95	cm	40		m	84	73	15	cw	K44		gs				193				
95cm4	95	cm	4		m	93	57	25	gw	K62		gs				192				
95cm35	95	cm	35	r	L1	88	33	16	c	K68		goo	mom	6	s	251				
95cm35	95	cm	35		f	72	74	9	c	K48		gs				193				
95cm34	95	cm	34		m	67	68	7	w	K48		gs				193				
95cm33	95	cm	33	r						K22		go				194	r			
95cm33	95	cm	33		m	78	82	17	cw	K1		gs				193				
95cm32	95	cm	32		m	78	82	17	tw	K1	d	gs				193				
95cm31	95	cm	31		f	63	69	7	gt	K48		gs				192				
95cm30	95	cm	30	r						T42		gs				194	r			
95cm30	95	cm	30		m	82	73	15	cw	K48		gs				192				
95cm3	95	cm	3	r	f			15		T2		gs	mom	5	s	193	r			
95cm3	95	cm	3		f	82	86	15	cw	K12		gs				192				
95cm25	95	cm	25		L1	94	78	24	c	K27		gs	mom	8	s	192	r			
95cm24	95	cm	24		L1	82		18		K47		?	mom	5	s	192				g
95cm23	95	cm	23	r	m			17		K50		gs				193	r			
95cm23	95	cm	23		m	93	88			K47		gs				192				
95cm22	95	cm	22		L1	103	82	31		K47		gs	mom	7		192				wr
95cm21	95	cm	21							K50		b				197	r			
95cm21	95	cm	21	r	f	92	84	22	t	T16		gs	mom	7		192				
95cm20	95	cm	20		m	68	78	10	gt	T16		gs				192				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95cm2	95	cm	2	r						T17		go				195	r			
95cm2	95	cm	2		m	72	68	12	ct	T3		go				192				
95cm161	95	cm	161		m	83	77	14	ct	K16	w	rr				251				
95cm160	95	cm	160		f	67	60	6	gw	T27		rr				251				
95cm159	95	cm	159		L1	87	76	14	cw	K68		goo	mom	6	s	251				
95cm157	95	cm	157		L1	89	81	16	t	K68		goo	mom	5		251				
95cm156	95	cm	156		m	88	84	16		K47	n	As				252				
95cm155	95	cm	155	r	f	80	80	14	ct	K53		goo				252				go
95cm155	95	cm	155		f	79	82	14	c	K56		goo				251				
95cm154	95	cm	154		f	65	62	7	ct	K68		goo				252				
95cm153	95	cm	153		m	100	79	25	ct	K68		goo				252				
95cm152	95	cm	152		m	81	75	13		K56		goo				252				
95cm151	95	cm	151		m	62	60	6	tw	K70		Al				251				
95cm150	95	cm	150	r	m					K48						253				
95cm150	95	cm	150		m	80	72	13	t	K11		rr				251				
95cm15	95	cm	15	r						T42		gs				194	r			
95cm15	95	cm	15	r	m					T16		gs				193	r			
95cm15	95	cm	15		m	82	85	15	tw	T16		gs				192				
95cm145	95	cm	145		m	89	88	17	t	K7		rr				251				
95cm144	95	cm	144		f	82	74	14	c	K66		Bu	mom	5	s	251				
95cm143	95	cm	143		L1	78	74	14	ct	K66		bu	mom	4		251				
95cm142	95	cm	142		L2	92	82	28	c	K32		Al	mom	8		251				
95cm141	95	cm	141		L1	92	78	17	c	K43		b				197				
95cm140	95	cm	140		m	84	75	16	ct	K43		b				197				
95cm14	95	cm	14	r						K50		gs				194	r			
95cm14	95	cm	14	r	m					K43						193	r			
95cm14	95	cm	14		m	83	78	17	ct	T15		gs				192				
95cm135	95	cm	135		fq	73	67	10	ct	K48		b				197				
95cm134	95	cm	134		f	65	58	6	gt	K46		bo				197				
95cm133	95	cm	133	r						K10		bo				197	r			
95cm133	95	cm	133		f	68	62	9	cg	K46		b				196				
95cm132	95	cm	132		m	73	80	13	ct	K27		bo				196				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95cm131	95	cm	131	r						K48		bo				197	r			
95cm131	95	cm	131		m	68	61	8	t	T19		bo				196				
95cm130	95	cm	130			75	78		gt	K67		fn				196				
95cm13	95	cm	13	r						K48		gs				194	r			
95cm13	95	cm	13	r	m					T42		gs				193	r			
95cm13	95	cm	13		m	92	74	24	ct	K50		gs				192				
95cm126	95	cm	126		L2	94	83	25	t	K48		b	mom	5		196				
95cm125	95	cm	125		f	72	60	10	t	K48		b				196				
95cm124	95	cm	124	r								b				196				de
95cm124	95	cm	124	r						K48		?				196	r			de
95cm124	95	cm	124		m	92	82	16	ct	K50		b				195				
95cm123	95	cm	123	r						K48		b				197	r			
95cm123	95	cm	123	r	m	88	85	17	c	T1		b				195				
95cm122	95	cm	122									b				196	r			de
95cm122	95	cm	122		mq	62	63	6	cg	T25		b				195				
95cm121	95	cm	121		m	68	62	8	gt	K48		b				195				
95cm120	95	cm	120		m	68	65	8	cg	K48		b				195				
95cm12	95	cm	12	r	L1			17		K8		gs	mom	8	y	194				
95cm12	95	cm	12		L1	92	78	18	c	K52		gs				192				
95cm119	95	cm	119		L2				bt	K50		b				195				wo
95cm118	95	cm	118		f	92	85	15	c	T1		b				195				
95cm117	95	cm	117		L1	88	76	16	ct	T25		b				195				
95cm116	95	cm	116		p	90	80	19	gt	K44		ro	mom	6		195				
95cm115	95	cm	115	r						K10		bo				197	r			
95cm115	95	cm	115		m	90	88	16	ct	K27		bo				196	r			
95cm114	95	cm	114		m	68	67	8	gt	T13		go				195				
95cm113	95	cm	113		fq	67	60	7	gt	K14		bo				195				
95cm112	95	cm	112		m	85	75	18	c	K43		b				195				
95cm111	95	cm	111		f	70	60	9	ct	K43	w	b				195				
95cm110	95	cm	110		m	92	78	21	c											
95cm11	95	cm	11		l1	108	94	30	c	K35		gs	mom	8	s	192				
95cm105	95	cm	105		m	72	74	11	gt	T13		go				194				



id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95cm104	95	cm	104	r						K18		go				196	r			
95cm104	95	cm	104		m	82	81	15	ct	K23		go				194				
95cm103	95	cm	103	r						K70		go				195	r			
95cm103	95	cm	103		m	72	68	13	w	K19		fn				194				
95cm102	95	cm	102		f			11	gt	K56		fn				194				
95cm101	95	cm	101	r	m					K61		fn				196	r			
95cm101	95	cm	101	r						K61		fn				195	r			
95cm101	95	cm	101		m	82	80	16	t	K-39		fn				194				
95cm100	95	cm	100		m	82	83	15	ct	K39		fn				194				
95cm10	95	cm	10	r						K12		gs				194	r			
95cm10	95	cm	10		f	82	88	17	w	K44		gs	mom	8	s	192				
95cm1	95	cm	1	r	m					K14		gs				193	r			
95cm1	95	cm	1		f	90	76	17	ct	K14		gs	mom			192	ho			
95cm	95	cm								K67	s	fn				196				
95br3	95	br	3		L1	92	72	18	bt	K65		b12				238				
95br2	95	br	2		m	98	87	19	c	K29		b12				238				
95br1	95	br	1		m	90	78	16	c	K44		b13				238				
95bo1	95	bo	1		m	91	81	16	cw			ba				255				
95ba9	95	ba	9		m	72	67	9	gt	K63		r				255	0	0	0	
95ba8	95	ba	8		f	72	65	8	gt	K63		r				255	0	0	0	
95ba7	95	ba	7		m	70	68	8	ct	K63		r				255	0	0	0	
95ba6	95	ba	6									r				253				
95ba5	95	ba	5		m	85	78	14	tw			c				249		0		
95ba4	95	ba	4		l1	88	82	19	t	K64			mom	7	p	243	0	0		
95ba3	95	ba	3		m	68	74	11	ct	K64	d					239	0	0		
95ba2	95	ba	2		m	92	83	16	t	K54						221		0		
95ba15	95	ba	15		m	60	66	6	c	K60	d					260		0	0	
95ba14	95	ba	14		f	82	79	14	c	K64		c				260	0	0	0	
95ba13	95	ba	13		m	79	78	12	c	K62		c				256	0	0	0	
95ba12	95	ba	12		m	82	74	12	cw	K63		r				255	0		0	
95ba11	95	ba	11		m	70	68	8	gt	K63		r				255	0	0	0	
95ba10	95	ba	9		m	68	68	8	cg	K63		r				255	0	0	0	

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
95ba1	95	ba	1		f	81	73	10	c	K54						221	0	0		
95ap9	95	ap	9		m	78	82	12	gt	K49		mi				255				
95ap8	95	ap	8		m	85	82	13	gt	K49		mi				255				
95ap7	95	ap	7		m	93	88	20	ct	K6		mi				255				
95ap6	95	ap	6		f	78	78	12	gt	K8		mi				255				
95ap5	95	ap	5		L1	87	73	16	c	K70		hy	mom	7		255				
95ap4	95	ap	4		L1	83	81	19	gt	K15		mi	mom	5	y	255				
95ap3	95	ap	3		m	82	82	12		K8	d	mi				255				
95ap22	95	ap	22		m	92	80	18	cw	K19		ha				256				
95ap21	95	ap	21		m	76	75	12	gt	3	w	mi				256				
95ap20	95	ap	20		m	79	74	10	gt	K16						256				
95ap2	95	ap	2		f	78	83	12	gt	K8	d	mi				255				
95ap19	95	ap	19		L1	95	75	20	ct	K36		mi	mom	5	y	256				
95ap18	95	ap	18		L1	88	82	20	c	K67	n	ha				256				
95ap17	95	ap	17		L1	92	78	27	gt	K4		ha	mom	7		256				
95ap17	95	ap	17																	
95ap16	95	ap	16		m	81	74	13	gt	K16	w	mi				255				
95ap15	95	ap	15		m	83	82	13	t	T20		mi				255				
95ap14	95	ap	14		m	84	72	13	t	K25		ha				255				
95ap13	95	ap	13		m	86	80	16	gt	K25		ha				255				
95ap12	95	ap	12		m	68	66	7	cw	T23		oha				255				
95ap11	95	ap	11		m	85	78	13	gt	K39		mi				255				
95ap10	95	ap	10		f	78	78	12	gt	K56		mi				255				
95ap1	95	ap	1		L1	96	85	19	bc	K47	n	mi	mom	7	y	255				
952m99	95	2m	99		p	100	78	31	cw	K12		G	mom	9		182				
952m98	95	2m	98		f			15								180				
952m97	95	2m	97		f	92		22								180				
952m96	95	2m	96		L1	102	85	24	tw	K39		G				182				
952m95	95	2m	95		L2	96	80	24	t	K58		G				182				
952m94	95	2m	94		m	77	72	9	gt	K58		G				182				
952m93	95	2m	93		j	65	62	5	gt	K58		G				181				
952m92	95	2m	92		L1	98	80	23		K58	d	G				181				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
952m91	95	2m	91		p	95	77	18	gt	K58	d	G	mom	5	s	181				
952m90	95	2m	90		f	92	77	18		K58		G				181				
952m9	95	2m	9		m	73	62	8	gt	T40		D				179				
952m89	95	2m	89		L1	108	88	20	t	K58		G				181				
952m88	95	2m	88		f	85	73	16	gt	K12		G				181				
952m87	95	2m	87		f	93	83	20	gt	K12		G				181				
952m86	95	2m	86		L1	95	78	17	cw	K12		G				181				
952m85	95	2m	85		L1	96	76	17	t	K56		F	mom		y	181				
952m84	95	2m	84		m	94	84	16	gt	K22		B				181				
952m83	95	2m	83		L1	100		20	gt	K52		B				181				
952m82	95	2m	82		j	78	67	11	gt	T26		C				181				
952m81	95	2m	81		f	78	63	8	gt	K8		B				181				
952m80	95	2m	80		m	78	78	14	gt	K21		G				181				
952m8	95	2m	8		f	92	75	25	gt	T40		D	mom	6		179				
952m79	95	2m	79		m	95	74	20	gt	K41		D				181				
952m78	95	2m	78		L1	90	72	18	t	K41		D	mom	5		181				
952m77	95	2m	77		L1	94	75	12	t	T16		D				181				
952m76	95	2m	76		f	72	67	7	cw	K40		E				181				
952m75	95	2m	75		L1	95	79	17	c	K40		E				181				
952m74	95	2m	74		L1	90	80	23	gt	K40		E	mom	7		181				
952m73	95	2m	73		m	74	78	13	c	K45		G				181				
952m72	95	2m	72		L1	92	80			K19	d	G				181				
952m71	95	2m	71		L1	90	82	18	t	K19		G	mom		y	181				
952m70	95	2m	70		L1	100	65	26	gt	K19		G	mom	6		181				
952m7	95	2m	7		L1	83	73	16	gt	K13		D	mom			179				
952m69	95	2m	69		L2	96	75	25	cw	T27		D	mom	5		181				
952m68	95	2m	68		j	66	64	6	g	T27		D				180				
952m67	95	2m	67		f	68	63	7	gt	T27		D				180				
952m66	95	2m	66		f	78	72	12	cw	K56		F				180				
952m65	95	2m	65		L1	92	78	25	gt	K56		F	mom	6		180				
952m64	95	2m	64		L2	97	81	30	t	K56		F	mom	8		180				
952m63	95	2m	63		L2			16	t	K23		A				181				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
952m62	95	2m	62		m	90	75	15	gt							180				
952m61	95	2m	61		m	93	73	17	c	T18		C				180				
952m60	95	2m	60		f	94	78	16	cw	K45		G				180				
952m6	95	2m	6		m	92	82	18	gt	K13		D				179				
952m59	95	2m	59		m	95	82	19	cw	K45		G				180				
952m58	95	2m	58		L2	96	85	23		K45		G	mom	8		180				
952m57	95	2m	57		f	95	78	20	c	K45		G	mom			180				
952m56	95	2m	56		m	63	62	6	tw	T17		F				180				
952m55	95	2m	55			90	77	21	t	K12		G	mom	5		180				
952m54	95	2m	54		L1	92	80	20	cw	K21		G	mom	7		180				
952m53	95	2m	53		m	95	80	20	c	K21		G				180				
952m52	95	2m	52		p	102	78	25	c	K21		G	mom	8		180				
952m51	95	2m	51		m	88	79	16	ct	T8		3s				180				
952m50	95	2m	50		m	92	78	17	bg	K52		B				180				
952m5	95	2m	5		m	92	78	19	gt	K20		D				179				
952m49	95	2m	49		m	73	68	9	gt	K52		B				180				
952m48	95	2m	48		f	82	70	15		K33	n	F				180				
952m47	95	2m	47		f	66	63	6	gt	K33		F				180				
952m46	95	2m	46		L2	90	78	25	t	K33		F	mom	5		180				
952m45	95	2m	45		L1	88	73	15	gt	K35		G	mom	4	y	180				
952m44	95	2m	44		m	95	30	21		K35		G				180				
952m43	95	2m	43		m	100	72	20	gt	K40		E				180				
952m42	95	2m	42		L1	92	75	23	c	K40		E	mom	7		180				fs
952m41	95	2m	41		f	70	64	7	g	K68		st				180				
952m40	95	2m	40		m	92	74	19	t	K68		st				180				
952m4	95	2m	4		L1	94	82	23	gt	K20		D	mom		y	179				
952m39	95	2m	39		f	83	77	14	t	K2		ob				180				
952m38	95	2m	38		L1	68	63	7	gt	K28						180				
952m37	95	2m	37		m	100	82	23		K14		ut				180				
952m36	95	2m	36		f	63	55	5	g	K46	d	D				179				
952m35	95	2m	35		m	62	62	8	gt	K46		D				179				
952m34	95	2m	34		m	67	60	6	gt	K46		D				179				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
952m33	95	2m	33		L2	90	78	17	gt	K46		D	mom	4		179				
952m32	95	2m	32		L2	95	79	23		K27		ut	mom	9		179				
952m31	95	2m	31		f	98	83	25	gt	K27		nA	mom	8		179				
952m30	95	2m	30		L2	97	60	23	gw	K43	d	ut	mom		y	179				
952m3	95	2m	3		m	92	82	17	gt	K20		D				179				
952m29	95	2m	29		L1	92	76	15	gt	K50		br			y	179				
952m28	95	2m	28		m			20		K37		br				179				
952m27	95	2m	27		m	82	77	14	gt	K49		br				179				
952m26	95	2m	26		m	88	78	17	t	T10		ut				179				
952m25	95	2m	25		f	87	75	15	gt	T10		ut			p	179				
952m24	95	2m	24		m	92	76	16	c	K23		A				179				
952m23	95	2m	23		L1	95	76	16		K23		A	mom		y	179				
952m22	95	2m	22		f	82	66	13		T29		B				179				
952m21	95	2m	21		m	88	77	19		T29		B				179				
952m20	95	2m	20		f	78	60	11		K8		B				179				
952m2	95	2m	2		L1	102	82	29	t	K54	n	C	mom	5		179				
952m19	95	2m	19		m	93	81	19		K8		B				179				
952m18	95	2m	18		m	92	74	16	c	K8		B				179				
952m17	95	2m	17		L1	102	78	28	c	K8		B	mom	8		179				
952m169	95	2m	169		m	60	58	6	ct	K46		Gf				184				
952m168	95	2m	168		m	63	60	6	gt	K46		Gf				184				
952m167	95	2m	167		f	72	68	7	gt	K46		Gf				184				
952m166	95	2m	166		f	65	66	7	gt	K46		Gf				184				
952m165	95	2m	165		L1	92	78	21	gt	K46		Gf				184				
952m164	95	2m	164		j	69	64	6	tw	T23		Fd				184				
952m163	95	2m	163		f	72	72	9	gw	T18		Gf				184				
952m162	95	2m	162		f	80	72	13	tw	T18		Gf				184				
952m161	95	2m	161		L1	94	82	26	ct	K23		Gf				184				
952m160	95	2m	160		L2	100	91	24	c	K23		Gf				184				
952m16	95	2m	16		f	92	71	18	c	K22		B	mom	6	sm	179				
952m159	95	2m	159		f	67	68	7	gt	K58		Gd				184				
952m158	95	2m	158		L1	96	83	22	c	K21		Ed				184				

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
952m157	95	2m	157		L1	94	72	23	gt	K23		Gf	mom	6		184				
952m156	95	2m	156		L1	110	84	24	cw	K23		Gf	mom			184				
952m155	95	2m	155		m	95	79	20	cw	K23		Gf				184				
952m154	95	2m	154		f	59	46	4	w	K68		Af				184				
952m153	95	2m	153		L1	92	73	18	gw	K68		Af				184				
952m152	95	2m	152		f	58	59	5	gw	K56		Dd				184				
952m151	95	2m	151		f	97	78	28	c	K45		Af	mom	7		184				
952m150	95	2m	150		m	80	72	14	c	K40		Bd				184				
952m15	95	2m	15		m	87	65	15	cw	T16		D				179				y
952m149	95	2m	149		L1	103	80	36	cw	K19		Af	mom	11		184				
952m148	95	2m	148		m	72	68	8	gw	K61		Cd				184				
952m147	95	2m	147		f	63	64	6	cw	K10		Cd				184				
952m146	95	2m	146		m	75	73	7	gt	K10		Cd				184				
952m145	95	2m	145		m	72	65	7	gt	K10		Cd				184				
952m144	95	2m	144		f	68	62	7	gw	K10		Cd				184				
952m143	95	2m	143		L1	100	83	35	tw	K45	d	Af	mom	9		183				
952m142	95	2m	142		m	68		7	gt	T23		Gd				183				
952m141	95	2m	141		m	78	71	13	cw	T23		Gd				183				
952m140	95	2m	140		m	68	69	6	gw	K10		Cd				183				
952m14	95	2m	14		L1	105	87	25	c	T16		D				179				
952m139	95	2m	139		m	97	83	23	cw	T17		Af				183				
952m138	95	2m	138		j	77	70	8	gt	K35		Af				183				
952m137	95	2m	137		L2	88	78	16	t	T27		Af				183				
952m136	95	2m	136		f	72	72	7	t	K17		Ed				183				
952m135	95	2m	135		m	92	78	19	t	K28		Af				183				
952m134	95	2m	134		m			19		K39										
952m133	95	2m	133		L1			19		K10	d	E								
952m132	95	2m	132		m			17		K17	d									
952m131	95	2m	131		m			19			d									
952m130	95	2m	130		f			19			d									
952m13	95	2m	13		L1	90	78	16	gt	K41		D				179				
952m129	95	2m	129		m			6			d									

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_s	julian	worm	ear	toe	ball
952m128	95	2m	128		m			23		K39	d	G				182				
952m127	95	2m	127		f			8		K39	d	G				182				
952m126	95	2m	126		f			17		K39	d	G	mom	8	s	182				
952m125	95	2m	125		mq	65	60	5		K35		G				182				
952m124	95	2m	124		m	67	68	6	gw	K35		G				182				
952m123	95	2m	123		m	65	58	6	gw	K35		G				182				
952m122	95	2m	122		fq	58	57	5	gw	K35		G				182				
952m121	95	2m	121		j	68	59	6	gw	K35		G				182				
952m120	95	2m	120		m	72	68	7	w	K35		G				182				
952m12	95	2m	12		L1	108	84	34	gt	K41		D	mom	5		179				
952m119	95	2m	119		m	67	63	7	cw	K35		G				182				
952m118	95	2m	118		L2	90	83	17	cw	K35		G				182				
952m117	95	2m	117		L2	92	78	17	cw	K35		G				182				
952m116	95	2m	116		f	80	72	13	gt	K35		G				182				
952m115	95	2m	115		f	72	70	8	gw	K35		G				182				
952m114	95	2m	114		f	68	65	7	gw	K35		G				182				
952m113	95	2m	113		f	63	62	5	gw	K35		G				182				
952m112	95	2m	112		L1	95	82	24	gt	K30		F				182				
952m111	95	2m	111		L1	92	82	29	gt	K17		F	mom	7		182				
952m110	95	2m	110		L1	95	78	23	cw	K56		F	mom	6	s	182				
952m11	95	2m	11		L2	102	82	30	gt	K41	n	D	mom	8		179				y
952m109	95	2m	109		L1	100	83	26	cw	K56		F	mom	9		182				
952m108	95	2m	108		L1	90	82	20	gw	K19		G				182				
952m107	95	2m	107		m	69	64	7	cw	K10	s	E				182				
952m106	95	2m	106		f	75	72	9	gt	K10		E				182				
952m105	95	2m	105		f	68	65	7	tw	K10		E				182				
952m104	95	2m	104		m	70	65	9	g	K10		E				182				
952m103	95	2m	103		f	65	63	7		K35		E				182				
952m102	95	2m	102		m	71	58	8	gt	K10		E				182				
952m101	95	2m	101		m	86	77	17		K12		G				182				
952m100	95	2m	100		L1	95	78	30	t	K12		G	mom	10		182				
952m100	95	2m	100																	

id	year	farm	mouse	recapture	type	head	tail	grams	pelage	trap	deac	locat	mom	fetus	fet_sj	julian	worm	ear	toe	ball
952m10	95	2m	10		m	85	72	15	gt	T26		C				179				
952m1	95	2m	1		L1	92	83	27	bt	K52	w	B	mom	6		179				
89sj62														5						
89sj50													mom							
89sj40						80	78	15.9					mom	5						
89sj39																				
89sj3	89	sj	3										mom							
89sj1						82	87	22					mom	4						
89mi79																				
89mi36													mom	5or6						
89mi32													mom	8						
89ke12														5						
892m498													mom							
892m409						85	80	25					mom	6						
892m386													mom							
892m186													mom	7						
<b>comments on fetuses different from other fetuses in the litter :</b>																				
95he5	7large 2 very small																			
962m18	7, 1 smaller,discolored																			
95cm42	6 large; 1 (1/4) size																			
96wo1	5 ; 1 grey blob																			
95sl44	4nearterm 3small																			
95ko10	4large 2small																			
95cm126	4fullterm 1 nostructure																			
96wo28	3 pearls 1 blob ambig																			
95we21	2large, 2 small																			
95ny10	2 large, 3 very small																			
96wo12	1 near term 4 small																			