

Release-site selection: reintroductions and the habitat concept

SVEN STADTMANN and PHILIP J. SEDDON

SUPPLEMENTARY MATERIAL 1 The 324 articles included in a review of case studies of species reintroductions.

- ABBOTT, I. (2000) Improving the conservation of threatened and rare mammal species through translocation to islands: case study Western Australia. *Biological Conservation*, 93, 195–201.
- ABELI, T., BARNI, E., SINISCALCO, C., AMOSSO, C. & ROSSI, G. (2012) A cost-effective model for preliminary site evaluation for the reintroduction of a threatened quillwort. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 22, 66–73.
- ADAMS, C.E., LYLE, A.A., DODD, J.A., BEAN, C.W., WINFIELD, I.J., GOWANS, A.R.D. et al. (2014) Translocation as a conservation tool: case studies from rare freshwater fishes in Scotland. *Glasgow Naturalist*, 26, 17–24.
- ADHIKARI, D., BARIK, S.K. & UPADHAYA, K. (2012) Habitat distribution modelling for reintroduction of *Ilex khasiana* Purk., a critically endangered tree species of northeastern India. *Ecological Engineering*, 40, 37–43.
- AGURAIUJA, R. (2011) Reintroduction of the endangered fern species *Woodsia ilvensis* to Estonia: a long-term pilot study. *Biodiversity Conservation*, 20, 391–400.
- AL-CHOKHACHY, R., PEACOCK, M., HEKI, L.G. & THIEDE, G. (2009) Evaluating the reintroduction potential of Lahontan cutthroat trout in Fallen Leaf Lake, California. *North American Journal of Fisheries Management*, 29, 1296–1313.
- ALLEN, D.H. & FRANZREB, K.E. (1993) Efficacy of translocation strategies for red-cockaded woodpeckers. *Wildlife Society Bulletin*, 21, 155–159.
- AMARAL, M., KOZOL, A. & FRENCH, T. (1997) Conservation status and reintroduction of the Endangered American burying beetle. *Northeastern Naturalist*, 4, 121.
- ANDERSON, J.H., PESS, G.R., CARMICHAEL, R.W., FORD, M.J., COONEY, T.D., BALDWIN, C.M. & MCCLURE, M.M. (2014) Planning Pacific salmon and steelhead reintroductions aimed at long-term viability and recovery. *North American Journal of Fisheries Management*, 34, 72–93.
- ANGULO, F. & BARRIO, J. (2004) Evaluation of a potential reintroduction site for the white-winged guan *Penelope albipennis* (Aves, Cracidae) in northern Peru. *Oryx*, 38, 448–451.
- ARAIZA, M., CARRILLO, L., LIST, R., LÓPEZ-GONZALÉZ, C.A., MARTÍNEZ-MEYER, E., MARTÍNEZ-GUTIÉRREZ, P.G. et al. (2012) Consensus on criteria for potential areas for wolf reintroduction in Mexico. *Conservation Biology*, 26, 630–637.
- ARMSTRONG, D.P. & DAVIDSON, R.S. (2006) Developing population models for guiding reintroductions of extirpated bird species back to the New Zealand mainland. *New Zealand Journal of Ecology*, 30, 73–85.
- ARMSTRONG, D.P. & EWEN, J.G. (2001) Assessing the value of follow-up translocations a case study using New Zealand robins. *Biological Conservation*, 101, 239–247.

- ARMSTRONG, D.P. & MCLEAN, I. (1995) New Zealand translocations: theory and practice. *Pacific Conservation Biology*, 2, 39–54.
- ARMSTRONG, D.P., CASTRO, I., ALLEY, J.C., FEENSTRA, B. & PERROTT, J.K. (1999) Mortality and behaviour of hihi, an endangered New Zealand honeyeater, in the establishment phase following translocation. *Biological Conservation*, 89, 329–339.
- ARNOLD, P. (1990). Réintroduction de la cigogne blanche (*Ciconia ciconia*) en Alsace. *Revue d'Écologie (La Terre et La Vie)*, 45, 253–256.
- ARQUILLIÈRE, A. (1998) Experimental reintroduction of brown bears in the French Pyrenees. *Oryx*, 31, 8–10.
- ARYAL, A., BRUNTON, D. & RAUBENHEIMER, D. (2013) Habitat assessment for the translocation of blue sheep to maintain a viable snow leopard population in the Mt Everest Region, Nepal. *Zoology and Ecology*, 23, 66–82.
- AUSBAND, D.E. & FORESMAN, K.R. (2007) Swift fox reintroductions on the Blackfeet Indian Reservation, Montana, USA. *Biological Conservation*, 136, 423–430.
- BAGLINIÈRE, J.L., THIBAULT, M. & DUMAS, J. (1990) Réintroductions et soutiens de populations du saumon atlantique (*Salmo salar* L.) en France. *Revue d'Écologie (La Terre Et La Vie)*, 45, 299–323.
- BAJOMI, B. (2003) White-headed duck breeding and reintroduction programme in Hungary, 1982–1992. *TWSG News*, 14, 73–76.
- BAKER, J. (2009) Assessment of eastern bristlebird habitat: refining understanding of appropriate habitats for reintroductions. *Ecological Management & Restoration*, 10, S136–S139.
- BAKER, J.D., BECKER, B.L., WURTH, T.A., JOHANOS, T.C., LITTNAN, C.L. & HENDERSON, J.R. (2011) Translocation as a tool for conservation of the Hawaiian monk seal. *Biological Conservation*, 144, 2692–2701.
- BAKER, J., BAIN, D., CLARKE, J. & FRENCH, K. (2012) Translocation of the eastern bristlebird 2: applying principles to two case studies. *Ecological Management & Restoration*, 13, 159–165.
- BAKER, J.D., HARTING, A.L. & LITTNAN, C.L. (2013) A two-stage translocation strategy for improving juvenile survival of Hawaiian monk seals. *Endangered Species Research*, 21, 33–44.
- BALLOUARD, J.-M., PRIOL, P., OISON, J., CILIBERTI, A. & CADI, A. (2010) Does reintroduction stabilize the population of the critically endangered gharial (*Gavialis gangeticus*, Gavialidae) in Chitwan National Park, Nepal? *Aquatic Conservation: Marine and Freshwater Ecosystems*, 20, 756–761.
- BAZZANO, G., GIORDANO, P.F., NAVARRO, J.L. & MARTELLA, M.B. (2014) Linking landscape data with population viability analysis for evaluating translocation as a conservation strategy for greater rhea (*Rhea americana*) in Central Argentina. *Ornitologia Neotropical*, 25, 25–35.
- BELL, M., BELL, B.D. & BELL, E.A. (2005) Translocation of fluttering shearwater (*Puffinus gavia*) chicks to create a new colony. *Notornis*, 52, 11–15.
- BENDEL, P.R. & THERRES, G.D. (1994) Movements, site fidelity and survival of Delmarva fox squirrels following translocation. *American Midland Naturalist*, 132, 227.

- BENDER, D.J., DZENKIW, R. & GUMMER, D.L. (2010) *Translocation Protocol for the Ord's Kangaroo Rat (Dipodomys ordii)*. Alberta Sustainable Resource Development, Fish and Wildlife Division, Edmonton, Canada.
- BENNETT, V.A., DOERR, V.A., DOERR, E.D., MANNING, A.D. & LINDENMAYER, D.B. (2012) The anatomy of a failed reintroduction: a case study with the brown treecreeper. *Emu*, 112, 298–312.
- BENNETT, V.A., DOERR, V.A., DOERR, E.D., MANNING, A.D., LINDENMAYER, D.B. & YOON, H.-J. (2013) Causes of reintroduction failure of the brown treecreeper: implications for ecosystem restoration. *Austral Ecology*, 38, 700–712.
- BERGER-TAL, O., BAR-DAVID, S. & SALTZ, S. (2012) Effectiveness of multiple release sites in reintroduction of Persian fallow deer. *New Zealand Journal of Ecology*, 26, 107–115.
- BERNARDO, C. & LOCKE, N. (2014) Reintroduction of red-billed curassow *Crax blumenbachii* to Guapiaçu Ecological Reserve, Brazil. *Conservation Evidence*, 11, 7.
- BERNARDO, C., LLOYD, H., OLMOS, F., CANSIAN, L.F. & GALETTI, M. (2011) Using post-release monitoring data to optimize avian reintroduction programs: a 2-year case study from the Brazilian Atlantic Rainforest. *Animal Conservation*, 14, 676–686.
- BIGGINS, D.E., GODBEY, J.L., HORTON, B.M. & LIVIERI, T.M. (2011) Movements and survival of black-footed ferrets associated with an experimental translocation in South Dakota. *Journal of Mammalogy*, 95, 742–750.
- BLACK, J.M. (1991) Reintroduction and restocking: guidelines for bird recovery programmes. *Bird Conservation International*, 1, 329–334.
- BLACK, J.M., MARSHALL, A.P., GILBURN, A., SANTOS, N., HOSHIDE, H., MEDEIROS, J. et al. (1997) Survival, movements, and breeding of released Hawaiian geese: an assessment of the reintroduction program. *Journal of Wildlife Management*, 61, 1161–1173.
- BLEYHL, B., SIPKO, T., TREPET, S., BRAGINA, E., LEITÃO, P.J., RADELOFF, V.C. & KUEMMERLE, T. (2015) Mapping seasonal European bison habitat in the Caucasus Mountains to identify potential reintroduction sites. *Biological Conservation*, 191, 83–92.
- BODINOF, C.M., BRIGGLER, J.T., JUNGE, R.E., MONG, T., BERINGER, J., WANNER, M. D. et al. (2012) Survival and body condition of captive-reared juvenile Ozark hellbenders (*Cryptobranchus alleganiensis bishopi*) following translocation to the wild. *Copeia*, 2014, 150–159.
- BOLDEN, S.R. & BROWN, K.M. (2002) Role of stream, habitat, and density in predicting translocation success in the threatened Louisiana pearlshell, *Margaritifera hembeli* (Conrad). *Journal of the North American Benthological Society*, 21, 89–96.
- BONTRAGER, M., WEBSTER, K., ELVIN, M. & PARKER, I.M. (2014) The effects of habitat and competitive/facilitative interactions on reintroduction success of the endangered wetland herb, *Arenaria paludicola*. *Plant Ecology*, 215, 467–478.
- BORGIO, A. (2003) Habitat requirements of the Alpine marmot *Marmota marmota* in re-introduction areas of the eastern Italian Alps. Formulation and validation of habitat suitability models. *Acta Theriologica*, 48, 557–569.
- BOUMAN, I. (1999) The reintroduction of Przewalski horses in the Hustan Nuruu National Park in Mongolia. *Vestnik Zoologii*, 11, 32–46.

- BRANDES, F. & MELLES, F. (2012) Wiederansiedlung der Moorente am Steinhuder Meer - ein Beitrag zoologischer Einrichtungen zum Artenschutz in Deutschland. *Zeitschrift Des Kölner Zoos*, 55, 155–163.
- BRAUN, C.E., TAYLOR, W.P., EBBERT, S.E., KALER, R. & SANDERCOCK, B.K. (2012) Protocols for the successful translocation of Ptarmigan. In *Gyrfalcons and Ptarmigan in a Changing World* (eds R.T. Watson, T.J. Cade, M. Fuller, G. Hunt & E. Popatov), pp. 339–348. The Peregrine Fund, Boise, USA.
- BREEN, R.M. & ANDERSON, K.B. (1992) Peregrine falcon reintroduction at Acadia National Park: a multi-agency cooperative effort. In *Science and the Management of Protected Areas* (eds J.H. Martin Willison, S. Bondrup-Nielsen, C. Drysdale, T.B. Herman, N. Munro & T.L. Pollock). Elsevier, New York, USA.
- BRIGHT, P.W. & MORRIS, P.A. (1994) Animal translocation for conservation: performance of dormice in relation to release methods, origin and season. *Journal of Applied Ecology*, 31, 699–708.
- BRIGHT, P.W. & SMITHSON, T.J. (2001) Biological invasions provide a framework for reintroductions: selecting areas in England for pine marten releases. *Biodiversity and Conservation*, 10, 1247–1265.
- BROWN, K.P., EMPSON, R., GORMAN, N. & MOORCROFT, G. (2004) *North Island Kokako (Callaeas cinerea wilsoni) Translocations and Establishment on Kapiti Island, New Zealand*. Department of Conservation, Wellington, New Zealand.
- BROWN, M., PERRIN, M. & HOFFMAN, B. (2007) Reintroduction of captive-bred African grass-owls *Tyto capensis* into natural habitat. *Ostrich*, 78, 75–79.
- BROWN, J.R., BISHOP, C.A. & BROOKS, R.J. (2009) Effectiveness of short-distance translocation and its effects on western rattlesnakes. *Journal of Wildlife Management*, 75, 419–425.
- BUCKLEY, J. & FOSTER, J. (2005) *Reintroduction Strategy for the Pool Frog Rana lessonae in England*. English Nature, Peterborough, UK.
- BUISSON, E., ANDERSON, S., HOLL, K.D., CORCKET, E., HAYES, G.F., PEETERS, A. & DUTOIT, T. (2008) Reintroduction of *Nassella pulchra* to California coastal grasslands: effects of topsoil removal, plant neighbour removal and grazing. *Applied Vegetation Sciences*, 11, 195–204.
- BULLOCK, J.M., HODDER, K.H., MANCHESTER, S.J. & STEVENSON, M.J. (1997) *Review of Information, Policy and Legislation on Species Translocation*. Species Conservation Branch, Joint Nature Conservation Committee, Peterborough, UK.
- BURBIDGE, A.A., BYRNE, M., COATES, D., GARNETT, S.T., HARRIS, S., HATWARD, M.W. et al. (2011) Is Australia ready for assisted colonization? Policy changes required to facilitate translocations under climate change. *Pacific Conservation Biology*, 17, 259–269.
- BURGER, C. & BOTH, C. (2011) Translocation as a novel approach to study effects of a new breeding habitat on reproductive output in wild birds. *PLoS ONE*, 6(3), e18143.
- CADI, A. & MIQUET, A. (2004) A reintroduction programme for the European pond turtle (*Emys orbicularis*) in Lake Bourget (Savoie, France): first results after two years. *Biologia, Bratislava*, 59, 155–159.

- CAILLOUET, JR, C.W., SHAVER, D.J. & LANDRY, JR, A.M. (2015) Kemp's ridley sea turtle (*Lepidochelys kempii*) head-start and reintroduction to Padre Island National Seashore, Texas. *Herpetological Conservation and Biology*, 1, 309–377.
- CANO, M., ABAIGAR, T. & VERICAD, J.R. (1993) Establishment of a group of Dama gazelles (*Gazella nanger dama*) for reintroduction in Senegal. *International Zoo Yearbook*, 31, 98–107.
- CANTINI, M., BIANCHI, C., BOVONE, N. & PREATONI, D.G. (1997) Suitability study for the Alpine marmot (*Marmota marmota marmota*) reintroduction on the Grigne Massif (Como Province, Lombardia, Italy). *Hystrix*, 9, 65–70.
- CARLILE, N., PRIDDEL, D. & MADEIROS, J. (2012) Establishment of a new, secure colony of Endangered Bermuda petrel *Pterodroma cahow* by translocation of near-fledged nestlings. *Bird Conservation International*, 22, 46–58.
- CARLILE, N., PRIDDEL, D., O'NEILL, L., WHEELER, R. & WALRAVEN, E. (2015) A trial translocation of little penguin *Eudyptula minor* fledglings. *Marine Ornithology*, 43, 223–229.
- CARPENTER, J.W., GABEL, R.R. & GOODWIN, J.G. (1991) Captive breeding and reintroduction of the endangered masked bobwhite. *Zoo Biology*, 10, 439–449.
- CARRERETO, M.A. (1992) Reintroduction of *Psammodromus hispanicus* in a coastal sand area of NE Spain. In *Proceedings of the Ordinary General Meeting - Societas Europaea Herpetologica* (eds Z. Korsos & I. Kiss), pp. 107–113. Hungarian National Museum, Budapest, Hungary.
- CARRIE, R.N., CONNER, R.N., RUDOLPH, C.D. & CARRIE, D.K. (1999) Reintroduction and post-release movements of red-cockaded woodpecker groups in eastern Texas. *Journal of Wildlife Management*, 63, 824–832.
- CARROLL, C., PHILLIPS, M.K., SCHUMAKER, N.H. & SMITH, D.W. (2003) Impacts of landscape change on wolf restoration success: planning a reintroduction program based on static and dynamic spatial models. *New Zealand Journal of Ecology*, 17, 536–548.
- CARROLL, M.J., ANDERSON, B.J., BRERETON, T.M., KNIGHT, S.J., KUDRNA, O. & THOMAS, C.D. (2009) Climate change and translocations: the potential to re-establish two regionally extinct butterfly species in Britain. *Biological Conservation*, 142, 2114–2121.
- CARTER, I. (2001) The role of reintroductions in conserving British birds. *Suffolk Natural History*, 37, 8–14.
- CARTER, I. & GRICE, P. (2000) Studies of re-established red kites in England. *British Birds*, 93, 304–322.
- CARTER, I. & NEWBERY, P. (2004) Reintroduction as a tool for population recovery of farmland birds. *Ibis*, 146, 221–229.
- CASADO, E. & FERRER, M. (2005) Analysis of reservoir selection by wintering ospreys (*Pandion haliaetus haliaetus*) in Andalusia, Spain: a potential tool for reintroduction. *Journal of Raptor Research*, 39, 168–173.
- CERQUEIRA LIMA, P. & SAMPAIO, S. (2002) Reintroduction of captive-bred gold-capped conures in Bahia. *Psitta Scene*, 53, 4–5.
- CHAIYARAT, R., KONGPROM, U., MANATHAMKAMON, D., WANPRADAB, S. & SANGARANG, S. (2012) Captive breeding and reintroduction of the oriental pied hornbill

- (*Anthracoceros albirostris*) in Khao Kheow Open Zoo, Thailand. *Zoo Biology*, 31, 683–693.
- CHAN, P. & PACKER, L. (2006) Assessment of potential Karner blue butterfly (*Lycaeides melissa samuelis*) (Family: Lycaenidae) reintroduction sites in Ontario, Canada. *Restoration Ecology*, 14, 645–652.
- CHANDLER, R.B., MUTHS, E., SIGAFUS, B.H., SCHWALBE, C.R., JARCHOW, C.J. & HOSSACK, B.R. (2015) Spatial occupancy models for predicting metapopulation dynamics and viability following reintroduction. *Journal of Applied Ecology*, 52, 1325–1333.
- CHEYNE, S.M. (2006) Wildlife reintroduction: considerations of habitat quality at the release site. *BMC Ecology*, 6, 5.
- CHIARELLO, A.G., CHIVERS, D.J., BASSI, C., MACIEL, M.F., MOREIRA, L.S. & BAZZALO, M. (2004) A translocation experiment for the conservation of maned sloths, *Bradypus torquatus* (Xenarthra, Bradypodidae). *Biological Conservation*, 118, 421–430.
- CID, B., FIGUEIRA, L., DE T. E MELLO, A.F., PIRES, A.S. & FERNANDEZ, F. (2014) Short-term success in the reintroduction of the red-humped agouti *Dasyprocta leporina*, an important seed disperser, in a Brazilian Atlantic Forest reserve. *Tropical Conservation Science*, 7, 796–810.
- CILLIERS, D., EVANS, S., COETZEE, H. & VAN RENSBURG, L. (2013) Developing a site selection tool to assist reintroduction efforts for the southern ground hornbill *Bucorvus leadbeateri*. *Ostrich*, 84, 101–111.
- CLARKE, M.F. & SCHEDVIN, N. (1997) An experimental study of the translocation of noisy miners *Manorina melanocephala* and difficulties associated with dispersal. *Biological Conservation*, 80, 161–167.
- CLARKE, R.H., BOULTON, R.L. & CLARKE, M.F. (2002) Translocation of the socially complex black-eared miner *Manorina melanotis*: a trial using hard and soft release techniques. *Pacific Conservation Biology*, 8, 223–234.
- CLOSE, D.A., CURRENS, K.P., JACKSON, A., WILDBILL, A.J., HANSEN, J., BRONSON, P. & ARONSU, K. (2009) Lessons from the reintroduction of a noncharismatic, migratory fish: Pacific lamprey in the Upper Umatilla River, Oregon. *American Fisheries Society Symposium*, 72, 233–252.
- COCHRAN-BIEDERMAN, J.L., WYMAN, K.E., FRENCH, W.E. & LOPPNOW, G.L. (2015) Identifying correlates of success and failure of native freshwater fish reintroductions. *New Zealand Journal of Ecology*, 29, 175–186.
- COLBOURNE, R. (2005) *Kiwi (Apteryx spp.) on Offshore New Zealand Islands: Populations, Translocations and Identification of Potential Release Sites*. Department of Conservation, Wellington, New Zealand.
- COLBOURNE, R.M. & ROBERTSON, H.A. (1997) Successful translocations of little spotted kiwi (*Apteryx owenii*) between offshore islands of New Zealand. *Notornis*, 44, 253–258.
- COLLEN, P. (1995). *The Reintroduction of Beaver (Castor fiber L.) to Scotland: An Opportunity to Promote the Development of Suitable Habitat*. Defra, London, UK.
- COLLEN, R., FLUX, I., INNES, J., THURLEY, T. & WILLS, S. (2008) *Best Practice Techniques for the Translocation of North Island Lōkako (Callaeas wilsoni)*. Department of Conservation, Wellington, New Zealand.

- COLLINS, M.S., SMITH, T.B., SEIBELS, R.E. & PUTRA, M.I. (1998) Approaches to the reintroduction of the Bali mynah. *Zoo Biology*, 17, 267–284.
- COOK, C.N., MORGAN, D.G. & MARSHALL, D.J. (2010) Re-evaluating suitable habitat for reintroductions: lessons learnt from the eastern barred bandicoot recovery program. *Animal Conservation*, 13, 184–195.
- COSGROVE, P.J. & HASTIE, L.C. (2001) Conservation of threatened freshwater pearl mussel populations: river management, mussel translocation and conflict resolution. *Biological Conservation*, 99, 183–190.
- CURRIE, D., BRISTOL, R., MILLETT, J., HILL, M., BRISTOL, U., PARR, S.J. & SHAH, N. J. (2003) Habitat requirements of the Seychelles black paradise flycatcher *Terpsiphone corvina*: a re-evaluation of translocation priorities. *Ibis*, 145, 624–636.
- CYPHER, E.A., CYPHER, B.L., BORDERS, B.D. & VAN HORN JOB, C.L. (2014) Translocation as a conservation measure for endangered Bakersfield cactus. *California Fish and Game*, 100, 46–60.
- DABROWSKI, J.S. (2008) Ups and downs of *Parnassius apollo* (Linnaeus, 1758) in the Tatra National Park/ Poland and problems of its reintroduction. *Atalanta*, 39, 327–336.
- DALTRY, J.C. (2006) Reintroduction of the critically endangered Antiguan racer *Alsophis antiguae* to Rabbit Island, Antigua. *Conservation Evidence*, 3, 33–35.
- DAUGHERTY, D.J., SUTTON, T.M. & ELLIOTT, R.F. (2008) Potential for reintroduction of lake sturgeon in five northern Lake Michigan tributaries: a habitat suitability perspective. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 18, 692–702.
- DAY, C.C., WESTOVER, M.D. & McMILLAN, B.R. (2013) Factors influencing mortality associated with the translocation of northern river otters (*Lontra canadensis*) in Utah. *Western North American Naturalist*, 74, 357–364.
- DAY, S.R., RAMAROKOTO, E., SITZMANN, B.D., RANDRIAMBOAHANGINJATOVO, R., RAMANANKIRIJA, H., RAVOLOLONARIVO, G. & LOUIS, JR, E.E. (2009) Re-introduction of diademed sifaka (*Propithecus diadema*) and black and white ruffed lemurs (*Varecia variegata editorum*) at Analamazaotra Special Reserve, eastern Madagascar. *Lemur News*, 14, 32–37.
- DE BEAUFORT, F. (1990) La réintroduction du loup en France. *Revue d'Écologie (La Terre Et La Vie)*, 45, 189–195.
- DEBUS, S.J.S. & FORD, H.A. (2012) Responses of eastern yellow robins *Eopsaltria australis* to translocation into vegetation remnants in a fragmented landscape. *Pacific Conservation Biology*, 18, 194.
- DECESARE, N.J., WHITTINGTON, J., HEBBLEWHITE, M., ROBINSON, H., BRADLEY, M., NEUFELD, L. & MUSIANI, M. (2011) The role of translocation in recovery of woodland caribou populations. *New Zealand Journal of Ecology*, 25, 365–373.
- DELGADO, G.A., BARTELS, C.T., GLAZER, R.A., BROWN-PETERSON, N.J. & MCCARTHY, K. (2004) Translocation as a strategy to rehabilitate the queen conch (*Strombus gigas*) population in the Florida Keys. *Fisheries Bulletin*, 102, 278–288.
- DELMOTTE, C. & DELVAUX, J. (1981) La Réintroduction du Grand Corbeau (*Corvus corax corax L.*) en Belgique, Première Nidification en Liberté. *Aves*, 18, 3–4.

- DEVINEAU, O., SHENK, T.M., DOHERTY, P.F., WHITE, G.C. & KAHN, R.H. (2011) Assessing release protocols for Canada lynx reintroduction in Colorado. *The Journal of Wildlife Management*, 75, 623–630.
- DEVINEAU, O., SHENK, T.M., WHITE, G.C., DOHERTY, JR, P.F., LUKACS, P.M. & KAHN, R.H. (2010) Evaluating the Canada lynx reintroduction programme in Colorado: patterns in mortality. *Journal of Applied Ecology*, 47, 524–531.
- DIERENDONCK, M C. & VRIES, M.F. (1996) Ungulate reintroductions: experiences with the takhi or Przewalski horse (*Equus ferus przewalskii*) in Mongolia. *New Zealand Journal of Ecology*, 10, 728–740.
- DITTMAN, D.E., CHALUPNICKI, M.A., JOHNSON, J.H. & SNYDER, J. (2015) Reintroduction of lake sturgeon (*Acipenser fulvescens*) into the St. Regis River, NY: post- release assessment of habitat use and growth. *Northeastern Naturalist*, 22, 704–716.
- DRAYTON, B. & PRIMACK, R.B. (2000) Rates of success in the reintroduction by four methods of several perennial plant species in eastern Massachusetts. *Rhodora*, 102, 299–231.
- DRAYTON, B. & PRIMACK, R.B. (2012) Success rates for reintroductions of eight perennial plant species after 15 years. *Restoration Ecology*, 20, 299–303.
- DREWIEN, R.C., CLEGG, K. & SHEA, R.E. (2002) Use of winter translocations to expand distribution of trumpeter swans in the western United States. *Waterbirds*, 25, 138–142.
- DUBLIN, H.T. & NISKANEN, L.S. (2003) *Guidelines for the In Situ Translocation of the African Elephant for Conservation Purposes. Prepared by the IUCN/SSC African Elephant Specialist Group in collaboration with the Re-introduction and Veterinary Specialist Groups*. IUCN, Gland, Switzerland and Cambridge, UK.
- DULLUM, J.L., FORESMAN, K.R. & MATCHETT, M.R. (2005) Efficacy of translocations for restoring populations of black-tailed prairie dogs. *Wildlife Society Bulletin*, 34, 842–850.
- DUNHAM, J., GALLO, K., SHIVELY, D., ALLEN, C. & GOEHRING, B. (2011) Assessing the feasibility of native fish reintroductions: a framework applied to threatened bull trout. *North American Journal of Fisheries Management*, 31, 106–115.
- DUNHAM, K.M., KICHENSIDE, T.B., LINDSAY, N., RIETKERK, F.E. & WILLIAMSON, D.T. (1993) The reintroduction of Mountain gazelle *Gazella gazella* in Saudi Arabia. *International Zoo Yearbook*, 32, 107–116.
- DUNWIDDIE, P.W. & MARTIN, A.R. (2016) Microsites matter: improving the success of rare species reintroductions. *PLoS ONE*, 11(3), e0150417.
- EDWARDS, E.D. & LOGAN, R. (1999) *Ecological Assessment of Two Islands in West Otago Lakes for Potential Re-introduction of Buff Weka (Gallirallus australis hectori)*. Department of Conservation, Wellington, New Zealand.
- EGLI, W. (1996) Peregrine falcon reintroduction in Williamsport. *Pennsylvania Birds*, 9, 199.
- ELLIS, D.H., LEWIS, J.C., GEE, G.F. & SMITH, D.G. (1992) Population recovery of the whooping crane, with emphasis on reintroduction efforts: past and future. *Proceedings of the North American Crane Workshop*, 6, 142–150.
- EMSLIE, R. H., AMIN, R. & KOCK, R. (2009) *Guidelines for the In Situ Re-introduction and Translocation of African and Asian Rhinoceros*. IUCN, Gland, Switzerland.

- ENGELHARDT, K., KADLEC, J. A., ROY, V. L. & POWELL, J. A. (2000) Evaluation of translocation criteria: case study with trumpeter swans (*Cygnus buccinator*). *Biological Conservation*, 94, 173–181.
- ESPINOSA, F., GONZÁLEZ, A.R., MAESTRE, M.J., FA, D., GUERRA-GARCIA, J.M. & GARCIA-GÓMEZ, J.C. (2008) Responses of the endangered limpet *Patella ferruginea* to reintroduction under different environmental conditions: survival, growth rates and life-history. *Italian Journal of Zoology*, 75, 371–384.
- ESSEN, VON, L. (1991) A note on the lesser white-fronted goose *Anser erythropus* in Sweden and the result of a re-introduction scheme. *Ardea*, 79, 305–306.
- ESTRADA, A. (2014) Reintroduction of the scarlet macaw (*Ara macao cyanoptera*) in the tropical rainforests of Palenque, Mexico: project design and first year progress. *Tropical Conservation Science*, 7, 342–364.
- EVANS, I. M., DENNIS, R. H., ORR-EWING, D.C., KJELLÉN, N., ANDERSSON, P. O., SYLVÉN, M. et al. (1997) The re-establishment of red kite breeding populations in Scotland and England. *British Birds*, 90, 123–138.
- EWEN, J. G., PARKER, K. A., RICHARDSON, K. & ARMSTRONG, D. P. (2011) Translocation of hihi *Notiomystis cincta* to Maungatautari, a mainland reserve protected by a predator-exclusion fence, Waikato, New Zealand. *Conservation Evidence*, 8, 58–65.
- FA, J.E. (1994) Herbivore intake/habitat productivity correlations can help ascertain re-introduction potential for the Barbary macaque. *Biodiversity Conservation*, 3, 309–317.
- FANCY, S. J., SNETSINGER, T. J. & JACOB, J. D. (1997) Translocation of the palila, an endangered Hawaiian honeycreeper. *Pacific Conservation Biology*, 3, 39–46.
- FAULHABER, C. A., PERRY, N. D., SILVY, N. J., LOPEZ, R. R., FRANK, I. A. & PETERSON, M. J. (2006) Reintroduction of lower keys marsh rabbits. *Wildlife Society Bulletin*, 34, 1198–1202.
- FIELD, K. J., TRACY, R. C., MEDICA, P. A., MARLOW, R. W. & CORN, P. (2007) Return to the wild: translocation as a tool in conservation of the desert tortoise (*Gopherus agassizii*). *Biological Conservation*, 136, 232–245.
- FISHER, D. O., LAMBIN, X. & YLETYINEN, S. M. (2009) Experimental translocation of juvenile water voles in a Scottish lowland metapopulation. *Population Ecology*, 51, 289–295.
- FISK, J. M., KWAK, T. J. & HEISE, R. J. (2014) Modelling riverine habitat for robust redhorse: assessment for reintroduction of an imperilled species. *Fisheries Management and Ecology*, 21, 57–67.
- FORNASARI, L., CASALE, P. & WAUTERS, L. (1997) Red squirrel conservation: the assessment of a reintroduction experiment. *Italian Journal of Zoology*, 64, 163–167.
- FRAIR, J. L., MERRILL, E. H., ALLEN, J. R. & BOYCE, M. S. (2007) Know thy enemy: experience affects elk translocation success in risky landscapes. *The Journal of Wildlife Management*, 71, 541–554.
- FRANZREB, K.E. (1999) Factors that influence translocation success in the red-cockaded woodpecker. *Wilson Bulletin*, 111, 38–45.
- FRED, M. E. & BROMMER, J. E. (2015) Translocation of the endangered apollo butterfly *Parnassius apollo* in southern Finland. *Conservation Evidence*, 12, 8–13.

- FREEMANTLE, T. P., WACHER, T., NEWBY, J. & PETTORELLI, N. (2013) Earth observation: overlooked potential to support species reintroduction programmes. *African Journal of Ecology*, 51, 482–492.
- FREY, H. (1992) Die Wiedereinbürgerung des Bartgeiers (*Gypaetus barbatus*) in den Alpen. *Egretta*, 35, 85–95.
- FRITTS, S. H., BANGS, E. E., FONTAINE, J. A., JOHNSON, M. R., PHILLIPS, M. K., KOCH, E. D. & GUNSON, J. R. (1997) Planning and implementing a reintroduction of wolves to Yellowstone National Park and central Idaho. *Restoration Ecology*, 5, 7–27.
- GALARZA, A. & GARCIA, I. (2012) Restocking white stork *Ciconia ciconia* (L., 1758) population in Biscay: reintroduction in the Urdaibai Biosphere Reserve. *Munibe*, 60, 191–200.
- GARCIA-RUBIO, O. & MALDA-BARRERA, G. (2010) Micropropagation and reintroduction of the endemic *Mammillaria mathildae* (Cactaceae) to its natural habitat. *HortScience*, 45, 934–938.
- GARDINER, T. (2010) Successful translocation of the locally rare mottled grasshopper *Myrmeleotettix maculatus* to Jaywick flood defences in Essex, England. *Conservation Evidence*, 7, 106–110.
- GARDNER, C. & PUTTEN, I. E. (2008) Biological modeling of translocation as a management tool for a rock lobster fishery. *Reviews in Fisheries Science*, 16, 81–90.
- GARSON, P. J., YOUNG, L. & KAUL, R. (1992) Ecology and conservation of the cheer pheasant *Catreus wallichii*: studies in the wild and the progress of a reintroduction project. *Biological Conservation*, 59, 25–35.
- GEDEON, C., BOROSS, G., NÉMETH, A. & ALTBÄCKER, V. (2012) Release site manipulation to favour European ground squirrel *Spermophilus citellus* translocations: translocation and habitat manipulation. *Wildlife Biology*, 20, 97–104.
- GENNER, M. J., BOTHA, A. & TURNER, G. F. (2006) Translocations of rocky habitat cichlid fishes to Nkhata Bay, Lake Malawi. *Journal of Fisheries Biology*, 69, 622–628.
- GERBER, L. R., SEABLOOM, E. W., BURTON, R. S. & REICHMAN, O. J. (2003) Translocation of an imperilled woodrat population: integrating spatial and habitat patterns. *Animal Conservation*, 6, 309–316.
- GORDON, D.R. (1996) Experimental translocation of the endangered shrub *Apalachicola rosemary* *Conradina glabra* to the Apalachicola Bluffs and Ravines Preserve, Florida. *Biological Conservation*, 77, 19–26.
- GORDON, I. J. & GILL, P. J. (1993) Reintroduction of scimitar-horned oryx *Oryx dammah* to Bou-Hedma National Park, Tunisia. *International Zoo Yearbook*, 32, 69–73.
- GRETH, A. & SCHWEDE, G. (1993) The reintroduction programme for the Arabian oryx *Oryx leucoryx* in Saudi Arabia. *International Zoo Yearbook*, 32, 73–80.
- GREY-ROSS, R., DOWNS, C. T. & KIRKMAN, K. (2009) Reintroduction failure of captive-bred oribi (*Ourebia ourebi*). *South African Journal of Wildlife Research*, 44, 34–38.
- GREY-ROSS, R., DOWNS, C. T. & KIRKMAN, K. (2009) Is use of translocation for the conservation of subpopulations of oribi *Ourebia ourebi* (Zimmermann) effective? A case study. *African Journal of Ecology*, 47, 409–415.

- GROCE, M. C., BAILEY, L. L. & FAUSCH, K. D. (2012) Evaluating the success of Arkansas darter translocations in Colorado: an occupancy sampling approach. *Transactions of the American Fisheries Society*, 141, 825–840.
- GUERRANT, E. O. & KAYE, T. N. (2007) Reintroduction of rare and endangered plants: common factors, questions and approaches. *Australian Journal of Botany*, 55, 362.
- GUMMER, H. (2003) *Chick Translocation as a Method of Establishing New Surface-Nesting Seabird Colonies: A Review*. Department of Conservation, Wellington, New Zealand.
- GUSSET, M., JAKOBY, O., MÜLLER, M. S., SOMERS, M. J., SLOTOW, R. & GRIMM, V. (2009) Dogs on the catwalk: modelling re-introduction and translocation of endangered wild dogs in South Africa. *Biological Conservation*, 142, 2774–2781.
- HAQUE, M. & SMITH, T. R. (1996). Reintroduction of Arabian sand gazelle *Gazella subgutturosa marica* in Saudi Arabia. *Biological Conservation*, 76, 203–207.
- HARDING, L. E., ABU-EID, O. F., HAMIDAN, N. & SHA'LAN, AL, A. (2007) Reintroduction of the Arabian oryx *Oryx leucoryx* in Jordan: war and redemption. *Oryx*, 41, 478–487.
- HARE, K. M., NORBURY, G., JUDD, L. M. & CREE, A. (2012) Survival of captive-bred skinks following reintroduction to the wild is not explained by variation in speed or body condition index. *New Zealand Journal of Zoology*, 39, 319–328.
- HARIG, A. L., FAUSCH, K. D. & YOUNG, M. K. (2000) Factors influencing success of greenback cutthroat trout translocations. *North American Journal of Fisheries Management*, 20, 994–1004.
- HARRIS, J. E. (2008) Translocation of the silver-studded blue *Plebejus argus* to Cawston Heath, Norfolk, England. *Conservation Evidence*, 5, 1–5.
- HAVET, P. & BIADI, F. (1990) Réintroductions et soutiens de populations d'espèces de petit gibier. *Revue d'Écologie (La Terre Et La Vie)*, 45, 261–289.
- HAYWARD, M. W., KERLEY, G. I., ADENDORFF, J., MOOLMAN, L. C., O'BRIEN, J., SHOLTO-DOUGLAS, A. et al. (2007) The reintroduction of large carnivores to the Eastern Cape, South Africa: an assessment. *Oryx*, 41, 205–214.
- HEATON, J. S., NUSSEAR, K. E., ESQUE, T. C., INMAN, R. D., DAVENPORT, F. M., LEUTERITZ, T. E. et al. (2008) Spatially explicit decision support for selecting translocation areas for Mojave desert tortoises. *Biodiversity Conservation*, 17, 575–590.
- HEBBLEWHITE, M., MIQUELLE, D. G., MURZIN, A. A., ARAMILEV, V. V. & PIKUNOV, D. G. (2011) Predicting potential habitat and population size for reintroduction of the Far Eastern leopards in the Russian Far East. *Biological Conservation*, 144, 2403–2413.
- HEIKKINEN, R. K., PÖYRY, J., VIRKKALA, R., BOCEDI, G., KUUSSAARI, M., SCHWEIGER, O. et al. (2015) Modelling potential success of conservation translocations of a specialist grassland butterfly. *Biological Conservation*, 192, 200–206.
- HERBEZ, E. M., CHAMBERLAIN, M. J. & WOOD, D. R. (2011) Using adult groups of red-cockaded woodpeckers for translocations and population augmentation. *The Journal of Wildlife Management*, 75, 1568–1573.
- HERRENSCHMIDT, V. (1990) Le lynx: Un cas de réintroduction de superprédateur. *Revue d'Écologie (La Terre Et La Vie)*, 45, 159–174.
- HOCHKIRCH, A., WITZENBERGER, K. A., TEERLING, A. & NIEMEYER, F. (2008) Translocation of an endangered insect species, the field cricket (*Gryllus campestris* Linnaeus, 1758) in northern Germany. *Biodiversity Conservation*, 16, 3597–3607.

- HUBER, P. R., GRECO, S. E., SCHUMAKER, N. H. & HOBBS, J. (2014) A priori assessment of reintroduction strategies for a native ungulate: using HexSim to guide release site selection. *Landscape Ecology*, 29, 689–701.
- IMAM, E., YAHYA, H. & MALIK, I. (2002) A successful mass translocation of commensal rhesus monkeys *Macaca mulatta* in Vrindaban, India. *Oryx*, 36, 87–93.
- ISLAM, Z.-U. M., ISMAIL, K. & BOUG, A. (2008) Re-introduction of the red-necked ostrich, *Struthio camelus camelus*, in Mahazat as-Sayd Protected Area in central Saudi Arabia. *Zoology in the Middle East*, 44, 31–40.
- ISLAM, Z.-U. M., ISMAIL, K. & BOUG, A. (2011) Restoration of the endangered Arabian Oryx *Oryx leucoryx*, Pallas 1766 in Saudi Arabia: lessons learnt from the twenty years of re-introduction in arid fenced and unfenced protected areas. *Zoology in the Middle East*, 54, 125–140.
- JACHOWSKI, D. S., GITZEN, R. A., GRENIER, M. B., HOLMES, B. & MILLSPAUGH, J. J. (2011) The importance of thinking big: large-scale prey conservation drives black-footed ferret reintroduction success. *Biological Conservation*, 144, 1560–1566.
- JOHNSINGH, A., RAMESH, K. & QURESHI, Q. (2007) Dhikala grasslands in Corbett Tiger Reserve, a potential site for reintroduction of the one-horned rhinoceros in India. *Pachyderm*, 43, 108–110.
- JOLLY, J. N. & COLBOURNE, R. M. (1991) Translocations of the little spotted kiwi (*Apteryx owenii*) between offshore islands of New Zealand. *Journal of the Royal Society of New Zealand*, 21, 143–149.
- JORDAN, P. A., NELSON, J. L. & PASTOR, J. (1998) Progress towards the experimental reintroduction of woodland caribou to Minnesota and adjacent Ontario. *Rangifer*, 18, 169–181.
- JUSAITIS, M. (2005) Translocation trials confirm specific factors affecting the establishment of three endangered plant species. *Ecological Management & Restoration*, 6, 61–67.
- JUSAITIS, M., POLOMKA, L. & SORENSEN, B. (2004) Habitat specificity, seed germination and experimental translocation of the endangered herb *Brachycome muelleri* (Asteraceae). *Biological Conservation*, 116, 251–266.
- JUSSILA, J., OJALA, K. & MANNONEN, A. (2008) Noble crayfish (*Astacus astacus*) reintroduction project in the River Pyhäjoki, western Finland: a case study. *Freshwater Crayfish*, 16, 51–56.
- KENNEDY, C. M. & MARRA, P. P. (2010) Matrix mediates avian movements in tropical forested landscapes: inference from experimental translocations. *Biological Conservation*, 143, 2136–2145.
- KINGSLEY, L., GOLDIZEN, A. & FISHER, D. O. (2012) Establishment of an Endangered species on a private nature refuge: what can we learn from reintroductions of the bridled nailtail wallaby *Onychogalea fraenata*? *Oryx*, 46, 240–248.
- KINLEY, T. A. & NEWHOUSE, N. J. (2008) Ecology and translocation-aided recovery of an endangered badger population. *Journal of Wildlife Management*, 75, 113–122.
- KIRMSE, W. (2001) Wiedereinbürgerung baumbrütender Wanderfalken (*Falco peregrinus*) in Mitteleuropa. *Zeitschrift Für Jagdwissenschaft*, 47, 165–177.

- KNISLEY, C. B., HILL, J. M. & SCHERER, A. M. (2005) Translocation of threatened tiger beetle *Cicindela dorsalis dorsalis* (Coleoptera: Cicindelidae) to Sandy Hook, New Jersey. *Annals of the Entomological Society of America*, 98, 552–557.
- KOMDEUR, J. (1994) Conserving the Seychelles warbler *Acrocephalus sechellensis* by translocation from Cousin Island to the islands of Aride and Cousine. *Biological Conservation*, 67, 143–152.
- KOSTKAN, V. & LEHKY, J. (1997) The Litovelske Pomoravi floodplain forest as a habitat for the reintroduction of the European beaver. *Global Ecology and Biogeography Letters*, 6, 307–310.
- KRAMER-SCHADT, S., REVILLA, E. & WIEGAND, T. (2005) Lynx reintroductions in fragmented landscapes of Germany: projects with a future or misunderstood wildlife conservation? *Biological Conservation*, 125, 169–182.
- KUEHLER, C., HARRITY, P., LIEBERMAN, A. & KUHN, M. (1995) Reintroduction of hand-reared alala *Corvus hawaiiensis* in Hawaii. *Oryx*, 29, 261–266.
- KUEHLER, C., LIEBERMAN, A., OESTERLE, P., POWERS, T., KUHN, M., KUHN, J. et al. (2000) Development of restoration techniques for Hawaiian thrushes: collection of wild eggs, artificial incubation, hand-rearing, captive-breeding, and re-introduction to the wild. *Zoo Biology*, 19, 263–277.
- KUUSAAARI, M., HEIKKINEN, R. K., HELIÖLÄ, J., LUOTO, M., MAYER, M., RYTTERI, S. & BAGH, VON, P. (2015) Successful translocation of the threatened clouded Apollo butterfly (*Parnassius mnemosyne*) and metapopulation establishment in southern Finland. *Biological Conservation*, 190, 51–59.
- LAUBER, B. T. & KNUTH, B. A. (1998) Refining our vision of citizen participation: lessons from a moose reintroduction proposal. *Society and Natural Resources*, 11, 411–424.
- LAWES, T. J., ANTHONY, R. G., ROBINSON, D. W., FORBES, J. T. & LORTON, G. A. (2012) Homing behavior and survival of pygmy rabbits after experimental translocation. *Western North American Naturalist*, 74, 569–581.
- LAWRENCE, B. A. & KAYE, T. N. (2006) Habitat variation throughout the historic range of golden paintbrush, a Pacific Northwest prairie endemic: implications for reintroduction. *Northwest Science*, 80, 140–152.
- LAWS, R. J. & KESLER, D. C. (2012) A Bayesian network approach for selecting translocation sites for endangered island birds. *Biological Conservation*, 155, 178–185.
- LEE, B. (2009) Restoration of Asiatic black bears through reintroductions on Mt. Jiri, South Korea. *International Bear News*, 18, 8–10.
- LEE, M. (2005) Failed attempts to reintroduce bellbirds (*Anthornis melanura*) to Waiheke Island, Hauraki Gulf, 1988–91. *Notornis*, 52, 150–157.
- LEECH, T. J., CRAIG, E., BEAVEN, B., MITCHELL, D. K. & SEDDON, P. J. (2007) Reintroduction of rifleman *Acanthisitta chloris* to Ulva Island, New Zealand: evaluation of techniques and population persistence. *Oryx*, 41, 369–375.
- LEUPIN, E. E. & LOW, D. J. (2001) Burrowing owl reintroduction efforts in the Thompson–Nicola region of British Columbia. *Journal of Raptor Research*, 35, 392–398.
- LINKLATER, W. L., GEDIR, J. V., LAW, P. R., SWAISGOOD, R. R., ADCOCK, K., PREEZ, DU, P. et al. (2012) Translocations as experiments in the ecological resilience of an asocial mega-herbivore. *PLoS ONE*, 7(1), e30664.

- LÓPEZ-SEPULCRE, A., DOAK, N., NORRIS, K. & SMITH, N. J. (2008) Population trends of Seychelles magpie-robins *Copsychus sechellarum* following translocation to Cousin Island, Seychelles. *Conservation Evidence*, 5, 33–37.
- LYLE, A. A., MAITLAND, P. S. & WINFIELD, I. J. (2005) *Translocation of Vendace from Derwentwater to Safe Refuge Locations*. English Nature, Peterborough, UK.
- LYON, J. P., TODD, C., NICOL, S. J., MACDONALD, A., STOESSEL, D., INGRAM, B. A. et al. (2012) Reintroduction success of threatened Australian trout cod (*Maccullochella macquariensis*) based on growth and reproduction. *Marine and Freshwater Research*, 63, 598.
- MALIK, I. & JOHNSON, R. L. (1994) Commensal rhesus in India: the need and cost of translocation. *Revue d'Écologie (La Terre Et La Vie)*, 49, 233–243.
- MARCHESSAUX, D. (1990) La réintroduction du phoque moine, *Monachus monachus*: Perspectives. *Revue d'Écologie (La Terre Et La Vie)*, 45, 203–209.
- MARTELL, M. S., ENGLUND, J. V. & TORDOFF, H. B. (2002) An urban osprey population established by translocation. *Journal of Raptor Research*, 36, 91–96.
- MARTELL, M. S., SCHLADWEILER, J. & CUTHBERT, F. (2001) Status and attempted reintroduction of burrowing owls in Minnesota, USA. *Journal of Raptor Research*, 35, 331–336.
- MARTÍNEZ-MEYER, E., PETERSON, T. A., SERVÍN, J. I. & KIFF, L. F. (2006) Ecological niche modelling and prioritizing areas for species reintroductions. *Oryx*, 40, 411–418.
- MARTTILA, O., SAARINEN, K. & JANTUNEN, J. (1997) Habitat restoration and a successful reintroduction of the endangered baton blue butterfly. *Annales Zoologici Fennici*, 34, 177–185.
- MASCHINSKI, J. & DUQUESNEL, J. (2007) Successful reintroductions of the endangered long-lived Sargent's cherry palm, *Pseudophoenix sargentii*, in the Florida Keys. *Biological Conservation*, 134, 122–129.
- MCCLAINE, W. E. & EBINGER, J. E. (2008) Reintroduction of lakeside daisy (*Tetranneuris herbacea* Greene, Asteraceae) at Manito Prairie Nature Preserve, Tazewell County, Illinois. *Transactions of the Illinois State Academy of Science*, 101, 79–85.
- MCCLELLAND, P. & GUMMER, H. (2006) Reintroduction of the critically endangered Campbell Island teal *Anas nesiotis* to Campbell Island, New Zealand. *Conservation Evidence*, 3, 61–63.
- MCEWEN, K., WARREN, P. & BANES, D. (2009) Preliminary results from a translocation trial to stimulate black grouse *Tetrao tetrix* range expansion in northern England. *Folia Zoologica*, 58, 190–194.
- MCHAFFIE, H. (2009) A reintroduction programme for *Woodsia ilvensis* (L.) R. Br. in Britain. *Botanical Journal of Scotland*, 58, 75–80.
- MCNEASE, L., RICHARD, D. & JOANEN, T. (1992) Reintroduction and colony expansion of the brown pelican in Louisiana. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*, 46, 223–229.
- MELLES, F. (unpublished). Machbarkeitsstudie zur Möglichkeit einer Wiederansiedlung der Moorente (*Aythya nyroca*) in Niedersachsen.
- MERIGGI, A., STELLA, DELLA, M. R., BRANGI, A., FERLONI, M., MASSERONI, E., MERLI, E. & POMPILIO, L. (2007) The reintroduction of grey and red-legged partridges (*Perdix*

- perdix* and *Alectoris rufa*) in central Italy: a metapopulation approach. *Italian Journal of Zoology*, 74, 215–237.
- MIGNET, F., GENDRE, T., REUDET, D., MALGOIRE, F., CHEYLAN, M. & BESNARD, A. (2014) Short-term evaluation of the success of a reintroduction program of the European pond turtle: the contribution of space-use modeling. *Chelonian Conservation Biology*, 13, 72–80.
- MINCKLEY, W. L. (1995) Translocation as a tool for conserving imperiled fishes: experiences in western United States. *Biological Conservation*, 72, 297–309.
- MISKELLY, C. M., CHARTERIS, M. R. & FRASER, J. R. (2012) Successful translocation of Snares Island snipe (*Coenocorypha huegeli*) to replace the extinct South Island snipe (*C. iredalei*). *Notornis*, 59, 32–38.
- MISKELLY, C. M., TAYLOR, G. A., GUMMER, H. & WILLIAMS, R. (2009) Translocations of eight species of burrow-nesting seabirds (genera *Pterodroma*, *Pelecanoides*, *Pachyptila* and *Puffinus*: Family Procellariidae). *Biological Conservation*, 142, 1965–1980.
- MONKS, L. & COATES, D. (2002) The translocation of two critically endangered Acacia species. *Conservation Science Western Australia*, 4, 54–61.
- MONNERJAHN, U. (2011) Atlantic salmon (*Salmo salar* L.) re-introduction in Germany: a status report on national programmes and activities. *Journal of Applied Ichthyology*, 27, 33–40.
- MORGAN, J. W. (1999) Have tubestock plantings successfully established populations of rare grassland species into reintroduction sites in western Victoria? *Biological Conservation*, 89, 235–243.
- MORO, D. (2003) Translocation of captive-bred dibblers *Parantechinus apicalis* (Marsupialia: Dasyuridae) to Escape Island, Western Australia. *Biological Conservation*, 111, 305–315.
- MORRIS, K. & CHANIN, P. (2014) *The Dormouse Reintroduction Programme: A Review*. Natural England, Worcester, UK.
- MORUZZI, T. L., ROYAR, K. J., GROVE, C., BROOKS, R. T., BERNER, C., THOMPSON, JR, F. L. et al. (2003) Assessing an American marten, *Martes americana*, reintroduction in Vermont. *The Canadian Field Naturalist*, 117, 191–195.
- MOSEBY, K. E. & BICE, J. (2004) A trial re-introduction of the greater stick-nest rat (*Leporillus conditor*) in arid South Australia. *Ecological Management & Restoration*, 5, 118–124.
- MOSEBY, K. E. & O'DONNELL, E. (2003) Reintroduction of the greater bilby, *Macrotis lagotis* (Reid) (Marsupialia : Thylacomyidae), to northern South Australia: survival, ecology and notes on reintroduction protocols. *Wildlife Research*, 30, 15–27.
- MOSEBY, K. E., READ, J. L., PATON, D. C., COPLEY, P., HILL, B. M. & CRISP, H. A. (2011) Predation determines the outcome of 10 reintroduction attempts in arid South Australia. *Biological Conservation*, 144, 2863–2872.
- MUELLER, G. A. & WYDOSKI, R. (2004) Reintroduction of the flannelmouth sucker in the Lower Colorado River. *North American Journal of Fisheries Management*, 24, 41–46.
- MUHIC, J., ABBOTT, E. & WARD, M. J. (2012) The warru (*Petrogale lateralis* MacDonnell Ranges Race) reintroduction project on the Anangu Pitjantjatjara Yankunytjatjara Lands, South Australia. *Ecological Management & Restoration*, 13, 89–92.

- MUMME, R. L. & BELOW, T. H. (1999) Evaluation of translocation for the threatened Florida scrub-jay. *Journal of Wildlife Management*, 63, 833–842.
- MÜNZZBERGOVÁ, Z., MILDÉN, M., EHRLÉN, J. & HERBEN, T. (2005) Population viability and reintroduction strategies: a spatially explicit landscape-level approach. *Ecological Applications*, 15, 1377–1386.
- MUSTONI, A., CARLINI, E., CHIARENZI, B., CHIOZZINI, S., LATTUADA, E., DUPRÉ, E. et al. (2003) Planning the brown bear *Ursus arctos* reintroduction in the Adamello Brenta Natural Park. A tool to establish a metapopulation in the central-eastern Alps. *Hystrix*, 14, 3–27.
- MUTHS, E., BAILEY, L. L. & WATRY, M. (2014) Animal reintroductions: an innovative assessment of survival. *Biological Conservation*, 172, 200–208.
- NADLER, T. (2012) Reintroduction of the Critically Endangered Delacour's langur (*Trachypithecus delacouri*) - a preliminary report. *Vietnamese Journal of Primatology*, 2, 67–72.
- NAPPÉE, C. (1999) The reintroduction of capercaillie in Parc National des Cévennes. *Grouse News*, 17, 16–17.
- NUSSEAR, K. E., TRACY, C. R., MEDICA, P. A., WILSON, D. S., MARLOW, R. W. & CORN, P. S. (2012) Translocation as a conservation tool for Agassiz's desert tortoises: survivorship, reproduction, and movements. *The Journal of Wildlife Management*, 76, 1341–1353.
- O'GARA, K., MILES, J. & MAY, R. (2015) Feasibility of red-cockaded woodpecker (*Picoides borealis*) reintroduction into the Pine Flatwoods Communities of Jonathan Dickinson State Park, Florida. *Florida Field Naturalist*, 43, 47–104.
- O'TOOLE, L., FIELDING, A. H. & HAWORTH, P. F. (2002) Re-introduction of the golden eagle into the Republic of Ireland. *Biological Conservation*, 103, 303–312.
- OEHLER, D. A., BOODOO, D., PLAIR, B., KUCHINSKI, K., CAMPBELL, M., LUTCHMEDIAL, G. et al. (2001) Translocation of blue and gold macaw *Ara ararauna* into its historical range on Trinidad. *Bird Conservation International*, 11, 129–141.
- OMLAND, K. (2002) Larval habitat and reintroduction site selection for *Cicindela puritana* in Connecticut. *Northeastern Naturalist*, 9, 433–450.
- ORO, D., MARTÍNEZ-ABRAÍN, A., VILLUENDAS, E., SARZO, B., MÍNGUEZ, E., CARDA, J. & GENOVART, M. (2011) Lessons from a failed translocation program with a seabird species: determinants of success and conservation value. *Biological Conservation*, 144, 851–858.
- ORTIZ-CATEDRAL, L. & BRUNTON, B. H. (2010) Success of translocations of red-fronted parakeets *Cyanoramphus novaezelandiae novaezelandiae* from Little Barrier Island (Hauturu) to Motuihe Island, Auckland, New Zealand. *Conservation Evidence*, 7, 21–26.
- OSTERBERG, P., SAMPHANTHAMIT, P., MAPRANG, O., PUNNADEE, S. & BROCKELMAN, W. Y. (2015) Gibbon (*Hylobates lar*) reintroduction success in Phuket, Thailand, and its conservation benefits. *American Journal of Primatology*, 77, 492–501.
- PAGE, S. K., PARKER, D. M., PEINKE, D. M. & DAVIES-MOSTERT, H. T. (2015) Assessing the potential threat landscape of a proposed reintroduction site for carnivores. *PLoS ONE*, 10(3), e0122782.

- PARISH, D. M. & SOTHERTON, N. W. (2007) The fate of released captive-reared grey partridges *Perdix perdix*: implications for reintroduction programmes. *Wildlife Biology*, 20, 140–149.
- PARK, S.-R., KIM, S.-K., SUNG, H.-C., CHOI, Y.-S. & CHEONG, S.-W. (2010) Evaluation of historic breeding habitats with a view to the potential for reintroduction of the oriental white stork (*Ciconia boyciana*) and crested ibis (*Nipponia nippon*) in Korea. *Korean Journal of Systematic Zoology*, 26, 191–196.
- PEVAK, E. M., BLUMER, E. S. & CORRELL, T. L. (1993) Species survival plan contributions to research and reintroduction of Addax *Addax nasomaculatus*. *International Zoo Yearbook*, 32, 91–98.
- PIERRE, J. P. (1999) Reintroduction of the South Island saddleback (*Philesturnus carunculatus carunculatus*): dispersal, social organisation and survival. *Biological Conservation*, 89, 153–159.
- PLATENBERG, R. J. & GRIFFITHS, R. A. (1999) Translocation of slow-worms (*Anguis fragilis*) as a mitigation strategy: a case study from south-east England. *Biological Conservation*, 90, 125–132.
- POLY, W. J. (2003) Design and evaluation of a translocation strategy for the fringed darter (*Etheostoma crossopeterum*) in Illinois. *Biological Conservation*, 113, 13–22.
- POOLE, A. & LAWTON, C. (2009) The translocation and post release settlement of red squirrels *Sciurus vulgaris* to a previously uninhabited woodland. *Biodiversity Conservation*, 18, 3205–3218.
- Porath, M. T., Blasius, H. B., Conn, J. A., Young, K. L. & Jacks, S. L. (2010) Evaluating translocation of the Apache trout (*Oncorhynchus apache*) to nonhistorical renovated streams. *Southwestern Naturalist*, 58, 229–239.
- POWELL, M., ACCAD, A. & SHAPCOTT, A. (2005) Geographic information system (GIS) predictions of past, present habitat distribution and areas for re-introduction of the endangered subtropical rainforest shrub *Triunia robusta* (Proteaceae) from south-east Queensland Australia. *Biological Conservation*, 123, 165–175.
- PRIDDEL, D., CARLILE, N. & WHEELER, R. (2006) Establishment of a new breeding colony of Gould's petrel (*Pterodroma leucoptera leucoptera*) through the creation of artificial nesting habitat and the translocation of nestlings. *Biological Conservation*, 128, 553–563.
- PRIGIONI, C. (1995) Guidelines for the feasibility study of reintroduction of the otter *Lutra lutra* in Italy: the project of the Ticino valley (north-western Italy). *Hystrix*, 7, 255–264.
- RAGYOV, D., KOSHEV, Y., KMETOVA, E., GRADEV, G., STOYANOV, G., STOEV, I. & MARINOV, D. (2011) Preparatory activities for saker falcon (*Falco cherrug*) reintroduction in Bulgaria: habitat management and electrocution risk assessment. *Aquila*, 119, 91–103.
- RATHBUN, G. B. & SCHNEIDER, J. (2001) Translocation of California red-legged frogs (*Rana aurora draytonii*). *Wildlife Society Bulletin*, 29, 1300–1303.
- RAVINE, D. (2004) *Potential Translocation Sites for Kokako in Taranaki*. Department of Conservation, Wellington, New Zealand.

- REN, H., MA, G., ZHANG, Q., GUO, Q., WANG, J. & WANG, Z. (2010) Moss is a key nurse plant for reintroduction of the endangered herb, *Primulina tabacum* Hance. *Plant Ecology*, 209, 313–320.
- REN, H., ZENG, S., LI, L., ZHANG, Q., YANG, L., WANG, J. et al. (2012) Reintroduction of *Tigridiopalma magnifica*, a rare and Critically Endangered herb endemic to China. *Oryx*, 46, 391–398.
- REŞİT AKÇAKAYA, H. (1990) Bald ibis *Geronticus eremita* population in Turkey: an evaluation of the captive breeding project for reintroduction. *Biological Conservation*, 51, 225–237.
- REYNOLDS, M. & KLAVITTER, J. (2006) Translocation of wild Laysan duck *Anas laysanensis* to establish a population at Midway Atoll National Wildlife Refuge, United States and US Pacific Possession. *Conservation Evidence*, 3, 6–8.
- RICHARD-HANSEN, C., VIÉ, J.-C. & DE THOISY, B. (2000) Translocation of red howler monkeys (*Alouatta seniculus*) in French Guiana. *Biological Conservation*, 93, 247–253.
- RICHARDS, J. D. & SHORT, J. (2003) Reintroduction and establishment of the western barred bandicoot *Perameles bougainville* (Marsupialia : Peramelidae) at Shark Bay, Western Australia. *Biological Conservation*, 109, 181–195.
- RICHARDSON, D. S., BRISTOL, R. & SHAH, N. J. (2006) Translocation of the Seychelles warbler *Acrocephalus sechellensis* to establish a new population on Denis Island, Seychelles. *Conservation Evidence*, 3, 54–57.
- ROBERTSON, H. A., KARIKA, I. & SAUL, E. K. (2006) Translocation of Rarotonga monarchs *Pomarea dimidiata* within the southern Cook Islands. *Bird Conservation International*, 16, 197–215.
- ROBIN, K., MÜLLER, J. P., PACHLATKO, T. & BUCHLI, C. (2004) Das Projekt zur Wiederansiedlung des Bartgeiers in den Alpen ist 25-jährig: Ein Überblick. *Der Ornithologische Beobachter*, 101, 1–18.
- ROGERS, D. & WATSON, E. (2007) Increasing the chances of successful reintroduction of white-clawed crayfish (*Austropotamobius pallipes*) in the Peak District National Park, UK. *International Journal of Biodiversity Science and Management*, 3, 209–216.
- ROMANCHUK, K. A. (2003) *Magrath Northern Leopard Frog Reintroduction Project - Year 1 Progress Report*. Alberta Environment/Alberta Sustainable Resource Development, Edmonton, Canada.
- RUDOLPH, C. D., CONNER, R. N., CARRIE, D. K. & SCHAEFER, R. R. (1992) Experimental reintroduction of red-cockaded woodpeckers. *Auk*, 109, 914–916.
- RUFFELL, J. & PARSONS, S. (2009) Assessment of the short-term success of a translocation of lesser short-tailed bats *Mystacina tuberculata*. *Endangered Species Research*, 8, 33–39.
- RUST, P. J. (2011) Translocation of prespawn adult Kootenai River white sturgeon. *Journal of Applied Ichthyology*, 27, 450–453.
- RZÓNCA, Z., LUKASZEWICZ, E. & KOWALCZYK, A. (2012) Protection, reproduction and reintroduction of capercaillie in the Forestry Wisla, Poland. *Grouse News*, 43, 17–20.
- SANYAL, A. K., DE, J. K., DAS, R. P. & VENKATAMARAN, K. (2013) Feasibility study regarding re-introduction of pygmy hog (*Porcula salvania* Hodgson, 1847) at Gorumara National Park, Jalpaiguri, *West Bengal*, 113, 1–24.

- SANZ, V. & GRAJAL, A. (1998) Successful reintroduction of captive-raised yellow-shouldered Amazon parrots on Margarita Island, Venezuela. *Conservation Biology*, 12, 430–441.
- SARNO, R. J., NIXON, P. A., MEALEY, B. K., CONCOBY, R. E., MRYKALO, R. J. & GRIGIONE, M. M. (2012) Suitability of translocation sites for Florida burrowing owls: prey availability and diet. *Southeastern Naturalist*, 13, 755–764.
- SCHMIDT, N. D., BARZEN, J. A., ENGELS, M. J. & LACY, A. E. (2014) Refining reintroduction of whooping cranes with habitat use and suitability analysis. *Journal of Wildlife Management*, 78, 1404–1414.
- SCHNEEWEISS, N. (2012) Missglückter Versuch einer Ansiedlung von *Lacerta viridis* in Nordost-Deutschland. *Zeitschrift Für Feldherpetologie*, 19, 145–164.
- SCHRAM, S. T., LINDGREN, J. & EVRARD, L. M. (1999) Reintroduction of lake sturgeon in the St. Louis River, western Lake Superior. *North American Journal of Fisheries Management*, 19, 815–823.
- SEDDON, P. J. & MALONEY, R. F. (2003) *Campbell Island Teal Re-introduction Plan*. Department of Conservation, Wellington, New Zealand.
- SHAW, J. H., MCABEE, W., CARTER, T. S. & LESLIE, JR, D. M. (1993) Assessment of black-tailed prairie dog colonies for reintroduction of black-footed ferrets in western Oklahoma. *Proceedings of the Oklahoma Academy of Science*, 73, 47–52.
- SHORT, J. & HIDE, A. (2014) Successful reintroduction of the brushtail possum to Wadderin Sanctuary in the eastern wheatbelt of Western Australia. *Australian Mammalogy*, 36, 229–241.
- SHORT, J. & HIDE, A. (2015) Successful reintroduction of red-tailed phascogale to Wadderin Sanctuary in the eastern wheatbelt of Western Australia. *Australian Mammalogy*, 37, 234–244.
- SHORT, J. & TURNER, B. (2000) Reintroduction of the burrowing bettong *Bettongia lesueur* (Marsupialia: Potoroidae) to mainland Australia. *Biological Conservation*, 96, 185–196.
- SIMÓN, M. S., COUTO, S., CARRASCO, A. L., GARCÍA-BAQUERO, M. J., GODINO, A., GUTIERREZ, J. E. et al. (2007) The reintroduction of the bearded vulture *Gypaetus barbatus* in Andalusia, southern Spain. *Vulture News*, 56, 29–40.
- SLATER, G. L. & ALTMAN, B. (2011) Avian restoration in the prairie-oak ecosystem: a reintroduction case study of western bluebirds to San Juan Island, Washington. *Northwest Science*, 88, 223–232.
- SMEETON, C. (2000) The reintroduction of the swift fox *Vulpes velox* to South Central Saskatchewan, Canada. *Oryx*, 34, 171–179.
- SMITH, Z. F., JAMES, E. A., McDONNELL, M. J. & MCLEAN, C. B. (2009) Planting conditions improve translocation success of the endangered terrestrial orchid *Diuris fragrantissima*. *Australian Journal of Botany*, 57, 200–209.
- SODERQUIST, T. R. & SERENA, M. (1994) An experimental reintroduction programme for brush-tailed phascogales (*Phascogale tapoatafa*): the interface between captivity and the wild. In *Creative Conservation* (eds P. J. S. Olney, G. M. Mace & A. T. C. Feistner), pp. 431–438. Springer Netherlands, Dordrecht, Netherlands.
- SOUTH, A. B., RUSHTON, S. P., MACDONALD, D. W. & FULLER, R. (2001) Reintroduction of the European beaver (*Castor fiber*) to Norfolk, UK: a preliminary modelling analysis. *Journal of Zoology*, 254, 473–479.

- SOUTH, A., RUSHTON, S. & MACDONALD, D. (2000) Simulating the proposed reintroduction of the European beaver (*Castor fiber*) to Scotland. *Biological Conservation*, 93, 103–116.
- SOUTHGATE, R. & POSSINGHAM, H. P. (1995) Modelling the reintroduction of the greater bilby *Macrotis lagotis* using the metapopulation model analysis of the likelihood of extinction (ALEX). *Biological Conservation*, 73, 151–160.
- SPRAKER, T. (1992) *Reintroduction of Caribou to the Central and Southern Kenai Peninsula, 1985–86*. Alaska Department of Fish and Game, Division of Wildlife Conservation, Juneau, USA.
- STEINER SÃO BERNARDO, C. (2012) Reintroduction as a conservation tool for threatened Galliformes: the red-billed Curassow *Crax blumenbachii* case study from Rio de Janeiro state, Brazil. *Journal of Ornithology*, 153, 135–140.
- STEURY, T. D. & MURRAY, D. L. (2004) Modeling the reintroduction of lynx to the southern portion of its range. *Biological Conservation*, 117, 127–141.
- STRINGER, I. (2005) Translocation of the Middle Island tusked weta *Motuweta isolata*, The Mercury Islands, New Zealand. *Conservation Evidence*, 2, 83–85.
- STRUHSAKER, T. T. & SIEX, K. S. (1998) Translocation and introduction of the Zanzibar red colobus monkey: success and failure with an endangered island endemic. *Oryx*, 32, 277–284.
- SULLIVAN, W. (2006) *Mortality and Dispersion of Saddlebacks After Reintroduction to Boundary Stream Mainland Island*. Department of Conservation, Wellington, New Zealand.
- SUR, M., VAN DE CROMMENACKER, J. & BUNBURY, N. (2012) Assessing effectiveness of reintroduction of the flightless Aldabra rail on Picard Island, Aldabra Atoll, Seychelles. *Conservation Evidence*, 10, 80–84.
- TAGGART, D. A., SCHULTZ, D. J., CORRIGAN, T. C., SCHULTZ, T. J., STEVENS, M., PANTHER, D. & WHITE, R. C. (2015) Reintroduction methods and a review of mortality in the brush-tailed rock-wallaby, Grampians National Park, Australia. *Australian Journal of Zoology*, 63, 383–397.
- TASH, J. P. & LITVAITIS, J. A. (2007) Characteristics of occupied habitats and identification of sites for restoration and translocation of New England cottontail populations. *Biological Conservation*, 137, 584–598.
- TENG, B., DAO, S., DONALDSON, Z. R. & GREYER, G. F. (2012) New communal roosting tradition established through experimental translocation in a Neotropical harvestman. *Animal Behaviour*, 84, 1183–1190.
- THALMANN, S., PECK, S., WISE, P., POTTS, J. M., CLARKE, J. & RICHLEY, J. (2016) Translocation of a top-order carnivore: tracking the initial survival, spatial movement, home-range establishment and habitat use of Tasmanian devils on Maria Island. *Australian Mammalogy*, 38, 68–79.
- THATCHER, C. A., MANEN, F. T. & CLARK, J. D. (2006) Identifying suitable sites for Florida panther reintroduction. *Journal of Wildlife Management*, 75, 752–763.
- TOCHER, M. D., FLETCHER, D. & BISHOP, P. J. (2006) A modelling approach to determine a translocation scenario for the endangered New Zealand frog *Leiopelma hamiltoni*. *Herpetological Journal*, 16, 97–106.

- TOWNS, D. R. & FERREIRA, S. M. (2001) Conservation of New Zealand lizards (Lacertilia: Scincidae) by translocation of small populations. *Biological Conservation*, 98, 211–222.
- UNGER, C. & KLAUS, S. (2008) A translocation study using capercaillie *Tetrao urogallus* from Central Russia. *Grouse News*, 36, 16–19.
- VAN BALEN, B. & GEPAK, V. H. (1994) The captive breeding and conservation programme of the Bali starling (*Leucopsar rothschildi*). In *Creative Conservation* (eds P. J. S. Olney, G. M. Mace & A. T. C. Feistner), pp. 420–430. Springer Netherlands, Dordrecht, Netherlands.
- VUGHT, I., CHARLEROY, D. D., LIEFFERINGE, V. C., COENEN, E. & COECK, J. (2011) Conservation of bullhead *Cottus perifretum* in the Demer River (Belgium) basin using re-introduction. *Journal of Applied Ichthyology*, 27, 60–65.
- WANLESS, R. M., CUNNINGHAM, J., HOCKEY, P., WANLESS, J., WHITE, R. W. & WISEMAN, R. (2002) The success of a soft-release reintroduction of the flightless Aldabra rail (*Dryolimnas cuvieri aldabranus*) on Aldabra Atoll, Seychelles. *Biological Conservation*, 107, 203–210.
- WEINBERGER, I. C., BONTADINA, F. & ARLETTAZ, R. (2009) Translocation as a conservation tool to supplement relict bat colonies: a pioneer study with endangered horseshoe bats. *Endangered Species Research*, 8, 41–48.
- WHITMORE, N., JUDD, L. M., MULES, R. D., WEBSTER, T. A., MADILL, S. C. & HUTCHEON, A. D. (2011) A trial wild–wild translocation of the critically endangered grand skink *Oligosoma grande* in Otago, New Zealand. *Conservation Evidence*, 9, 28–35.
- WILSON, C., KEYS, A., HORTON, M., MOORKENS, E., ROBERTS, D. & REID, N. (2012) *Protocol for Ex-situ Conservation and Reintroduction of the Freshwater Pearl Mussel Margaritifera margaritifera in Northern Ireland*. Northern Ireland Environment Agency, Belfast, UK.
- WIMBERGER, K., DOWNS, C. T. & PERRIN, M. R. (2009) Two unsuccessful reintroduction attempts of rock hyraxes (*Procavia capensis*) into a reserve in the KwaZulu-Natal Province, South Africa. *South African Journal of Wildlife Research*, 44, 192–201.
- WORLD PHEASANT ASSOCIATION & IUCN/SSC REINTRODUCTION SPECIALIST GROUP (2009) *Guidelines for the Re-introduction of Galliformes for Conservation Purposes*. World Pheasant Association and IUCN/SSC Reintroduction Specialist Group, Gland, Switzerland & Newcastle-upon-Tyne, UK.
- WORTHINGTON, T., KEMP, P. S., OSBORNE, P. E., DILLEN, A., COECK, J., BUNZEL-DRÜKE, M. et al. (2012) A spatial analytical approach for selecting reintroduction sites for burbot in English rivers. *Freshwater Biology*, 57, 602–611.
- WRIGHT, D. J., SHAH, N. J. & RICHARDSON, D. R. (2014) Translocation of the Seychelles warbler *Acrocephalus sechellensis* to establish a new population on Frégate Island, Seychelles. *Conservation Evidence*, 11, 20–24.
- WYNHOFF, I. (1998) Lessons from the reintroduction of *Maculinea teleius* and *M. nausithous* in the Netherlands. *Journal of Insect Conservation*, 2, 47–57.
- XIA, C., CAO, J., ZHANG, H., GAO, X., YANG, W. & BLANK, D. (2014) Reintroduction of Przewalski's horse (*Equus ferus przewalskii*) in Xinjiang, China: the status and experience. *Biological Conservation*, 177, 142–147.

- YAM, T. W., CHUA, J., TAY, F. & ANG, P. (2010) Conservation of the native orchids through seedling culture and reintroduction—a Singapore experience. *Botanical Review*, 76, 263–274.
- YU, X. P., CHANG, X. U., LI, X., CHEN, W. G. & SHI, L. (2009) Return of the crested ibis *Nipponia nippon*: a reintroduction programme in Shaanxi province, China. *Birding Asia*, 11, 80–82.
- ZANT, J. L. & WOOTEN, M. C. (2003) Translocation of Choctawhatchee beach mice (*Peromyscus polionotus alloparys*): hard lessons learned. *Biological Conservation*, 112, 405–413.