Supplementary Appendix 1: Pediatric neurological trials (includes publications that may refer to the same trial)

- 1. Alaei, M., et al., The effect of the ketogenic diet on the growth and biochemical parameters of the children with resistant epilepsy. Iranian Journal of Child Neurology, 2010. 3(4): p. 41-44.
- 2. Alireza, M.S., et al., Efficacy of the ketogenic diet as a therapy for intractable epilepsy in children. Iranian Journal of Child Neurology, 2010. 4(2): p. 27-
- 3. Amalou, S., et al., Use of modified Atkins diet in glucose transporter type 1 deficiency syndrome. Developmental Medicine and Child Neurology, 2016. 58(11): p. 1193-1199.
- 4. Amari, A., et al., Exploring the relationship between preferences for high fat foods and efficacy of the ketogenic and modified Atkins diets among children with seizure disorders. Seizure, 2015. 25: p. 173-7.
- 5. Armeno, M., et al., A Prospective Study on Changes in Nutritional Status and Growth Following Two Years of Ketogenic Diet (KD) Therapy in Children with Refractory Epilepsy. Nutrients, 2019. 11(7): p. 14.
- 6. Arslan, N., E. Kose, and O. Guzel, The Effect of Ketogenic Diet on Serum Selenium Levels in Patients with Intractable Epilepsy. Biological Trace Element Research, 2017. 178(1): p. 1-6.
- 7. Arya, R., et al., Efficacy and safety of ketogenic diet for treatment of pediatric convulsive refractory status epilepticus. Epilepsy Research, 2018. 144: p. 1-6.
- 8. Ashrafi, M.R., et al., The efficacy of the ketogenic diet in infants and young children with refractory epilepsies using a formula-based powder. Acta Neurologica Belgica, 2017. 117(1): p. 175-182.
- 9. Azevedo de Lima, P., et al., Effect of classic ketogenic diet treatment on lipoprotein subfractions in children and adolescents with refractory epilepsy. Nutrition, 2017. 33: p. 271-277.
- 10. Baby, N., et al., A pragmatic study on efficacy, tolerability and long term acceptance of ketogenic diet therapy in 74 South Indian children with pharmacoresistant epilepsy. Seizure, 2018. 58: p. 41-46.
- 11. Ballaban-Gil, K., et al., Complications of the ketogenic diet. Epilepsia, 1998. 39(7): p. 744-8.
- 12. Bansal, S., et al., The ketogenic diet: initiation at goal calories versus gradual caloric advancement. Pediatric Neurology, 2014. 50(1): p. 26-30.
- 13. Barzegar, M., P. Irandoust, and M. Ebrahimi Mameghani, A modified Atkins diet for intractable childhood epilepsy. Iranian Journal of Child Neurology, 2010. 4(3): p. 15-20.
- 14. Batchelor, L., J. Nance, and B. Short, An interdisciplinary team approach to implementing the ketogenic diet for the treatment of seizures. Pediatric Nursing, 1997. 23(5): p. 465-71.
- 15. Bergqvist, A.G., et al., Selenium deficiency associated with cardiomyopathy: a complication of the ketogenic diet. Epilepsia, 2003. 44(4): p. 618-20.
- 16. Bergqvist, A.G., et al., Treatment of acquired epileptic aphasia with the ketogenic diet. Journal of Child Neurology, 1999. 14(11): p. 696-701.
- 17. Bergqvist, A.G., et al., Fasting versus gradual initiation of the ketogenic diet: a prospective, randomized clinical trial of efficacy. 2005. 1(11): p. 1810-9.
- 18. Bergqvist, A.G., et al., Predictive power of first morning glucose and the ketogenic diet. Neuropediatrics, 2007. 38(4): p. 193-6.
- 19. Bergqvist, A.G., J.I. Schall, and V.A. Stallings, Vitamin D status in children with intractable epilepsy, and impact of the ketogenic diet. Epilepsia, 2007. 48(1): p. 66-71.
- 20. Bergqvist, A.G., et al., Progressive bone mineral content loss in children with intractable epilepsy treated with the ketogenic diet. American Journal of Clinical Nutrition, 2008. 88(6): p. 1678-84.
- 21. Berry-Kravis, E., et al., Carnitine levels and the ketogenic diet. Epilepsia, 2001. 42(11): p. 1445-51.
- 22. Bjurulf, B., et al., Potassium citrate and metabolic acidosis in children with epilepsy on the ketogenic diet: a prospective controlled study. Developmental Medicine and Child Neurology, 2020. 62(1): p. 57-61.
- 23. Buchhalter, J.R., et al., The relationship between d-beta-hydroxybutyrate blood concentrations and seizure control in children treated with the ketogenic diet for medically intractable epilepsy. Epilepsia Open, 2017. 2(3): p. 317-321.
- 24. Caraballo, R., et al., The ketogenic diet in patients with myoclonic status in non-progressive encephalopathy. Seizure-European Journal of Epilepsy, 2017. 51: p. 1-5.
- 25. Caraballo, R., D. Noli, and P. Cachia, Epilepsy of infancy with migrating focal seizures: three patients treated with the ketogenic diet. Epileptic Disorders, 2015. 17(2): p. 194-7.
- 26. Caraballo, R., et al., Ketogenic diet: Efficacy and tolerability in childhood intractable epilepsies. Revista de Neurología, 1998. 26(149): p. 61-64.
- 27. Caraballo, R.H., Nonpharmacologic treatments of Dravet syndrome: focus on the ketogenic diet. Epilepsia, 2011. 52 Suppl 2: p. 79-82.
- 28. Caraballo, R.H., et al., Ketogenic diet in patients with myoclonic-astatic epilepsy. Epileptic Disorders, 2006. 8(2): p. 151-5.
- 29. Caraballo, R.H., et al., Ketogenic diet in patients with Lennox-Gastaut syndrome. Seizure, 2014. 23(9): p. 751-5.
- 30. Caraballo, R.H., et al., The ketogenic diet in two paediatric patients with refractory myoclonic status epilepticus. Epileptic Disorders, 2015. 17(4): p. 491-5.
- 31. Cardinali, S., et al., A pilot study of a ketogenic diet in patients with Lafora body disease. Epilepsy Research, 2006. 69(2): p. 129-134.
- 32. Chomtho, K., O. Suteerojntrakool, and S. Chomtho, Effectiveness of Medium Chain Triglyceride Ketogenic Diet in Thai Children with Intractable Epilepsy. Journal of the Medical Association of Thailand, 2016. 99(2): p. 159-65.
- 33. Christodoulides, S.S., et al., The effect of the classical and medium chain triglyceride ketogenic diet on vitamin and mineral levels. Journal of Human Nutrition and Dietetics, 2012. 25(1): p. 16-26.
- 34. Cobo, N.H., et al., The ketogenic diet as broad-spectrum treatment for super-refractory pediatric status epilepticus: challenges in implementation in the pediatric and neonatal intensive care units. Journal of Child Neurology, 2015. 30(2): p. 259-66.
- 35. Coppola, G., et al., The effects of the ketogenic diet in refractory partial seizures with reference to tuberous sclerosis. European Journal of Paediatric Neurology, 2006. 10(3): p. 148-151.
- 36. Coppola, G., et al., The ketogenic diet in children, adolescents and young adults with refractory epilepsy: an Italian multicentric experience. Epilepsy Research, 2002. 48(3): p. 221-7.
- 37. Coppola, G., et al., Ketogenic diet for the treatment of catastrophic epileptic encephalopathies in childhood. European Journal of Paediatric Neurology, 2010. 14(3): p. 229-34.
- 38. Cubukcu, D., O. Guzel, and N. Arslan, Effect of Ketogenic Diet on Motor Functions and Daily Living Activities of Children With Multidrug-Resistant Epilepsy: A Prospective Study. Journal of Child Neurology, 2018. 33(11): p. 718-723.
- 39. Dahlin, M., et al., The ketogenic diet influences the levels of excitatory and inhibitory amino acids in the CSF in children with refractory epilepsy. Epilepsy Research, 2005. 64(3): p. 115-25.
- 40. Dahlin, M., et al., Plasma phospholipid fatty acids are influenced by a ketogenic diet enriched with n-3 fatty acids in children with epilepsy. Epilepsy Research, 2007. 73(2): p. 199-207.
- 41. Dahlin, M., J.E. Mansson, and P. Amark, CSF levels of dopamine and serotonin, but not norepinephrine, metabolites are influenced by the ketogenic diet in children with epilepsy. Epilepsy Research, 2012. 99(1-2): p. 132-8.
- 42. De Amicis, R., et al., Long-Term Effects of a Classic Ketogenic Diet on Ghrelin and Leptin Concentration: A 12-Month Prospective Study in a Cohort of Italian Children and Adults with GLUT1-Deficiency Syndrome and Drug Resistant Epilepsy. Nutrients, 2019. 11(8): p. 25.
- 43. de Kinderen, R.J., et al., An economic evaluation of the ketogenic diet versus care as usual in children and adolescents with intractable epilepsy: An interim analysis. Epilepsia, 2016. 57(1): p. 41-50.
- 44. De Souza, A.F., Evaluation of ketogenic diet efficacy in patients with refractory epilepsy. Arquivos de Neuro-Psiquiatria, 2005. 63(1): p. 189-189.

- 45. DM, I.J., et al., Cognitive and behavioral impact of the ketogenic diet in children and adolescents with refractory epilepsy: A randomized controlled trial. Epilepsy & Behavior, 2016. 60: p. 153-157.
- 46. Doksoz, O., et al., The Short-Term Effects of Ketogenic Diet on Cardiac Ventricular Functions in Epileptic Children. Pediatric Neurology, 2015. 53(3): p. 233-237.e1.
- 47. Doksoz, O., et al., Dispersion durations of P-wave and QT interval in children treated with a ketogenic diet. Pediatric Neurology, 2014. 50(4): p. 343-6.
- 48. Doksoz, O., et al., The Short-Term Effect of Ketogenic Diet on Carotid Intima-Media Thickness and Elastic Properties of the Carotid Artery and the Aorta in Epileptic Children. Journal of Child Neurology, 2015. 30(12): p. 1646-50.
- 49. Dressler, A., et al., Efficacy and tolerability of the ketogenic diet versus high-dose adrenocorticotropic hormone for infantile spasms: A single-center parallel-cohort randomized controlled trial. Epilepsia, 2019. 60(3): p. 441-451.
- 50. Dressler, A., et al., Effects of the ketogenic diet on platelet counts and global coagulation tests in childhood epilepsy. Seizure, 2020. 80: p. 31-37.
- 51. Ebus, S.C., et al., Can an early 24-hour EEG predict the response to the ketogenic diet? A prospective study in 34 children and adults with refractory epilepsy treated with the ketogenic diet. Seizure, 2014. 23(6): p. 468-74.
- 52. Edelstein, S.F. and M. Chisholm, Management of intractable childhood seizures using the non-MCT oil ketogenic diet in 20 patients. Journal of the American Dietetic Association, 1996. 96(11): p. 1181-2.
- 53. El Rashidy, O.F., et al., Experience with MAD on children with epilepsy in Egypt after classic KD failure. Acta Neurologica Scandinavica, 2018. 137(2): p. 195-198.
- 54. El-Rashidy, O., et al., Ketogenic diet versus gluten free casein free diet in autistic children: a case-control study. Metabolic Brain Disease, 2017. 32(6): p. 1935-1941.
- 55. El-Rashidy, O.F., et al., Modified Atkins diet vs classic ketogenic formula in intractable epilepsy. Acta Neurologica Scandinavica, 2013. 128(6): p. 402-8.
- 56. El-Rashidy, O.F., et al., Selenium and antioxidant levels in children with intractable epilepsy receiving ketogenic diet. Acta Neurologica Belgica, 2020. 120(2): p. 375-380.
- 57. Enderlin, J., et al., Absence of increased blood decanoic acid levels in children with epilepsy treated with classic ketogenic diet. Epileptic Disorders, 2019. 21(4): p. 366-369.
- 58. Evangeliou, A., et al., Application of a ketogenic diet in children with autistic behavior: pilot study. Journal of Child Neurology, 2003. 18(2): p. 113-8.
- 59. Francois, L.L., et al., Ketogenic diet as an alternative therapy for children with refractory epilepsy: about 29 children. Archives de Pédiatrie, 2003. 10(4): p. 300-306.
- 60. Fraser, D.D., et al., Elevated polyunsaturated fatty acids in blood serum obtained from children on the ketogenic diet. Neurology, 2003. 60(6): p. 1026-9.
- 61. Freeman, J.M., The ketogenic diet: additional information from a crossover study. Journal of Child Neurology, 2009. 24(4): p. 509-12.
- 62. Freeman, J.M. and E.P. Vining, Seizures decrease rapidly after fasting: preliminary studies of the ketogenic diet. Archives of Pediatrics and Adolescent Medicine, 1999. 153(9): p. 946-9.
- 63. Freeman, J.M., et al., The efficacy of the ketogenic diet-1998: a prospective evaluation of intervention in 150 children. Pediatrics, 1998. 102(6): p. 1358-63.
- 64. Galvan Manso, M., et al., A ketogenic diet: is this a valid alternative in refractory epilepsy. Revista de Neurología, 2001. 33(11): p. 1010-4.
- 65. Ghazavi, A., et al., The ketogenic and atkins diets effect on intractable epilepsy: a comparison. Iranian Journal of Child Neurology, 2014. 8(3): p. 12-7.
- Gilbert, D.L., et al., Medication cost reduction in children on the ketogenic diet: data from a prospective study. Journal of Child Neurology, 1999. 14(7): p.
 469-71
- 67. Gong, X., et al., Gut flora and metabolism are altered in epilepsy and partially restored after ketogenic diets. Microbial Pathogenesis, 2021. 155: p. 104899.
- 68. Groleau, V., et al., Long-term impact of the ketogenic diet on growth and resting energy expenditure in children with intractable epilepsy. Developmental Medicine and Child Neurology, 2014. 56(9): p. 898-904.
- 69. Gumus, H., et al., The Effects of Ketogenic Diet on Seizures, Cognitive Functions, and Other Neurological Disorders in Classical Phenotype of Glucose Transporter 1 Deficiency Syndrome. Neuropediatrics, 2015. 46(5): p. 313-20.
- 70. Gupta, S., S. Dabla, and J.S. Kaushik, Modified Atkins Diet versus Low Glycemic Index Treatment for Drug-Resistant Epilepsy in Children: An Open Label, Randomized Controlled Trial. Indian Pediatrics, 2021. 25: p. 25.
- 71. Guzel, O., U. Uysal, and N. Arslan, Efficacy and tolerability of olive oil-based ketogenic diet in children with drug-resistant epilepsy: A single center experience from Turkey. European Journal of Paediatric Neurology, 2019. 23(1): p. 143-151.
- 72. Guzel, O., et al., The effect of olive oil-based ketogenic diet on serum lipid levels in epileptic children. Neurological Sciences, 2016. 37(3): p. 465-70.
- 73. Haberlandt, E., et al., Glucose transporter type 1 deficiency syndrome effectively treated with modified Atkins diet. Neuropediatrics, 2014. 45(2): p. 117-9.
- 74. Hack, A., et al., Monitoring of ketogenic diet for carnitine metabolites by subcutaneous microdialysis. Pediatric Research, 2006. 60(1): p. 93-6.
- 75. Hahn, T.J., L.R. Halstead, and D.C. DeVivo, Disordered mineral metabolism produced by ketogenic diet therapy. Calcified Tissue International, 1979. 28(1): p. 17-22.
- 76. Hallbook, T., et al., Effects of ketogenic diet on epileptiform activity in children with therapy resistant epilepsy. Epilepsy Research, 2007. 77(2-3): p. 134-40
- 77. Hallbook, T., J. Lundgren, and I. Rosen, Ketogenic diet improves sleep quality in children with therapy-resistant epilepsy. Epilepsia, 2007. 48(1): p. 59-65.
- 78. Hamdy, R.F., et al., Lack of influence of body mass index on the efficacy of the ketogenic diet. Journal of Child Neurology, 2007. 22(10): p. 1167-71.
- 79. Haney, C.A., et al., A Proof-of-Principle, Case-Control Study to Compensate for Potential Carbohydrates in Liquid Antiseizure Drugs in Children on the Ketogenic Diet. Journal of Child Neurology, 2019. 34(7): p. 367-370.
- 80. Hemingway, C., et al., The ketogenic diet: a 3- to 6-year follow-up of 150 children enrolled prospectively. Pediatrics, 2001. 108(4): p. 898-905.
- 81. Henderson, C.B., et al., Efficacy of the ketogenic diet as a treatment option for epilepsy: meta-analysis. Journal of Child Neurology, 2006. 21(3): p. 193-8.
- 82. Hong, A.M., et al., Infantile spasms treated with the ketogenic diet: prospective single-center experience in 104 consecutive infants. Epilepsia, 2010. 51(8): p. 1403-7.
- 83. Hung, P.L., et al., An Examination of Serum Acylcarnitine and Amino Acid Profiles at Different Time Point of Ketogenic Diet Therapy and Their Association of Ketogenic Diet Effectiveness. Nutrients, 2020. 13(1): p. 23.
- 84. Hung, P.L., et al., An Examination of Serum Acylcarnitine and Amino Acid Profiles at Different Time Point of Ketogenic Diet Therapy and Their Association of Ketogenic Diet Effectiveness. Nutrients, 2021. 13(1).
- 85. Huttenlocher, P.R., Ketonemia and seizures: metabolic and anticonvulsant effects of two ketogenic diets in childhood epilepsy. Pediatric Research, 1976. 10(5): p. 536-40.
- 86. Israel, R.H.A. and P.G.M. Elizabeth, Description and evaluation of the effects of the cetogenic diet in children with refractory epilepsy. Journal of the Selva Andina Research Society, 2020. 11(2): p. 142-152.
- 87. Ito, Y., et al., A modified Atkins diet is promising as a treatment for glucose transporter type 1 deficiency syndrome. Developmental Medicine and Child Neurology, 2011. 53(7): p. 658-63.
- 88. Kang, H.C., et al., Use of a modified Atkins diet in intractable childhood epilepsy. Epilepsia, 2007. 48(1): p. 182-6.
- 89. Kang, H.C., et al., Comparison of short- versus long-term ketogenic diet for intractable infantile spasms. Epilepsia, 2011. 52(4): p. 781-7.
- 90. Kankirawatana, P., et al., Ketogenic diet: an alternative treatment for refractory epilepsy in children. Journal of the Medical Association of Thailand, 2001. 84(7): p. 1027-32.
- 91. Kapetanakis, M., et al., Effects of ketogenic diet on vascular function. European Journal of Paediatric Neurology, 2014. 18(4): p. 489-94.
- 92. Karimzadeh, P., T. Moosavian, and H.R. Moosavian, Effects of a Formula-Based Ketogenic Diet on Refractory Epilepsy in 1 to 3 Year-Old Patients under Classic Ketogenic Diet. Iranian Journal of Child Neurology, 2019. 13(4): p. 83-90.
- 93. Katyal, N.G., et al., The ketogenic diet in refractory epilepsy: the experience of Children's Hospital of Pittsburgh. Clinical Pediatrics, 2000. 39(3): p. 153-9.
- 94. Kayyali, H.R., et al., Ketogenic diet efficacy in the treatment of intractable epileptic spasms. Pediatric Neurology, 2014. 50(3): p. 224-7.

- 95. Kessler, S.K., et al., Early EEG improvement after ketogenic diet initiation. Epilepsy Research, 2011. 94(1-2): p. 94-101.
- 96. Kim, J.A., et al., Efficacy of the classic ketogenic and the modified Atkins diets in refractory childhood epilepsy. Epilepsia, 2016. 57(1): p. 51-8.
- 97. Kim, S.H., et al., Low glycemic index treatment in patients with drug-resistant epilepsy. Brain and Development, 2017. 39(8): p. 687-692.
- 98. Klepper, J., et al., Effects of the ketogenic diet in the glucose transporter 1 deficiency syndrome. Prostaglandins Leukotrienes & Essential Fatty Acids, 2004. 70(3): p. 321-7.
- 99. Klepper, J., et al., Introduction of a ketogenic diet in young infants. Journal of Inherited Metabolic Disease, 2002. 25(6): p. 449-60.
- 100. Klepper, J., et al., Seizure control and acceptance of the ketogenic diet in GLUT1 deficiency syndrome: a 2- to 5-year follow-up of 15 children enrolled prospectively. 2005. 1(5): p. 302-8.
- 101. Ko, A., et al., The Efficacy of Ketogenic Diet for Specific Genetic Mutation in Developmental and Epileptic Encephalopathy. Frontiers in neurology [electronic resource]. 2018. 9: p. 530.
- 102. Koffler, H., W.K. Schubert, and G. Hug, Sporadic hypoglycemia abnormal epinephrine response to ketogenic diet or to insulin. Journal of Pediatrics, 1971. 78(3): p. 448-+.
- 103. Kong, J., et al., Longitudinal changes in insulin resistance in children with epilepsy on ketogenic diet: Prevalence and risk factors. Epilepsy & Behavior, 2020. 112: p. 107393.
- 104. Kose, E., et al., Changes of thyroid hormonal status in patients receiving ketogenic diet due to intractable epilepsy. Journal of Pediatric Endocrinology and Metabolism, 2017. 30(4): p. 411-416.
- 105. Kossoff, E.H., J.L. Borsage, and A.M. Comi, A pilot study of the modified Atkins diet for Sturge-Weber syndrome. Epilepsy Research, 2010. 92(2-3): p. 240-3.
- 106. Kossoff, E.H., et al., Prospective study of the modified atkins diet in combination with a ketogenic liquid supplement during the initial month. Journal of Child Neurology, 2011. 26(2): p. 147-51.
- 107. Kossoff, E.H., et al., Use of the modified Atkins diet for adolescents with chronic daily headache. Cephalalgia, 2010. 30(8): p. 1014-6.
- 108. Kossoff, E.H., et al., A modified Atkins diet is effective for the treatment of intractable pediatric epilepsy. Epilepsia, 2006. 47(2): p. 421-424.
- 109. Kossoff, E.H., et al., A randomized, crossover comparison of daily carbohydrate limits using the modified Atkins diet. Epilepsy & Behavior, 2007. 10(3): p. 432-6.
- 110. Kumada, T., et al., Efficacy and tolerability of modified Atkins diet in Japanese children with medication-resistant epilepsy. Brain and Development, 2012. 34(1): p. 32-8.
- 111. Lambrechts, D.A., et al., Ketogenic diet effects on cognition, mood, and psychosocial adjustment in children. 2013. 1(2): p. 103-8.
- 112. Lambrechts, D.A., et al., A prospective study on changes in blood levels of cholecystokinin-8 and leptin in patients with refractory epilepsy treated with the ketogenic diet. Epilepsy Research, 2016. 127: p. 87-92.
- 113. Lambrechts, D.A., et al., The MCT-ketogenic diet as a treatment option in refractory childhood epilepsy: A prospective study with 2-year follow-up. Epilepsy & Behavior, 2015. 51: p. 261-6.
- 114. Lambrechts, D.A., et al., A randomized controlled trial of the ketogenic diet in refractory childhood epilepsy. Acta Neurologica Scandinavica, 2017. 135(2): p. 231-239.
- 115. Le Pichon, J.B., et al., Initiating the ketogenic diet in infants with treatment refractory epilepsy while maintaining a breast milk diet. Seizure-European Journal of Epilepsy, 2019. 69: p. 41-43.
- 116. Lee, H.F., C.S. Chi, and J.H. Liao, Use of cooking oils in a 2:1 ratio classical ketogenic diet for intractable pediatric epilepsy: Long-term effectiveness and tolerability. Epilepsy Research, 2018. 147: p. 75-79.
- 117. Lee, R.W.Y., et al., A modified ketogenic gluten-free diet with MCT improves behavior in children with autism spectrum disorder. Physiology and Behavior, 2018. 188: p. 205-211.
- 118. Lee, Y.J., et al., Longitudinal Change in Thyroid Hormone Levels in Children with Epilepsy on a Ketogenic Diet: Prevalence and Risk Factors. Journal of Epilepsy Research, 2017. 7(2): p. 99-105.
- 119. Li, B., et al., Effects of ketogenic diet on the clinical and electroencephalographic features of children with drug therapy-resistant epilepsy. Experimental and Therapeutic Medicine, 2013. 5(2): p. 611-615.
- 120. Liu, Y., et al., Ketogenic diet and growth in Chinese infants with refractory epilepsy. Asia Pacific Journal of Clinical Nutrition, 2021. 30(1): p. 113-121.
- 121. Liu, Y.M., et al., A prospective study: growth and nutritional status of children treated with the ketogenic diet. Journal of the American Dietetic Association, 2003. 103(6): p. 707-12.
- 122. Mackay, M.T., et al., The ketogenic diet in refractory childhood epilepsy. Journal of Paediatrics and Child Health, 2005. 41(7): p. 353-7.
- 123. Mak, S.C., C.S. Chi, and C.J. Wan, Clinical experience of ketogenic diet on children with refractory epilepsy. Acta Paediatrica Taiwanica, 1999. 40(2): p. 97-100
- 124. Mandel, A., et al., Medical costs are reduced when children with intractable epilepsy are successfully treated with the ketogenic diet. Journal of the American Dietetic Association, 2002. 102(3): p. 396-8.
- 125. Marchio, M., et al., Decreased ghrelin and des-acyl ghrelin plasma levels in patients affected by pharmacoresistant epilepsy and maintained on the ketogenic diet. Clinical Nutrition, 2019. 38(2): p. 954-957.
- 126. Marchio, M., et al., Ghrelin Plasma Levels After 1 Year of Ketogenic Diet in Children With Refractory Epilepsy. Frontiers in Nutrition, 2019. 6: p. 112.
- 127. Marsh, E.B., et al., The outcome of children with intractable seizures: a 3- to 6-year follow-up of 67 children who remained on the ketogenic diet less than one year. 2006. 1(2): p. 425-30.
- 128. Martins, L.D., et al., Effect of the classic ketogenic diet on the treatment of refractory epileptic seizures. Revista De Nutricao-Brazilian Journal of Nutrition, 2012, 25(5); p. 565-573.
- 129. Masino, S.A., et al., Differential ketogenic diet-induced shift in CSF lipid/carbohydrate metabolome of pediatric epilepsy patients with optimal vs. no anticonvulsant response: a pilot study. Nutrition & Metabolism, 2021. 18(1): p. 23.
- 130. McQuarrie, I. and H.M. Keith, Epilepsy in children Relationship of variations in the degree of ketonuria to occurrence of convulsions in epileptic children on ketogenic diets. American Journal of Diseases of Children, 1927. 34(6): p. 1013-1029.
- 131. Mehta, R., et al., Efficacy and tolerability of the modified Atkins diet in young children with refractory epilepsy: Indian experience. 2016. 1(4): p. 523-527.
- 132. Millichap, J.G., CSF Amino Acids, Pterins and Mechanism of the Ketogenic Diet. Pediatric Neurology Briefs, 2015. 29(10): p. 79.
- 133. Miranda, M.J., et al., Danish study of a modified Atkins diet for medically intractable epilepsy in children: can we achieve the same results as with the classical ketogenic diet? Seizure, 2011. 20(2): p. 151-5.
- 134. Moreno Villares, J.M., et al., [The return to the ketogenic diet. What role does it play in the treatment of refractory seizures of infancy?]. Revista de Neurología, 2001. 32(12): p. 1115-9.
- 135. Mu, C., et al., Metabolic Framework for the Improvement of Autism Spectrum Disorders by a Modified Ketogenic Diet: A Pilot Study. Journal of Proteome Research, 2020. 19(1): p. 382-390.
- 136. Musa-Veloso, K., et al., Breath acetone predicts plasma ketone bodies in children with epilepsy on a ketogenic diet. Nutrition, 2006. 22(1): p. 1-8.
- 137. Musa-Veloso, K., et al., Epilepsy and the ketogenic diet: assessment of ketosis in children using breath acetone. Pediatric Research, 2002. 52(3): p. 443-8.
- 138. Nabbout, R., et al., Ketogenic diet also benefits Dravet syndrome patients receiving stiripentol: a prospective pilot study. Epilepsia, 2011. 52(7): p. e54-7.
- 139. Napolitano, A., et al., The Ketogenic Diet Increases In Vivo Glutathione Levels in Patients with Epilepsy. Metabolites, 2020. 10(12): p. 10.
- 140. Nathan, J.K., et al., Ketogenic diet in Indian children with uncontrolled epilepsy. Indian Pediatrics, 2009. 46(8): p. 669-73.
- 141. Neal, E.G., et al., The ketogenic diet for the treatment of childhood epilepsy; a randomised controlled trial. Lancet Neurology, 2008. 7(6): p. 500-6.
- 142. Neal, E.G., et al., A randomized trial of classical and medium-chain triglyceride ketogenic diets in the treatment of childhood epilepsy. Epilepsia, 2009. 50(5): p. 1109-17.

- 143. Neal, E.G., et al., Growth of children on classical and medium-chain triglyceride ketogenic diets. Pediatrics, 2008. 122(2): p. e334-40.
- 144. Nelson, M.V., Calcium and phosphorus metabolism of epileptic children receiving a ketogenic diet. American Journal of Diseases of Children, 1928. 36(4): p. 716-719.
- 145. Ni, F.F., et al., The effects of ketogenic diet on the Th17/Treg cells imbalance in patients with intractable childhood epilepsy. Seizure, 2016. 38: p. 17-22.
- 146. Nikanorova, M., et al., Ketogenic diet in the treatment of refractory continuous spikes and waves during slow sleep. Epilepsia, 2009. 50(5): p. 1127-31.
- 147. Nizamuddin, J., et al., Management and risk factors for dyslipidemia with the ketogenic diet. Journal of Child Neurology, 2008. 23(7): p. 758-61.
- 148. Nkole, K.L., et al., Ketogenic diet in Zambia: Managing drug-resistant epilepsy in a low and middle income country. Epilepsy & Behavior Reports, 2020. 14: p. 100380.
- 149. Numis, A.L., et al., The relationship of ketosis and growth to the efficacy of the ketogenic diet in infantile spasms. Epilepsy Research, 2011. 96(1-2): p. 172-175.
- 150. Olgac, A., et al., Beneficial Effects of Modified Atkins Diet in Glycogen Storage Disease Type IIIa. Annals of Nutrition and Metabolism, 2020. 76(4): p. 233-241.
- 151. Ozdemir, R., et al., The Effect of the Ketogenic Diet on the Vascular Structure and Functions in Children With Intractable Epilepsy. Pediatric Neurology, 2016. 56: p. 30-34.
- 152. Ozdemir, R., et al., The Impact of 3:1 Ketogenic Diet on Cardiac Repolarization Changes in Children with Refractory Seizures: A Prospective Follow-Up Study. Neuropediatrics, 2016. 47(3): p. 157-61.
- 153. Ozdemir, R., et al., Does ketogenic diet have any negative effect on cardiac systolic and diastolic functions in children with intractable epilepsy?: One-year follow-up results. Brain and Development, 2016. 38(9): p. 842-7.
- 154. Pan, J.W., et al., Ketosis and epilepsy: P-31 spectroscopic imaging at 4.1 T. Epilepsia, 1999. 40(6): p. 703-707.
- 155. Panico, L.R., et al., The ketogenic diet in infantile refractory epilepsy: electroclinical response, complications and secondary effects. Revista de Neurología, 2000. 31(3): p. 212-20.
- 156. Panico, L.R., et al., The electroencephalographic evolution of a group of patients on a ketogenic diet. Revista de Neurología, 2000. 30(1): p. 8-15.
- 157. Pfeifer, H.H. and E.A. Thiele, Low-glycemic-index treatment: A liberalized ketogenic diet for treatment of intractable epilepsy. Neurology, 2005. 65(11): p. 1810-1812.
- Pires, M.E., et al., Ketogenic diet for infantile spasms refractory to first-line treatments: An open prospective study. Epilepsy Research, 2013. 105(1-2): p.
 189-194.
- 159. Poorshiri, B., et al., The efficacy comparison of classic ketogenic diet and modified Atkins diet in children with refractory epilepsy: a clinical trial. Acta Neurologica Belgica, 2021. 121(2): p. 483-487.
- 160. Prudencio, M.B., et al., Micronutrient supplementation needs more attention in patients with refractory epilepsy under ketogenic diet treatment. Nutrition, 2021. 86: p. 111158.
- 161. Pulsifer, M.B., et al., Effects of ketogenic diet on development and behavior: preliminary report of a prospective study. Developmental Medicine and Child Neurology, 2001. 43(5): p. 301-6.
- 162. Raju, K.N., et al., Efficacy of 4:1 (classic) versus 2.5:1 ketogenic ratio diets in refractory epilepsy in young children: a randomized open labeled study. Epilepsy Research, 2011. 96(1-2): p. 96-100.
- 163. Ramm-Pettersen, A., et al., Occurrence of GLUT1 deficiency syndrome in patients treated with ketogenic diet. Epilepsy & Behavior, 2014. 32: p. 76-8.
- 164. Ramm-Pettersen, A., et al., Does ketogenic diet improve cognitive function in patients with GLUT1-DS? A 6- to 17-month follow-up study. Epilepsy & Behavior, 2014. 39: p. 111-5.
- 165. Rauchenzauner, M., et al., The ketogenic diet in children with Glut1 deficiency syndrome and epilepsy. Journal of Pediatrics, 2008. 153(5): p. 716-8.
- 166. Remahl, S., M.G. Dahlin, and P.E. Amark, Influence of the ketogenic diet on 24-hour electroencephalogram in children with epilepsy. Pediatric Neurology, 2008. 38(1): p. 38-43.
- 167. Rios, V.G., Complications of treatment of epilepsy by a ketogenic diet. Revista de Neurología, 2001. 33(10): p. 909-15.
- 168. Rizzutti, S., et al., Is hospitalization really necessary during the introduction of the ketogenic diet? Journal of Child Neurology, 2007. 22(1): p. 33-7.
- 169. Ros Perez, P., et al., Evaluation of the effectiveness of the ketogenic diet with medium-chain triglycerides, in the treatment of refractory epilepsy in children. Appropos of a series of cases. Anales Españoles de Pediatría, 1989. 30(3): p. 155-8.
- 170. Ross, D.L., et al., Early biochemical and EEG correlates of the ketogenic diet in children with atypical absence epilepsy. Pediatric Neurology, 1985. 1(2): p. 104-8.
- 171. Ruiz Herrero, J., et al., Safety and Effectiveness of the Prolonged Treatment of Children with a Ketogenic Diet. Nutrients, 2020. 12(2): p. 24.
- 172. Ruiz Herrero, J., et al., Classic Ketogenic Diet and Modified Atkins Diet in SLC2A1 Positive and Negative Patients with Suspected GLUT1 Deficiency Syndrome: A Single Center Analysis of 18 Cases. Nutrients, 2021. 13(3): p. 04.
- 173. Sampaio, L.P.D., C. Takakura, and M.L.G. de Manreza, The use of a formula-based ketogenic diet in children with refractory epilepsy. Arquivos de Neuro-Psiquiatria, 2017. 75(4): p. 234-237.
- 174. Sampath, A., et al., Kidney stones and the ketogenic diet: risk factors and prevention. Journal of Child Neurology, 2007. 22(4): p. 375-8.
- 175. Sariego-Jamardo, A., et al., Efficacy of the Ketogenic Diet for the Treatment of Refractory Childhood Epilepsy: Cerebrospinal Fluid Neurotransmitters and Amino Acid Levels. Pediatric Neurology, 2015. 53(5): p. 422-6.
- 176. Schoeler, N.E., et al., An examination of biochemical parameters and their association with response to ketogenic dietary therapies. Epilepsia, 2017. 58(5): p. 893-900.
- 177. Schwartz, R.H., et al., Ketogenic diets in the treatment of epilepsy: short-term clinical effects. Developmental Medicine and Child Neurology, 1989. 31(2): p. 145-51.
- 178. Schwartz, R.M., S. Boyes, and A. Aynsley-Green, Metabolic effects of three ketogenic diets in the treatment of severe epilepsy. Developmental Medicine and Child Neurology, 1989. 31(2): p. 152-60.
- 179. Seo, J.H., et al., Efficacy and tolerability of the ketogenic diet according to lipid:nonlipid ratios--comparison of 3:1 with 4:1 diet. Epilepsia, 2007. 48(4): p. 801-5.
- 180. Sharma, S., et al., Evaluation of a simplified modified Atkins diet for use by parents with low levels of literacy in children with refractory epilepsy: A randomized controlled trial. Epilepsy Research, 2016. 127: p. 152-159.
- 181. Sharma, S., et al., Evaluation of the Modified Atkins Diet for the Treatment of Epileptic Spasms Refractory to Hormonal Therapy: A Randomized Controlled Trial. Journal of Child Neurology, 2021: p. 8830738211004747.
- 182. Sharma, S. and S. Gulati, The ketogenic diet and the QT interval. Journal of Clinical Neuroscience, 2012. 19(1): p. 181-2.
- 183. Sharma, S., et al., Seizure control and biochemical profile on the ketogenic diet in young children with refractory epilepsy--Indian experience. Seizure, 2009. 18(6): p. 446-9.
- 184. Sharma, S., et al., Use of the modified Atkins diet in infantile spasms refractory to first-line treatment. Seizure, 2012. 21(1): p. 45-8.
- 185. Sharma, S., et al., Use of the modified Atkins diet for treatment of refractory childhood epilepsy: A randomized controlled trial. Epilepsia, 2013. 54(3): p. 481-486.
- 186. Simm, P.J., et al., The effect of the ketogenic diet on the developing skeleton. Epilepsy Research, 2017. 136: p. 62-66.
- 187. Sondhi, V., et al., Efficacy of Ketogenic Diet, Modified Atkins Diet, and Low Glycemic Index Therapy Diet Among Children With Drug-Resistant Epilepsy: A Randomized Clinical Trial. JAMA Pediatrics, 2020. 174(10): p. 944-951.
- 188. Spinelli, E. and R. Blackford, Gut Microbiota, the Ketogenic Diet and Epilepsy. Pediatric Neurology Briefs, 2018. 32: p. 10.
- 189. Spulber, G., et al., Growth dependence on insulin-like growth factor-1 during the ketogenic diet. Epilepsia, 2009. 50(2): p. 297-303.
- 190. Suo, C.O., et al., Efficacy and safety of the ketogenic diet in Chinese children. Seizure-European Journal of Epilepsy, 2013. 22(3): p. 174-178.

- 191. Svedlund, A., et al., Prospective study of growth and bone mass in Swedish children treated with the modified Atkins diet. European Journal of Paediatric Neurology, 2019. 23(4): p. 629-638.
- 192. Tagliabue, A., et al., Effects of the ketogenic diet on nutritional status, resting energy expenditure, and substrate oxidation in patients with medically refractory epilepsy: a 6-month prospective observational study. Clinical Nutrition, 2012. 31(2): p. 246-9.
- 193. Tagliabue, A., et al., Short-term impact of a classical ketogenic diet on gut microbiota in GLUT1 Deficiency Syndrome: A 3-month prospective observational study. Clinical Nutrition ESPEN, 2017. 17: p. 33-37.
- 194. Tajima, D., et al., Transient hypoglycorrhachia with paroxysmal abnormal eye movement in early infancy. Brain and Development, 2021. 43(3): p. 482-485
- 195. Talbot, F.B. and V. Bates, Effect of ketogenic diet on the blood sugar and the respiratory quotient of children. American Journal of Diseases of Children, 1935. 50(4): p. 827-839.
- 196. Talbot, F.B., K.M. Metcall, and M.E. Moriarty, A clinical study of epileptic children treated by ketogenic diet. Boston Medical and Surgical Journal, 1927. 196: p. 89-96.
- 197. Thammongkol, S., et al., Efficacy of the ketogenic diet: which epilepsies respond? Epilepsia, 2012. 53(3): p. e55-9.
- 198. Than, K.D., et al., Can you predict an immediate, complete, and sustained response to the ketogenic diet? Epilepsia, 2005. 46(4): p. 580-2.
- 199. Titre-Johnson, S., et al., Ketogenic diet in the treatment of epilepsy in children under the age of 2 years: study protocol for a randomised controlled trial. Trials [Electronic Resource], 2017. 18(1): p. 195.
- 200. Tonekaboni, S.H., et al., Efficacy of the Atkins diet as therapy for intractable epilepsy in children. Archives of Iranian Medicine, 2010. 13(6): p. 492-7.
- 201. Tumas, R., et al., Ketogenic diet in epileptic children: clinical and laboratory assessment. Nutricion Hospitalaria, 2010. 25(2): p. 317-8.
- Usacheva, E.L., et al., Use of ketogenic diet in treatment of pharmacoresistant epilepsy. Zhurnal Nevrologii i Psikhiatrii Imeni S.S. Korsakova, 2004. 104(7): p. 29-34.
- 203. van Delft, R., et al., Blood beta-hydroxybutyrate correlates better with seizure reduction due to ketogenic diet than do ketones in the urine. Seizure, 2010. 19(1): p. 36-9.
- 204. Vining, E.P., et al., A multicenter study of the efficacy of the ketogenic diet. Archives of Neurology, 1998. 55(11): p. 1433-7.
- 205. Wang, Y.S., et al., Medium-chain triglyceride ketogenic diet for drug-resistant epilepsy in Taiwan: A prospective study in a single center. Neurology Asia, 2016. 21(4): p. 341-347.
- 206. Wang, Z.J., et al., In vivo measurement of brain metabolites using two-dimensional double-quantum MR spectroscopy--exploration of GABA levels in a ketogenic diet. Magnetic Resonance in Medicine, 2003. 49(4): p. 615-9.
- 207. Weber, S., et al., Modified Atkins diet to children and adolescents with medical intractable epilepsy. Seizure, 2009. 18(4): p. 237-40.
- 208. Weijenberg, A., et al., Ketogenic Diet in Refractory Childhood Epilepsy: Starting With a Liquid Formulation in an Outpatient Setting. Child Neurology Open, 2018. 5: p. 2329048X18779497.
- 209. Wexler, I.D., et al., Outcome of pyruvate dehydrogenase deficiency treated with ketogenic diets. Studies in patients with identical mutations. Neurology, 1997. 49(6): p. 1655-61.
- 210. Wijnen, B.F.M., et al., Long-term clinical outcomes and economic evaluation of the ketogenic diet versus care as usual in children and adolescents with intractable epilepsy. Epilepsy Research, 2017. 132: p. 91-99.
- 211. Woody, R.C., et al., Corn oil ketogenic diet for children with intractable seizures. Journal of Child Neurology, 1988. 3(1): p. 21-4.
- 212. Wu, Q., et al., Ketogenic diet effects on 52 children with pharmacoresistant epileptic encephalopathy: A clinical prospective study. Brain and Behavior, 2018. 8(5): p. e00973.
- 213. Wu, Y.J., et al., Six-month efficacy of the Ketogenic diet is predicted after 3 months and is unrelated to clinical variables. Epilepsy & Behavior, 2016. 55: p. 165-9.
- Xie, G., et al., Ketogenic diet poses a significant effect on imbalanced gut microbiota in infants with refractory epilepsy. World Journal of Gastroenterology, 2017. 23(33): p. 6164-6171.
- 215. Xing, Y., S. Liu, and Q. Lin, Effects of ketogenic diet on children with refractory epilepsy, electroencephalogram and neurobehavioral development. Minerva Medica, 2020. 18: p. 18.
- 216. Xu, X.P., et al., Polyunsaturated fatty acids and cerebrospinal fluid from children on the ketogenic diet open a voltage-gated K channel: a putative mechanism of antiseizure action. Epilepsy Research, 2008. 80(1): p. 57-66.
- 217. Yan, N., et al., Prospective study of the efficacy of a ketogenic diet in 20 patients with Dravet syndrome. Seizure, 2018. 60: p. 144-148.
- 218. Yilmaz, U., et al., The effect of ketogenic diet on thyroid functions in children with drug-resistant epilepsy. Neurological Sciences, 2021. 12: p. 12.
- 219. Youn, S.E., et al., Long-term outcomes of ketogenic diet in patients with tuberous sclerosis complex-derived epilepsy. Epilepsy Research, 2020. 164: p. 106348
- 220. Yum, M.K., et al., Effect of a ketogenic diet on EEG: analysis of sample entropy. Seizure, 2008. 17(6): p. 561-6.
- 221. Zamani, G.R., et al., The effects of classic ketogenic diet on serum lipid profile in children with refractory seizures. Acta Neurologica Belgica, 2016. 116(4): p. 529-534.
- 222. Zarnowska, I., et al., Changes in tryptophan and kynurenine pathway metabolites in the blood of children treated with ketogenic diet for refractory epilepsy. Seizure, 2019. 69: p. 265-272.
- Zhang, J., et al., Efficacy of the ketogenic diet on ACTH- or corticosteroid-resistant infantile spasm: a multicentre prospective control study. Epileptic Disorders, 2021. 23(2): p. 337-345.
- 224. Zhang, Y., et al., Altered gut microbiome composition in children with refractory epilepsy after ketogenic diet. Epilepsy Research, 2018. 145: p. 163-168.
- 225. Zhu, D., et al., Ketogenic diet effects on neurobehavioral development of children with intractable epilepsy: A prospective study. Epilepsy & Behavior, 2016. 55: p. 87-91.
- 226. Zhu, D.N., et al., Prospective study of ketogenic diet in treatment of children with global developmental delay. Zhongguo Dangdai Erke Zazhi, 2017. 19(10): p. 1038-1043
- 227. Zhu, D.N., et al., Therapeutic effect of ketogenic diet for refractory epilepsy in children: a prospective observational study. Zhongguo Dangdai Erke Zazhi, 2014. 16(5): p. 513-7.

Supplementary Appendix 2: Metabolic trials (includes publications that may refer to the same trial)

- 1. Ahmed, H.O. and R.F. Ezzat, Quality of life of obese patients after treatment with the insertion of intra-gastric balloon versus Atkins diet in Sulaimani Governorate, Kurdistan Region, Iraq. Annals of Medicine & Surgery, 2019. 37: p. 42-46.
- 2. Akpulat, S., N. GÜLsoy Kirnap, and A. Pfeiffer, The Effects of Low-Carbohydrate Diet and Protein-rich Mixed Diet on Insulin Sensitivity, Basal Metabolic Rate and Metabolic Parameters in Obese Patients. Turkish Journal of Endocrinology & Metabolism, 2020. 24(3): p. 206-213.
- 3. Al-Sari, N., et al., Changes in the lipidome in type 1 diabetes following low carbohydrate diet: Post-hoc analysis of a randomized crossover trial. Endocrinology, and Diabetes & Metabolism, 2021. 4(2): p. e00213.
- 4. Al-Sarraj, T., et al., Carbohydrate restriction, as a first-line dietary intervention, effectively reduces biomarkers of metabolic syndrome in Emirati adults. Journal of Nutrition, 2009. 139(9): p. 1667-76.
- 5. Al-Sarraj, T., et al., Carbohydrate restriction favorably alters lipoprotein metabolism in Emirati subjects classified with the metabolic syndrome. Nutrition Metabolism & Cardiovascular Diseases, 2010. 20(10): p. 720-6.
- Albanese, A., et al., Pre-operative Very Low Calorie Ketogenic Diet (VLCKD) vs. Very Low Calorie Diet (VLCD): Surgical Impact. Obesity Surgery, 2019. 29(1): p. 292-296.
- Alhassan, S., et al., Dietary adherence and weight loss success among overweight women: results from the A TO Z weight loss study. International Journal
 of Obesity, 2008. 32(6): p. 985-91.
- 8. Aller, R., et al., The effect of single-nucleotide polymorphisms at the ADIPOQ gene locus rs1501299 on metabolic parameters after 9 mo of a high-protein/low-carbohydrate versus a standard hypocaloric diet. Nutrition, 2019. 65: p. 44-49.
- 9. Allick, G., et al., A low-carbohydrate/high-fat diet improves glucoregulation in type 2 diabetes mellitus by reducing postabsorptive glycogenolysis. Journal of Clinical Endocrinology and Metabolism, 2004. 89(12): p. 6193-6197.
- 10. Almsaid, H. and H.M. Khalfa, The effect of Ketogenic diet on vitamin D3 and testosterone hormone in patients with diabetes mellitus type 2. Current Issues in Pharmacy and Medical Sciences, 2020. 33(4): p. 202-205.
- 11. Alnasir, F.A. and B.E. Fateha, Low carbohydrate diet. Its effects on selected body parameters of obese patients. Saudi Medical Journal, 2003. 24(9): p. 949-52.
- 12. Anguah, K.O.B., et al., Changes in Food Cravings and Eating Behavior after a Dietary Carbohydrate Restriction Intervention Trial. Nutrients, 2020. 12(1).
- 13. Anonymous, Effects of a low carbohydrate diet on energy expenditure during weight loss maintenance: randomized trial. BMJ, 2020. 371: p. m4264.
- 14. Apostolov, I., Changes in serum beta-N-acetylglucosaminidase activity in obesity patients treated with various diets and physical exertion. Problemi na Khigienata, 1976. 2: p. 203-8.
- 15. Aronica, L., et al., Examining differences between overweight women and men in 12-month weight loss study comparing healthy low-carbohydrate vs. low-fat diets. International Journal of Obesity, 2021. 45(1): p. 225-234.
- 16. Astrup, A., Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. New England Journal of Medicine, 2008. 359(20): p. 2169-70; author reply 2171.
- 17. Athinarayanan, S.J., et al., Long-Term Effects of a Novel Continuous Remote Care Intervention Including Nutritional Ketosis for the Management of Type 2 Diabetes: A 2-Year Non-randomized Clinical Trial. Frontiers in Endocrinology, 2019. 10: p. 348.
- 18. Athinarayanan, S.J., et al., Impact of a 2-year trial of nutritional ketosis on indices of cardiovascular disease risk in patients with type 2 diabetes. Cardiovascular Diabetology, 2020. 19(1): p. 208.
- 19. Atkinson, R.L. and D.L. Kaiser, Effects of calorie restriction and weight loss on glucose and insulin levels in obese humans. Journal of the American College of Nutrition, 1985. 4(4): p. 411-9.
- 20. Baba, N.H., et al., High protein vs high carbohydrate hypoenergetic diet for the treatment of obese hyperinsulinemic subjects. International Journal of Obesity, 1999. 23(11): p. 1202-1206.
- 21. Ballard, K.D., et al., Dietary carbohydrate restriction improves insulin sensitivity, blood pressure, microvascular function, and cellular adhesion markers in individuals taking statins. Nutrition Research, 2013. 33(11): p. 905-12.
- 22. Barbosa-Yanez, R.L., et al., Acute Endothelial Benefits of Fat Restriction over Carbohydrate Restriction in Type 2 Diabetes Mellitus: Beyond Carbs and Fats. Nutrients, 2018. 10(12): p. 01.
- 23. Basciani, S., et al., Very-Low-Calorie Ketogenic Diets With Whey, Vegetable, or Animal Protein in Patients With Obesity: A Randomized Pilot Study. Journal of Clinical Endocrinology and Metabolism, 2020. 105(9): p. 01.
- 24. Bazzano, L.A., et al., Effects of low-carbohydrate and low-fat diets: a randomized trial. Annals of Internal Medicine, 2014. 161(5): p. 309-18.
- 25. Beisswenger, B.G., et al., Ketosis leads to increased methylglyoxal production on the Atkins diet. Annals of the New York Academy of Sciences, 2005. 1043: p. 201-10.
- 26. Belopolsky, Y., et al., Ketogenic, hypocaloric diet improves nonalcoholic steatohepatitis. Journal of Translational Internal Medicine, 2020. 8(1): p. 26-31.
- 27. Ben-Avraham, S., et al., Dietary strategies for patients with type 2 diabetes in the era of multi-approaches; review and results from the Dietary Intervention Randomized Controlled Trial (DIRECT). Diabetes Research and Clinical Practice, 2009. 86 Suppl 1: p. S41-8.
- Benjaminov, O., et al., The effect of a low-carbohydrate diet on the nonalcoholic fatty liver in morbidly obese patients before bariatric surgery. Surgical Endoscopy, 2007. 21(8): p. 1423-7.
- 29. Benoit, F.L., R.L. Martin, and R.H. Watten, Changes in body composition during weight reduction in obesity. Balance studies comparing effects of fasting and a ketogenic diet. Annals of Internal Medicine, 1965. 63(4): p. 604-12.
- 30. Bertoli, S., et al., Long-term effects of a ketogenic diet on body composition and bone mineralization in GLUT-1 deficiency syndrome: a case series. Nutrition, 2014. 30(6): p. 726-8.
- 31. Bhanpuri, N.H., et al., Cardiovascular disease risk factor responses to a type 2 diabetes care model including nutritional ketosis induced by sustained carbohydrate restriction at 1 year: an open label, non-randomized, controlled study. Cardiovascular Diabetology, 2018. 17(1): p. 56.
- 32. Bisschop, P.H., et al., Dietary carbohydrate deprivation increases 24-hour nitrogen excretion without affecting postabsorptive hepatic or whole body protein metabolism in healthy men. Journal of Clinical Endocrinology and Metabolism, 2003. 88(8): p. 3801-3805.
- 33. Bluher, M., et al., Two patterns of adipokine and other biomarker dynamics in a long-term weight loss intervention. Diabetes Care, 2012. 35(2): p. 342-9.
- 34. Boden, G., et al., Effect of a low-carbohydrate diet on appetite, blood glucose levels, and insulin resistance in obese patients with type 2 diabetes. Annals of Internal Medicine, 2005. 142(6): p. 403-11.
- 35. Borradaile, K.E., et al., Relationship Between Treatment Preference and Weight Loss in the Context of a Randomized Controlled Trial. Obesity, 2012. 20(6): p. 1218-1222.
- 36. Bourke, S., J.M. Morton, and P. Williams, Effect of JumpstartMD, a Commercial Low-Calorie Low-Carbohydrate Physician-Supervised Weight Loss Program, on 22,407 Adults. Journal of Obesity, 2020: p. 1-25.
- 37. Bradley, U., et al., Low-fat versus low-carbohydrate weight reduction diets: effects on weight loss, insulin resistance, and cardiovascular risk: a randomized control trial. Diabetes, 2009. 58(12): p. 2741-8.
- 38. Brehm, B.J., et al., A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. Journal of Clinical Endocrinology and Metabolism, 2003. 88(4): p. 1617-23.
- 39. Brehm, B.J., et al., The role of energy expenditure in the differential weight loss in obese women on low-fat and low-carbohydrate diets. Journal of Clinical Endocrinology and Metabolism, 2005. 90(3): p. 1475-82.
- 40. Breukelman, G.J., et al., Concurrent low-carbohydrate, high-fat diet with/without physical activity does not improve glycaemic control in type 2 diabetics.

- South African Journal of Clinical Nutrition, 2021. 34(1): p. 18-21.
- 41. Breukelman, G.J., et al., Combination Low Carbohydrate, High Fat Diet and Physical Activity Intervention on Lipoprotein-Lipids in Type 2 Diabetics. Asian Journal of Sports Medicine, 2019. 10(4): p. 1-7.
- 42. Breukelman, G.J., et al., Immune Function Response Following a Low-carbohydrate, High-fat Diet (LCHFD) in Patients with Type 2 Diabetes. Asian Journal of Sports Medicine, 2021. 12(1): p. 1-11.
- 43. Brinkworth, G.D., et al., Renal function following long-term weight loss in individuals with abdominal obesity on a very-low-carbohydrate diet vs high-carbohydrate diet. Journal of the American Dietetic Association, 2010. 110(4): p. 633-8.
- 44. Brinkworth, G.D., et al., Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. American Journal of Clinical Nutrition, 2009. 90(1): p. 23-32.
- 45. Brinkworth, G.D., et al., Comparative effects of very low-carbohydrate, high-fat and high-carbohydrate, low-fat weight-loss diets on bowel habit and faecal short-chain fatty acids and bacterial populations. British Journal of Nutrition, 2009. 101(10): p. 1493-502.
- 46. Brinkworth, G.D., et al., Effects of a low carbohydrate weight loss diet on exercise capacity and tolerance in obese subjects. Obesity, 2009. 17(10): p. 1916-23.
- 47. Brinkworth, G.D., et al., Long-term effects of a very-low-carbohydrate weight-loss diet and an isocaloric low-fat diet on bone health in obese adults. Nutrition, 2016. 32(9): p. 1033-6.
- 48. Browning, J.D., et al., Short-term weight loss and hepatic triglyceride reduction: evidence of a metabolic advantage with dietary carbohydrate restriction. American Journal of Clinical Nutrition, 2011. 93(5): p. 1048-52.
- 49. Bruci, A., et al., Very Low-Calorie Ketogenic Diet: A Safe and Effective Tool for Weight Loss in Patients With Obesity and Mild Kidney Failure. Nutrients, 2020. 12(2): p. 27.
- 50. Burgess, B., S.P. Rao, and B.J. Tepper, Changes in liking for sweet and fatty foods following weight loss in women are related to prop phenotype but not to diet. Obesity, 2016. 24(9): p. 1867-73.
- 51. Burgess, B., H.A. Raynor, and B.J. Tepper, PROP Nontaster Women Lose More Weight Following a Low-Carbohydrate Versus a Low-Fat Diet in a Randomized Controlled Trial. 2017. 1(10): p. 1682-1690.
- 52. Burgess, B., H.A. Raynor, and B.J. Tepper, PROP Nontaster Women Lose More Weight Following a Low-Carbohydrate Versus a Low-Fat Diet in a Randomized Controlled Trial. Obesity (19307381), 2017. 25(10): p. 1682-1690.
- 53. Burke, L.M., et al., Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. Journal of Physiology, 2017. 595(9): p. 2785-2807.
- 54. Buscemi, S., et al., Effects of hypocaloric very-low-carbohydrate diet vs. Mediterranean diet on endothelial function in obese women. European Journal of Clinical Investigation, 2009. 39(5): p. 339-47.
- 55. Cai, L., et al., Increased Serum GDF15 Related to Improvement in Metabolism by Lifestyle Intervention Among Young Overweight and Obese Adults. Diabetes, Metabolic Syndrome and Obesity Targets and Therapy, 2021. 14: p. 1195-1202.
- 56. Caminhotto Rde, O., et al., Atkins diet program rapidly decreases atherogenic index of plasma in trained adapted overweight men. Archives of Endocrinology & Metabolism, 2015. 59(6): p. 568-71.
- 57. Campanati, A., et al., The effect of low-carbohydrates calorie-restricted diet on visceral adipose tissue and metabolic status in psoriasis patients receiving TNF-alpha inhibitors: results of an open label controlled, prospective, clinical study. Journal of Dermatological Treatment, 2017. 28(3): p. 206-212.
- 58. Can, A.S., C. Uysal, and K.E. Palaoglu, Short term effects of a low-carbohydrate diet in overweight and obese subjects with low HDL-C levels. BMC Endocrine Disorders, 2010. 10: p. 18.
- 59. Canfi, A., et al., Effect of changes in the intake of weight of specific food groups on successful body weight loss during a multi-dietary strategy intervention trial. 2011. 1(6): p. 491-501.
- 60. Canfi, A., et al., Effect of Changes in the Intake of Weight of Specific Food Groups on Successful Body Weight Loss during a Multi-Dietary Strategy Intervention Trial. Journal of the American College of Nutrition, 2011. 30(6): p. 491-501.
- 61. Cannataro, R., et al., Ketogenic Diet Acts on Body Remodeling and MicroRNAs Expression Profile. MicroRNA, 2019. 8(2): p. 116-126.
- 62. Capel, F., et al., Contribution of Energy Restriction and Macronutrient Composition to Changes in Adipose Tissue Gene Expression during Dietary Weight-Loss Programs in Obese Women. Journal of Clinical Endocrinology and Metabolism, 2008. 93(11): p. 4315-4322.
- 63. Carmen, M., et al., Treating binge eating and food addiction symptoms with low-carbohydrate Ketogenic diets: a case series. Journal of Eating Disorders, 2020. 8: p. 2.
- 64. Cassady, B.A., et al., Effects of low carbohydrate diets high in red meats or poultry, fish and shellfish on plasma lipids and weight loss. Nutrition & Metabolism, 2007. 4.
- Castaldo, G., et al., An observational study of sequential protein-sparing, very low-calorie ketogenic diet (Oloproteic diet) and hypocaloric Mediterraneanlike diet for the treatment of obesity. International Journal of Food Sciences and Nutrition, 2016. 67(6): p. 696-706.
- 66. Castaldo, G., et al., Effect of Very-Low-Calorie Ketogenic Diet on Psoriasis Patients: A Nuclear Magnetic Resonance-Based Metabolomic Study. Journal of Proteome Research, 2021. 20(3): p. 1509-1521.
- 67. Castaldo, G., et al., Aggressive nutritional strategy in morbid obesity in clinical practice: Safety, feasibility, and effects on metabolic and haemodynamic risk factors. Obesity Research & Clinical Practice, 2016. 10(2): p. 169-77.
- 68. Castaldo, G., et al., Aggressive weight-loss program with a ketogenic induction phase for the treatment of chronic plaque psoriasis: A proof-of-concept, single-arm, open-label clinical trial. Nutrition, 2020. 74: p. 110757.
- 69. Castro, A.I., et al., Effect of A Very Low-Calorie Ketogenic Diet on Food and Alcohol Cravings, Physical and Sexual Activity, Sleep Disturbances, and Quality of Life in Obese Patients. Nutrients, 2018. 10(10): p. 21.
- 70. Cattran, D.C., et al., Dialysis hyperlipemia: response to dietary manipulations. Clinical Nephrology, 1980. 13(4): p. 177-82.
- 71. Chen, C.Y., et al., Effect of a 90 g/day low-carbohydrate diet on glycaemic control, small, dense low-density lipoprotein and carotid intima-media thickness in type 2 diabetic patients: An 18-month randomised controlled trial. PLoS ONE [Electronic Resource], 2020. 15(10): p. e0240158.
- 72. Chen, J., et al., Impact of a low-carbohydrate and high-fiber diet on nonalcoholic fatty liver disease. Asia Pacific Journal of Clinical Nutrition, 2020. 29(3): p. 483-490.
- 73. Chen, X.Y., et al., The Effects of Mobile-App-Based Low-Carbohydrate Dietary Guidance on Postprandial Hyperglycemia in Adults with Prediabetes. Diabetes Therapy, 2020. 11(10): p. 2341-2355.
- 74. Chiu, S., P.T. Williams, and R.M. Krauss, Effects of a very high saturated fat diet on LDL particles in adults with atherogenic dyslipidemia: A randomized controlled trial. PloS One, 2017. 12(2).
- 75. Cicero, A.F., et al., Middle and Long-Term Impact of a Very Low-Carbohydrate Ketogenic Diet on Cardiometabolic Factors: A Multi-Center, Cross-Sectional, Clinical Study. High Blood Pressure & Cardiovascular Prevention, 2015. 22(4): p. 389-94.
- 76. Coleman, M.D. and S.M. Nickols-Richardson, Urinary ketones reflect serum ketone concentration but do not relate to weight loss in overweight premenopausal women following a low-carbohydrate/high-protein diet. Journal of the American Dietetic Association, 2005. 105(4): p. 608-611.
- 77. Colica, C., et al., Efficacy and safety of very-low-calorie ketogenic diet: a double blind randomized crossover study. 2017. 1(9): p. 2274-2289.
- 78. Coopmans, E.C., et al., Eucaloric Very-Low-Carbohydrate Ketogenic Diet in Acromegaly Treatment. New England Journal of Medicine, 2020. 382(22): p. 2161-2162.
- 79. Cordera, R., et al., Insulin receptor binding on red cells of hypertriglyceridemic patients. Effect of a low fat, low carbohydrate diet. Diabete et Metabolisme, 1985. 11(3): p. 137-40.
- 80. Crabtree, C.D., et al., Comparison of Ketogenic Diets with and without Ketone Salts versus a Low-Fat Diet: Liver Fat Responses in Overweight Adults. Nutrients, 2021. 13(3): p. 17.

- 81. Crowley, M.J., et al., Jump starting shared medical appointments for diabetes with weight management: Rationale and design of a randomized controlled trial. Contemporary Clinical Trials, 2017. 58: p. 1-12.
- 82. Crujeiras, A.B., et al., Plasma FGF21 levels in obese patients undergoing energy-restricted diets or bariatric surgery: a marker of metabolic stress? International Journal of Obesity, 2017. 41(10): p. 1570-1578.
- 83. Cunha, G.M., et al., MRI estimated changes in visceral adipose tissue and liver fat fraction in patients with obesity during a very low-calorie-ketogenic diet compared to a standard low-calorie diet. Clinical Radiology, 2020. 75(7): p. 526-532.
- 84. Cunha, G.M., et al., Efficacy of a 2-Month Very Low-Calorie Ketogenic Diet (VLCKD) Compared to a Standard Low-Calorie Diet in Reducing Visceral and Liver Fat Accumulation in Patients With Obesity. Frontiers in Endocrinology, 2020. 11: p. 607.
- 85. D'Abbondanza, M., et al., Very Low-Carbohydrate Ketogenic Diet for the Treatment of Severe Obesity and Associated Non-Alcoholic Fatty Liver Disease: The Role of Sex Differences. Nutrients, 2020. 12(9): p. 09.
- 86. Daly, M.E., et al., Short-term effects of severe dietary carbohydrate-restriction advice in Type 2 diabetes a randomized controlled trial. Diabetic Medicine, 2006. 23(1): p. 15-20.
- 87. Dansinger, M.L., et al., Comparison of the Atkins, Ornish, Weight Watchers, and Zone diets for weight loss and heart disease risk reduction: a randomized trial. JAMA, 2005. 293(1): p. 43-53.
- 88. Dashti, H.M., et al., Long term effects of ketogenic diet in obese subjects with high cholesterol level. 2006. 1(1-2): p. 1-9.
- 89. Dashti, H.M., et al., Ketogenic diet modifies the risk factors of heart disease in obese patients. Nutrition, 2003. 19(10): p. 901-2.
- 90. Dashti, H.M., et al., Long-term effects of a ketogenic diet in obese patients. Experimental and Clinical Cardiology, 2004. 9(3): p. 200-5.
- 91. Dashti, H.M., et al., Beneficial effects of ketogenic diet in obese diabetic subjects. Molecular and Cellular Biochemistry, 2007. 302(1-2): p. 249-56.
- 92. Davie, M., et al., Effect of high and low-carbohydrate diets on nitrogen-balance during calorie restriction in obese subjects. International Journal of Obesity, 1982. 6(5): p. 457-462.
- 93. Davis, N.J., et al., Serum potassium changes with initiating low-carbohydrate compared to a low-fat weight loss diet in type 2 diabetes. Southern Medical Journal, 2008. 101(1): p. 46-9.
- 94. Davis, N.J., et al., Differential effects of low-carbohydrate and low-fat diets on inflammation and endothelial function in diabetes. Journal of Diabetes and Its Complications, 2011. 25(6): p. 371-376.
- 95. Davis, N.J., et al., Diabetes-specific quality of life after a low-carbohydrate and low-fat dietary intervention. Diabetes Educator, 2012. 38(2): p. 250-5.
- 96. Davis, N.J., et al., Comparative study of the effects of a 1-year dietary intervention of a low-carbohydrate diet versus a low-fat diet on weight and glycemic control in type 2 diabetes. Diabetes Care, 2009. 32(7): p. 1147-52.
- 97. de las Fuentes, L., et al., Effect of moderate diet-induced weight loss and weight regain on cardiovascular structure and function. Journal of the American College of Cardiology, 2009. 54(25): p. 2376-81.
- 98. de Luis, D., et al., Effect of DHA supplementation in a very low-calorie ketogenic diet in the treatment of obesity: a randomized clinical trial. Endocrine, 2016. 54(1): p. 111-122.
- 99. De Pergola, G., et al., Effects of a Low Carb Diet and Whey Proteins on Anthropometric, Hematochemical, and Cardiovascular Parameters in Subjects with Obesity. Endocrine, Metabolic & Immune Disorders Drug Targets, 2020. 20(10): p. 1719-1725.
- 100. Dimosthenopoulos, C., et al., The beneficial short-term effects of a high-protein/low-carbohydrate diet on glycaemic control assessed by continuous glucose monitoring in patients with type 1 diabetes. Diabetes, Obesity & Metabolism, 2021. 26: p. 26.
- 101. Durrer, C., et al., Pharmacist-led therapeutic carbohydrate restriction as a treatment strategy for type 2 diabetes: the Pharm-TCR randomized controlled trial protocol. Trials [Electronic Resource], 2019. 20(1): p. 781.
- 102. Dyson, P.A., S. Beatty, and D.R. Matthews, A low-carbohydrate diet is more effective in reducing body weight than healthy eating in both diabetic and non-diabetic subjects. Diabetic Medicine, 2007. 24(12): p. 1430-5.
- 103. Ebbeling, C.B., et al., Energy Requirement Is Higher During Weight-Loss Maintenance in Adults Consuming a Low- Compared with High-Carbohydrate Diet. Journal of Nutrition, 2020. 150(8): p. 2009-2015.
- 104. Ebbeling, C.B., et al., Effects of a low carbohydrate diet on energy expenditure during weight loss maintenance: randomized trial. BMJ, 2018. 363: p. k4583.
- 105. Ebbeling, C.B., et al., A randomized study of dietary composition during weight-loss maintenance: Rationale, study design, intervention, and assessment. Contemporary Clinical Trials, 2018. 65: p. 76-86.
- 106. Ebbeling, C.B., et al., Effects of dietary composition on energy expenditure during weight-loss maintenance. JAMA, 2012. 307(24): p. 2627-34.
- 107. Esko, T., et al., Metabolomic profiles as reliable biomarkers of dietary composition. American Journal of Clinical Nutrition, 2017. 105(3): p. 547-554.
- 108. Esposito, T., et al., Effects of low-carbohydrate diet therapy in overweight subjects with autoimmune thyroiditis: possible synergism with ChREBP. Drug Design, Development and Therapy, 2016. 10: p. 2939-2946.
- 109. Essah, P.A., et al., Effect of weight loss by a low-fat diet and a low-carbohydrate diet on peptide YY levels. International Journal of Obesity, 2010. 34(8): p. 1239-42.
- 110. Fernemark, H., et al., A randomized cross-over trial of the postprandial effects of three different diets in patients with type 2 diabetes. PLoS ONE [Electronic Resource], 2013. 8(11): p. e79324.
- 111. Fielding-Singh, P., et al., Baseline Psychosocial and Demographic Factors Associated with Study Attrition and 12-Month Weight Gain in the DIETFITS Trial. Obesity, 2019. 27(12): p. 1997-2004.
- 112. Finelli, C., et al., The improvement of large High-Density Lipoprotein (HDL) particle levels, and presumably HDL metabolism, depend on effects of low-carbohydrate diet and weight loss. Excli Journal, 2016. 15: p. 166-76.
- 113. Forsythe, C.E., et al., Limited effect of dietary saturated fat on plasma saturated fat in the context of a low carbohydrate diet. Lipids, 2010. 45(10): p. 947-62.
- 114. Forsythe, C.E., et al., Comparison of low fat and low carbohydrate diets on circulating fatty acid composition and markers of inflammation. Lipids, 2008. 43(1): p. 65-77.
- 115. Foster, G.D., et al., Weight and metabolic outcomes after 2 years on a low-carbohydrate versus low-fat diet: a randomized trial. Annals of Internal Medicine, 2010. 153(3): p. 147-57.
- 116. Foster, G.D., et al., A randomized trial of a low-carbohydrate diet for obesity. New England Journal of Medicine, 2003. 348(21): p. 2082-90.
- 117. Fragiadakis, G.K., et al., Long-term dietary intervention reveals resilience of the gut microbiota despite changes in diet and weight. American Journal of Clinical Nutrition, 2020. 111(6): p. 1127-1136.
- 118. Friedman, A.N., et al., Short-term changes after a weight reduction intervention in advanced diabetic nephropathy. Clinical Journal of The American Society of Nephrology: CJASN, 2013. 8(11): p. 1892-8.
- 119. Friedman, A.N., et al., Comparative effects of low-carbohydrate high-protein versus low-fat diets on the kidney. Clinical Journal of The American Society of Nephrology: CJASN, 2012. 7(7): p. 1103-11.
- 120. Friedman, M.I. and S. Appel, Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men: A secondary analysis of energy expenditure and physical activity. PLoS ONE [Electronic Resource], 2019. 14(12): p. e0222971.
- 121. Gann, D., A low-carbohydrate diet in overweight patients undergoing stable statin therapy raises high-density lipoprotein and lowers triglycerides substantially. Clinical Cardiology, 2004. 27(10): p. 563-4.
- 122. Gannon, M.C. and F.Q. Nuttall, Effect of a high-protein, low-carbohydrate diet on blood glucose control in people with type 2 diabetes. Diabetes, 2004. 53(9): p. 2375-82.
- 123. Gardner, C.D., Low-carbohydrate ketogenic diet and the combination of orlistat with a low-fat diet lead to comparable improvements in weight and blood lipids, but LCKD more beneficial for blood pressure. Evidence Based Medicine, 2010. 15(3): p. 91-2.

- 124. Gardner, C.D., et al., Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women: the A TO Z Weight Loss Study: a randomized trial. JAMA, 2007. 297(9): p. 969-77.
- 125. Gardner, C.D., et al., Comparison of the Atkins, Zone, Ornish, and LEARN diets for change in weight and related risk factors among overweight premenopausal women. Jama-Journal of the American Medical Association, 2007. 297(9): p. 969-977.
- 126. Gardner, C.D., et al., Micronutrient quality of weight-loss diets that focus on macronutrients: results from the A TO Z study. American Journal of Clinical Nutrition, 2010. 92(2): p. 304-12.
- 127. Gardner, C.D., et al., Weight loss on low-fat vs. low-carbohydrate diets by insulin resistance status among overweight adults and adults with obesity: A randomized pilot trial. Obesity, 2016. 24(1): p. 79-86.
- 128. Gardner, C.D., et al., Effect of Low-Fat vs Low-Carbohydrate Diet on 12-Month Weight Loss in Overweight Adults and the Association With Genotype Pattern or Insulin Secretion: The DIETFITS Randomized Clinical Trial. JAMA, 2018. 319(7): p. 667-679.
- 129. Garr Barry, V., et al., Greater Loss of Central Adiposity from Low-Carbohydrate versus Low-Fat Diet in Middle-Aged Adults with Overweight and Obesity. Nutrients, 2021. 13(2): p. 31.
- 130. Genco, A., et al., Improving Weight Loss by Combination of Two Temporary Antiobesity Treatments. Obesity Surgery, 2018. 28(12): p. 3733-3737.
- 131. Gepner, Y., et al., The beneficial effects of Mediterranean diet over low-fat diet may be mediated by decreasing hepatic fat content. Journal of Hepatology, 2019. 71(2): p. 379-388.
- 132. Gepner, Y., et al., Intramyocellular triacylglycerol accumulation across weight loss strategies; Sub-study of the CENTRAL trial. PloS One, 2017. 12(11).
- 133. Gepner, Y., et al., Effect of Distinct Lifestyle Interventions on Mobilization of Fat Storage Pools: CENTRAL Magnetic Resonance Imaging Randomized Controlled Trial. Circulation, 2018. 137(11): p. 1143-1157.
- 134. Gibas, M.K. and K.J. Gibas, Induced and controlled dietary ketosis as a regulator of obesity and metabolic syndrome pathologies. 2017. 1: p. S385-s390.
- 135. Goday, A., et al., Short-term safety, tolerability and efficacy of a very low-calorie-ketogenic diet interventional weight loss program versus hypocaloric diet in patients with type 2 diabetes mellitus. Nutrition & Diabetes, 2016. 6(9): p. e230.
- 136. Golay, A., et al., Similar weight loss with low- or high-carbohydrate diets. American Journal of Clinical Nutrition, 1996. 63(2): p. 174-178.
- 137. Golay, A., et al., Weight-loss with low or high carbohydrate diet? International Journal of Obesity & Related Metabolic Disorders: Journal of the International Association for the Study of Obesity, 1996. 20(12): p. 1067-72.
- 138. Goldberg, I.J., et al., Ketogenic diets, not for everyone. Journal of Clinical Lipidology, 2021. 15(1): p. 61-67.
- Gomez-Arbelaez, D., et al., Body Composition Changes After Very-Low-Calorie Ketogenic Diet in Obesity Evaluated by 3 Standardized Methods. Journal
 of Clinical Endocrinology and Metabolism, 2017. 102(2): p. 488-498.
- 140. Gomez-Arbelaez, D., et al., Acid-base safety during the course of a very low-calorie-ketogenic diet. Endocrine, 2017. 58(1): p. 81-90.
- 141. Gomez-Arbelaez, D., et al., Resting metabolic rate of obese patients under very low calorie ketogenic diet. Nutrition & Metabolism, 2018. 15: p. 18.
- 142. Goss, A.M., et al., Effects of weight loss during a very low carbohydrate diet on specific adipose tissue depots and insulin sensitivity in older adults with obesity: a randomized clinical trial. Nutrition & Metabolism, 2020. 17: p. 64.
- 143. Gray, D.L., et al., Plasma glycosylphosphatidylinositol-specific phospholipase D predicts the change in insulin sensitivity in response to a low-fat but not a low-carbohydrate diet in obese women. Metabolism: Clinical and Experimental, 2008. 57(4): p. 473-8.
- 144. Greenberg, I., et al., Adherence and success in long-term weight loss diets: the dietary intervention randomized controlled trial (DIRECT). Journal of the American College of Nutrition, 2009. 28(2): p. 159-68.
- 145. Grembi, J.A., et al., Gut microbiota plasticity is correlated with sustained weight loss on a low-carb or low-fat dietary intervention. Scientific Reports, 2020. 10(1): p. 1405.
- 146. Gu, Y., et al., Beneficial effects of an 8-week, very low carbohydrate diet intervention on obese subjects. Evidence-Based Complementary & Alternative Medicine: eCAM, 2013. 2013: p. 760804.
- 147. Gu, Y., et al., Very low carbohydrate diet significantly alters the serum metabolic profiles in obese subjects. Journal of Proteome Research, 2013. 12(12): p. 5801-11.
- 148. Guldbrand, H., et al., In type 2 diabetes, randomisation to advice to follow a low-carbohydrate diet transiently improves glycaemic control compared with advice to follow a low-fat diet producing a similar weight loss. Diabetologia, 2012. 55(8): p. 2118-27.
- 149. Guldbrand, H., et al., Randomization to a low-carbohydrate diet advice improves health related quality of life compared with a low-fat diet at similar weight-loss in Type 2 diabetes mellitus. Diabetes Research and Clinical Practice, 2014. 106(2): p. 221-7.
- 150. Gumbiner, B., J.A. Wendel, and M.P. McDermott, Effects of diet composition and ketosis on glycemia during very-low-energy-diet therapy in obese patients with noninsulin-dependent diabetes mellitus. American Journal of Clinical Nutrition, 1996. 63(1): p. 110-115.
- 151. Guo, J., et al., Objective versus Self-Reported Energy Intake Changes During Low-Carbohydrate and Low-Fat Diets. Obesity (19307381), 2019. 27(3): p. 420.426
- 152. Gutierrez, M., et al., Utility of a short-term 25% carbohydrate diet on improving glycemic control in type 2 diabetes mellitus. Journal of the American College of Nutrition, 1998. 17(6): p. 595-600.
- 153. Gutierrez-Repiso, C., et al., Different Weight Loss Intervention Approaches Reveal a Lack of a Common Pattern of Gut Microbiota Changes. Journal of Personalized Medicine, 2021. 11(2): p. 08.
- 154. Gyorkos, A., et al., Carbohydrate-restricted Diet and High-intensity Interval Training Exercise Improve Cardio-metabolic and Inflammatory Profiles in Metabolic Syndrome: A Randomized Crossover Trial. Cureus, 2019. 11(9): p. e5596.
- 155. Gyorkos, A., et al., Carbohydrate-restricted Diet and Exercise Increase Brain-derived Neurotrophic Factor and Cognitive Function: A Randomized Crossover Trial. Cureus, 2019. 11(9): p. e5604.
- 156. Hafez Griauzde, D., et al., Mixed methods pilot study of a low-carbohydrate diabetes prevention programme among adults with pre-diabetes in the USA. BMJ Open, 2020. 10(1): p. e033397.
- 157. Hall, K.D., et al., Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men. American Journal of Clinical Nutrition, 2016. 104(2): p. 324-33.
- 158. Hall, K.D., et al., Effect of a plant-based, low-fat diet versus an animal-based, ketogenic diet on ad libitum energy intake. Nature Medicine, 2021. 27(2): p. 344-353.
- 159. Hallberg, S.J., et al., Effectiveness and Safety of a Novel Care Model for the Management of Type 2 Diabetes at 1 Year: An Open-Label, Non-Randomized, Controlled Study. Diabetes Therapy Research, Treatment and Education of Diabetes and Related Disorders, 2018. 9(2): p. 583-612.
- 160. Haufe, S., et al., Branched-chain amino acid catabolism rather than amino acids plasma concentrations is associated with diet-induced changes in insulin resistance in overweight to obese individuals. Nutrition Metabolism & Cardiovascular Diseases, 2017. 27(10): p. 858-864.
- 161. Haufe, S., et al., Randomized comparison of reduced fat and reduced carbohydrate hypocaloric diets on intrahepatic fat in overweight and obese human subjects. Hepatology, 2011. 53(5): p. 1504-14.
- 162. Henke, C., et al., Low-fat hypocaloric diet reduces neprilysin in overweight and obese human subjects. ESC heart failure, 2021. 8(2): p. 938-942.
- 163. Hernandez, T.L., et al., Lack of suppression of circulating free fatty acids and hypercholesterolemia during weight loss on a high-fat, low-carbohydrate diet. American Journal of Clinical Nutrition, 2010. 91(3): p. 578-85.
- 164. Hinton, P.S., et al., Weight Loss-Induced Alterations in Serum Markers of Bone Turnover Persist during Weight Maintenance in Obese Men and Women. Journal of the American College of Nutrition, 2009. 28(5): p. 565-573.
- 165. Holmer, M., et al., Treatment of NAFLD with intermittent calorie restriction or low-carb high-fat diet a randomised controlled trial. JHEP Reports: Innovation in Hepatology / EASL, 2021. 3(3): p. 100256.
- 166. Howe, H.R., et al., Increased adipose tissue lipolysis after a 2-week high-fat diet in sedentary overweight/obese men. Metabolism-Clinical and Experimental, 2011. 60(7): p. 976-981.

- 167. Hron, B.M., et al., Relationship of insulin dynamics to body composition and resting energy expenditure following weight loss. Obesity, 2015. 23(11): p. 2216-22.
- 168. Hron, B.M., et al., Hepatic, adipocyte, enteric and pancreatic hormones: response to dietary macronutrient composition and relationship with metabolism. Nutrition & Metabolism, 2017. 14: p. 1-7.
- 169. Hu, T., et al., The effects of a low-carbohydrate diet on appetite: A randomized controlled trial. Nutrition Metabolism & Cardiovascular Diseases, 2016. 26(6): p. 476-88.
- 170. Hu, T., et al., The Effects of a Low-Carbohydrate Diet vs. a Low-Fat Diet on Novel Cardiovascular Risk Factors: A Randomized Controlled Trial. Nutrients, 2015. 7(9): p. 7978-94.
- 171. Hussain, T.A., et al., Effect of low-calorie versus low-carbohydrate ketogenic diet in type 2 diabetes. Nutrition, 2012. 28(10): p. 1016-21.
- 172. Hwang, C.L., et al., The Effect of Low-Carbohydrate Diet on Macrovascular and Microvascular Endothelial Function is Not Affected by the Provision of Caloric Restriction in Women with Obesity: A Randomized Study. Nutrients, 2020. 12(6): p. 02.
- 173. Iqbal, N., et al., Effects of a low-intensity intervention that prescribed a low-carbohydrate vs. a low-fat diet in obese, diabetic participants. Obesity, 2010. 18(9): p. 1733-8.
- 174. Jabekk, P.T., et al., Resistance training in overweight women on a ketogenic diet conserved lean body mass while reducing body fat. Nutrition & Metabolism, 2010. 7: p. 17.
- 175. Jackson, R.A., et al., Influence of a low carbohydrate diet on forearm metabolism in man. Diabetes, 1973. 22(3): p. 145-159.
- 176. Jenkins, D.J., et al., The effect of a plant-based low-carbohydrate ("Eco-Atkins") diet on body weight and blood lipid concentrations in hyperlipidemic subjects. Archives of Internal Medicine, 2009. 169(11): p. 1046-54.
- 177. Jenkins, D.J., et al., Effect of a 6-month vegan low-carbohydrate ('Eco-Atkins') diet on cardiovascular risk factors and body weight in hyperlipidaemic adults: a randomised controlled trial. BMJ Open, 2014. 4(2): p. e003505.
- 178. Johnston, C.S., et al., Ketogenic low-carbohydrate diets have no metabolic advantage over nonketogenic low-carbohydrate diets. American Journal of Clinical Nutrition, 2006. 83(5): p. 1055-61.
- 179. Johnstone, A.M., et al., Effects of a high-protein ketogenic diet on hunger, appetite, and weight loss in obese men feeding ad libitum. American Journal of Clinical Nutrition, 2008. 87(1): p. 44-55.
- 180. Johnstone, A.M., et al., Effects of a high-protein, low-carbohydrate v. high-protein, moderate-carbohydrate weight-loss diet on antioxidant status, endothelial markers and plasma indices of the cardiometabolic profile. British Journal of Nutrition, 2011. 106(2): p. 282-91.
- 181. Jonasson, L., et al., Advice to follow a low-carbohydrate diet has a favourable impact on low-grade inflammation in type 2 diabetes compared with advice to follow a low-fat diet. Annals of Medicine, 2014. 46(3): p. 182-7.
- 182. Jung, R.T., et al., Role of catecholamines in hypotensive response to dieting. British Medical Journal, 1979. 1(6155): p. 12-3.
- 183. Kabisch, S., et al., Liver Fat Scores Moderately Reflect Interventional Changes in Liver Fat Content by a Low-Fat Diet but Not by a Low-Carb Diet. Nutrients, 2018. 10(2): p. 31.
- 184. Kani, A.H., et al., Effects of a Low-Calorie, Low-Carbohydrate Soy Containing Diet on Systemic Inflammation Among Patients with Nonalcoholic Fatty Liver Disease: A Parallel Randomized Clinical Trial. Hormone and Metabolic Research, 2017. 49(9): p. 687-692.
- 185. Keith, L., C. Rowsemitt, and L.G. Richards, Lifestyle Modification Group for Lymphedema and Obesity Results in Significant Health Outcomes. American Journal of Lifestyle Medicine, 2020. 14(4): p. 420-428.
- 186. Kenig, S., et al., Assessment of micronutrients in a 12-wk ketogenic diet in obese adults. Nutrition, 2019. 67-68: p. 110522.
- 187. Keogh, J.B., et al., Effects of weight loss from a very-low-carbohydrate diet on endothelial function and markers of cardiovascular disease risk in subjects with abdominal obesity. American Journal of Clinical Nutrition, 2008. 87(3): p. 567-76.
- 188. Kerksick, C.M., et al., Differential Impact of Calcium and Vitamin D on Body Composition Changes in Post-Menopausal Women Following a Restricted Energy Diet and Exercise Program. Nutrients, 2020. 12(3).
- 189. Kerksick, C.M., et al., Changes in weight loss, body composition and cardiovascular disease risk after altering macronutrient distributions during a regular exercise program in obese women. Nutrition Journal, 2010. 9.
- 190. Kew, M.C., Treatment of obesity in the Bantu: value of a low-carbohydrate diet with and without an appetite suppressant. South African Medical Journal. Suid-Afrikaanse Tydskrif Vir Geneeskunde, 1970. 44(35): p. 1006-7.
- 191. Khairi, S., B.T. Sagvand, and S.K. Nasser, The impact of low-carbohydrate diet on glycemic control in Native Americans. Research and Reports in Endocrine Disorders, 2015. 5: p. 119-123.
- 192. Kong, Z., et al., Affective and Enjoyment Responses to Short-Term High-Intensity Interval Training with Low-Carbohydrate Diet in Overweight Young Women. Nutrients, 2020. 12(2): p. 10.
- Kong, Z., et al., Short-Term Ketogenic Diet Improves Abdominal Obesity in Overweight/Obese Chinese Young Females. Frontiers in Physiology, 2020.
 p. 856.
- 194. Krauss, R.M., et al., Separate effects of reduced carbohydrate intake and weight loss on atherogenic dyslipidemia. American Journal of Clinical Nutrition, 2006. 83(5): p. 1025-31; quiz 1205.
- 195. Krebs, J.D., et al., Improvements in glucose metabolism and insulin sensitivity with a low-carbohydrate diet in obese patients with type 2 diabetes. Journal of the American College of Nutrition, 2013. 32(1): p. 11-7.
- 196. Krebs, J.D., et al., A randomised trial of the feasibility of a low carbohydrate diet vs standard carbohydrate counting in adults with type 1 diabetes taking body weight into account. Asia Pacific Journal of Clinical Nutrition, 2016. 25(1): p. 78-84.
- 197. Kreider, R.B., et al., A carbohydrate-restricted diet during resistance training promotes more favorable changes in body composition and markers of health in obese women with and without insulin resistance. 2011. 1(2): p. 27-40.
- 198. Krotkiewski, M., Value of VLCD supplementation with medium chain triglycerides. International Journal of Obesity, 2001. 25(9): p. 1393-1400.
- 199. La Vignera, S., et al., The ketogenic diet corrects metabolic hypogonadism and preserves pancreatic s-cell function in overweight/obese men: a single-arm uncontrolled study. Endocrine, 2021. 72(2): p. 392-399.
- 200. Landers, P., et al., Effect of weight loss plans on body composition and diet duration. Journal Oklahoma State Medical Association, 2002. 95(5): p. 329-31.
- 201. Landry, M.J., et al., Adherence to Ketogenic and Mediterranean Study Diets in a Crossover Trial: The Keto-Med Randomized Trial. Nutrients, 2021. 13(3): p. 17.
- 202. Larosa, J.C., et al., Effects of high-protein, low-carbohydrate dieting on plasma lipoproteins and body weight. Journal of the American Dietetic Association, 1980. 77(3): p. 264-70.
- 203. Lecheminant, J.D., et al., Comparison of a low carbohydrate and low fat diet for weight maintenance in overweight or obese adults enrolled in a clinical weight management program. Nutrition Journal, 2007. 6: p. 36.
- 204. LeCheminant, J.D., et al., Comparison of a reduced carbohydrate and reduced fat diet for LDL, HDL, and VLDL subclasses during 9-months of weight maintenance subsequent to weight loss. Lipids in Health and Disease, 2010. 9.
- 205. Leichtle, A.B., et al., Effects of a 2-y dietary weight-loss intervention on cholesterol metabolism in moderately obese men. American Journal of Clinical Nutrition, 2011. 94(5): p. 1189-1195.
- 206. Li, J., et al., Ketogenic diet in women with polycystic ovary syndrome and liver dysfunction who are obese: A randomized, open-label, parallel-group, controlled pilot trial. Journal of Obstetrics and Gynaecology Research, 2021. 47(3): p. 1145-1152.
- 207. Lim, S.S., et al., Long-term effects of a low carbohydrate, low fat or high unsaturated fat diet compared to a no-intervention control. Nutrition Metabolism & Cardiovascular Diseases, 2010. 20(8): p. 599-607.
- 208. Liu, X., et al., Effects of a low-carbohydrate diet on weight loss and cardiometabolic profile in Chinese women: a randomised controlled feeding trial.

- British Journal of Nutrition, 2013. 110(8): p. 1444-53.
- 209. Lokken, N., et al., Titrating a modified ketogenic diet for patients with McArdle disease: A pilot study. Journal of Inherited Metabolic Disease, 2020. 43(4): p. 778-786.
- Luis, D.A., et al., Modulation of Insulin Concentrations and Metabolic Parameters in Obese Patients by-55CT Polymorphism of the UCP3 Gene Secondary to Two Hypocaloric Diets. Hormone and Metabolic Research, 2009. 41(1): p. 62-66.
- 211. Maekawa, S., M. Niizawa, and M. Harada, A Comparison of the Weight Loss Effect between a Low-carbohydrate Diet and a Calorie-restricted Diet in Combination with Intragastric Balloon Therapy. Internal Medicine, 2020. 59(9): p. 1133-1139.
- 212. Mangravite, L.M., et al., Fatty acid desaturase regulation in adipose tissue by dietary composition is independent of weight loss and is correlated with the plasma triacylglycerol response. American Journal of Clinical Nutrition, 2007. 86(3): p. 759-67.
- 213. Maraki, M.I., et al., Lifestyle Intervention Leading to Moderate Weight Loss Normalizes Postprandial Triacylglycerolemia Despite Persisting Obesity. Obesity, 2011. 19(5): p. 968-976.
- 214. Mardinoglu, A., et al., An Integrated Understanding of the Rapid Metabolic Benefits of a Carbohydrate-Restricted Diet on Hepatic Steatosis in Humans. Cell Metabolism, 2018. 27(3): p. 559-571.e5.
- 215. Martin, C.K., et al., Change in food cravings, food preferences, and appetite during a low-carbohydrate and low-fat diet. Obesity, 2011. 19(10): p. 1963-70.
- 216. Mason, A.E., et al., Lipid findings from the Diabetes Education to Lower Insulin, Sugars, and Hunger (DELISH) Study. Nutrition & Metabolism, 2019. 16: p. 58.
- 217. Mavropoulos, J.C., et al., The effects of a low-carbohydrate, ketogenic diet on the polycystic ovary syndrome: a pilot study. Nutrition & Metabolism, 2005. 2: p. 35.
- 218. Mayer, S.B., et al., Two diets with different haemoglobin A1c and antiglycaemic medication effects despite similar weight loss in type 2 diabetes. Diabetes, Obesity & Metabolism, 2014. 16(1): p. 90-3.
- 219. McAuley, K.A., et al., Comparison of high-fat and high-protein diets with a high-carbohydrate diet in insulin-resistant obese women. Diabetologia, 2005. 48(1): p. 8-16.
- 220. McClain, A.D., et al., Adherence to a low-fat vs. low-carbohydrate diet differs by insulin resistance status. Diabetes Obesity & Metabolism, 2013. 15(1): p. 87-90.
- 221. McKenzie, A.L., et al., Type 2 Diabetes Prevention Focused on Normalization of Glycemia: A Two-Year Pilot Study. Nutrients, 2021. 13(3): p. 26.
- 222. McKenzie, A.L., et al., A Novel Intervention Including Individualized Nutritional Recommendations Reduces Hemoglobin A1c Level, Medication Use, and Weight in Type 2 Diabetes. JMIR Diabetes, 2017. 2(1): p. e5.
- 223. McLaughlin, T., et al., Effects of moderate variations in macronutrient composition on weight loss and reduction in cardiovascular disease risk in obese, insulin-resistant adults. American Journal of Clinical Nutrition, 2006. 84(4): p. 813-821.
- 224. McVay, M.A., et al., The relationship between pretreatment dietary composition and weight loss during a randomised trial of different diet approaches. Journal of Human Nutrition and Dietetics, 2015. 28: p. 16-23.
- 225. Meckling, K.A., et al., Effects of a hypocaloric, low-carbohydrate diet on weight loss, blood lipids, blood pressure, glucose tolerance, and body composition in free-living overweight women. Canadian Journal of Physiology and Pharmacology, 2002. 80(11): p. 1095-105.
- 226. Meckling, K.A., C. O'Sullivan, and D. Saari, Comparison of a low-fat diet to a low-carbohydrate diet on weight loss, body composition, and risk factors for diabetes and cardiovascular disease in free-living, overweight men and women. Journal of Clinical Endocrinology and Metabolism, 2004. 89(6): p. 2717-23
- 227. Merra, G., et al., Effects of very-low-calorie diet on body composition, metabolic state, and genes expression: a randomized double-blind placebo-controlled trial. European Review for Medical and Pharmacological Sciences, 2017. 21(2): p. 329-345.
- Michalczyk, M.M., et al., The Effects of a Low Calorie Ketogenic Diet on Glycaemic Control Variables in Hyperinsulinemic Overweight/Obese Females. Nutrients, 2020. 12(6): p. 22.
- 229. Miller, B.V., et al., An evaluation of the atkins' diet. 2003. 1(4): p. 299-309.
- 230. Miller, C.K., et al., A reduced-carbohydrate diet improves outcomes in patients with metabolic syndrome: a translational study. Topics in Clinical Nutrition, 2007. 22(1): p. 82-91.
- 231. Miller, L.E., et al., Anthropometric and Leptin Changes in Women Following Different Dietary Approaches to Weight Loss. Obesity, 2009. 17(1): p. 199-201.
- 232. Miller, M., et al., Comparative effects of three popular diets on lipids, endothelial function, and C-reactive protein during weight maintenance. Journal of the American Dietetic Association, 2009. 109(4): p. 713-7.
- 233. Millward, D.J., et al., Sex differences in the composition of weight gain and loss in overweight and obese adults. British Journal of Nutrition, 2014. 111(5): p. 933-43.
- 234. Ministrini, S., et al., Lysosomal Acid Lipase as a Molecular Target of the Very Low Carbohydrate Ketogenic Diet in Morbidly Obese Patients: The Potential Effects on Liver Steatosis and Cardiovascular Risk Factors. Journal of Clinical Medicine, 2019. 8(5): p. 07.
- 235. Mohler 3rd, E.R., et al., Endothelial function and weight loss: comparison of low-carbohydrate and low-fat diets. Obesity (19307381), 2013. 21(3): p. 504-509
- 236. Monda, V., et al., Short-Term Physiological Effects of a Very Low-Calorie Ketogenic Diet: Effects on Adiponectin Levels and Inflammatory States. International Journal of Molecular Sciences, 2020. 21(9): p. 02.
- 237. Mongioi, L.M., et al., Effectiveness of a Very Low Calorie Ketogenic Diet on Testicular Function in Overweight/Obese Men. Nutrients, 2020. 12(10): p. 28
- 238. Moore, S.D., et al., Outcome expectations and realizations as predictors of weight regain among dieters. Eating Behaviors, 2011. 12(1): p. 60-3.
- 239. Moran, L.J., et al., Short-term meal replacements followed by dietary macronutrient restriction enhance weight loss in polycystic ovary syndrome. American Journal of Clinical Nutrition, 2006. 84(1): p. 77-87.
- 240. Moreno, B., et al., Comparison of a very low-calorie-ketogenic diet with a standard low-calorie diet in the treatment of obesity. Endocrine, 2014. 47(3): p. 793-805.
- 241. Moreno, B., et al., Obesity treatment by very low-calorie-ketogenic diet at two years: reduction in visceral fat and on the burden of disease. Endocrine, 2016. 54(3): p. 681-690.
- 242. Morgan, L.M., et al., Comparison of the effects of four commercially available weight-loss programmes on lipid-based cardiovascular risk factors. Public Health Nutrition, 2009. 12(6): p. 799-807.
- 243. Morgan, W.D., et al., Changes in total-body nitrogen during weight-reduction by very-low-calorie diets. American Journal of Clinical Nutrition, 1992. 56(1): p. 262-264.
- 244. Mori, Y., et al., Effects of low-carbohydrate/high-monounsaturated fatty acid liquid diets on diurnal glucose variability and insulin dose in type 2 diabetes patients on tube feeding who require insulin therapy. Diabetes Technology & Therapeutics, 2013. 15(9): p. 762-7.
- 245. Morris, E., et al., A food-based, low-energy, low-carbohydrate diet for people with type 2 diabetes in primary care: A randomized controlled feasibility trial. Diabetes, Obesity & Metabolism, 2020. 22(4): p. 512-520.
- 246. Mutungi, G., et al., Dietary cholesterol from eggs increases plasma HDL cholesterol in overweight men consuming a carbohydrate-restricted diet. Journal of Nutrition, 2008. 138(2): p. 272-6.
- 247. Mutungi, G., et al., Carbohydrate restriction and dietary cholesterol modulate the expression of HMG-CoA reductase and the LDL receptor in mononuclear cells from adult men. Lipids in Health and Disease, 2007. 6: p. 34.
- 248. Mutungi, G., et al., Eggs distinctly modulate plasma carotenoid and lipoprotein subclasses in adult men following a carbohydrate-restricted diet. Journal of Nutritional Biochemistry, 2010. 21(4): p. 261-7.

- 249. Nickols-Richardson, S.M., et al., Perceived hunger is lower and weight loss is greater in overweight premenopausal women consuming a low-carbohydrate/high-protein vs high-carbohydrate/low-fat diet. Journal of the American Dietetic Association, 2005. 105(9): p. 1433-1437.
- 250. Nielsen, J.V. and E. Joensson, Low-carbohydrate diet in type 2 diabetes. Stable improvement of bodyweight and glycemic control during 22 months follow-up. Nutrition & Metabolism, 2006. 3: p. 22.
- 251. Nielsen, J.V. and E.A. Joensson, Low-carbohydrate diet in type 2 diabetes: stable improvement of bodyweight and glycemic control during 44 months follow-up. Nutrition & Metabolism, 2008. 5: p. 14.
- 252. Nielsen, J.V., E. Jonsson, and A. Ivarsson, A low carbohydrate diet in type 1 diabetes: clinical experience--a brief report. 2005. 1(3): p. 267-73.
- 253. Nielsen, J.V., E. Jonsson, and A.K. Nilsson, Lasting improvement of hyperglycaemia and bodyweight: low-carbohydrate diet in type 2 diabetes. A brief report. Upsala Journal of Medical Sciences, 2005. 110(2): p. 179-83.
- 254. Noakes, M., et al., Comparison of isocaloric very low carbohydrate/high saturated fat and high carbohydrate/low saturated fat diets on body composition and cardiovascular risk. Nutrition & Metabolism, 2006. 3.
- 255. Nobels, F., L. Vangaal, and I. Deleeuw, Weight-reduction with a high protein, low carbohydrate, calorie-restricted diet effects on blood-pressure, glucose and insulin levels. Netherlands Journal of Medicine, 1989. 35(5-6): p. 295-302.
- 256. Nordgaard, I., B.S. Hansen, and P.B. Mortensen, Colon as a digestive organ in patients with short-bowel. Lancet, 1994. 343(8894): p. 373-376.
- 257. Nuttall, F.Q. and M.C. Gannon, The metabolic response to a high-protein, low-carbohydrate diet in men with type 2 diabetes mellitus. 2006. 1(2): p. 243-51.
- 258. Nuttall, F.Q. and M.C. Gannon, The metabolic response to a high-protein, low-carbohydrate diet in men with type 2 diabetes mellitus. Metabolism-Clinical and Experimental, 2006. 55(2): p. 243-251.
- 259. Nuttall, F.Q., et al., Effect of the LoBAG30 diet on blood glucose control in people with type 2 diabetes. British Journal of Nutrition, 2008. 99(3): p. 511-9.
- 260. Nymo, S., et al., Timeline of changes in appetite during weight loss with a ketogenic diet. International Journal of Obesity, 2017. 41(8): p. 1224-1231.
- 261. O'Brien, K.D., et al., Diet-induced weight loss is associated with decreases in plasma serum amyloid a and C-reactive protein independent of dietary macronutrient composition in obese subjects. Journal of Clinical Endocrinology and Metabolism, 2005. 90(4): p. 2244-9.
- 262. O'Driscoll, T., et al., New obesity treatment: Fasting, exercise and low carb diet The NOT-FED study. Canadian Journal of Rural Medicine (Wolters Kluwer India Pvt Ltd), 2021. 26(2): p. 55-60.
- 263. Odea, K. and R.M. Spargo, Metabolic adaptation to a low carbohydrate high protein (traditional) diet in australian aborigines. Diabetologia, 1982. 23(6): p. 494-498
- 264. Padwal, R., The Atkins diet led to more weight loss than the Zone diet in overweight and obese premenopausal women at 12 months. Evidence Based Medicine, 2007. 12(5): p. 138.
- 265. Palgi, A., et al., Multidisciplinary treatment of obesity with a protein-sparing modified fast: results in 668 outpatients. American Journal of Public Health, 1985. 75(10): p. 1190-4.
- 266. Paoli, A., L. Cenci, and K.A. Grimaldi, Effect of Ketogenic Mediterranean diet with phytoextracts and low carbohydrates/high-protein meals on weight, cardiovascular risk factors, body composition and diet compliance in Italian council employees. Nutrition Journal, 2011. 10.
- 267. Paoli, A., et al., Effects of a ketogenic diet in overweight women with polycystic ovary syndrome. Journal of Translational Medicine, 2020. 18(1): p. 104.
- 268. Paoli, A., et al., Effects of n-3 polyunsaturated fatty acids (omega-3) supplementation on some cardiovascular risk factors with a ketogenic Mediterranean diet. Marine Drugs, 2015. 13(2): p. 996-1009.
- 269. Park, J.E., et al., Differential effect of short-term popular diets on TMAO and other cardio-metabolic risk markers. Nutrition Metabolism and Cardiovascular Diseases, 2019. 29(5): p. 513-517.
- 270. Pastore, R.L., J.T. Brooks, and J.W. Carbone, Paleolithic nutrition improves plasma lipid concentrations of hypercholesterolemic adults to a greater extent than traditional heart-healthy dietary recommendations. Nutrition Research, 2015. 35(6): p. 474-9.
- 271. Paz-Tal, O., et al., Effect of changes in food groups intake on magnesium, zinc, copper, and selenium serum levels during 2 years of dietary intervention. Journal of the American College of Nutrition, 2015. 34(1): p. 1-14.
- 272. Perez-Guisado, J. and A. Munoz-Serrano, A pilot study of the Spanish Ketogenic Mediterranean Diet: an effective therapy for the metabolic syndrome. Journal of Medicinal Food, 2011. 14(7-8): p. 681-7.
- 273. Perez-Guisado, J. and A. Munoz-Serrano, The Effect of the Spanish Ketogenic Mediterranean Diet on Nonalcoholic Fatty Liver Disease: A Pilot Study. Journal of Medicinal Food, 2011. 14(7-8): p. 677-680.
- 274. Perez-Guisado, J., A. Munoz-Serrano, and A. Alonso-Moraga, Spanish Ketogenic Mediterranean Diet: a healthy cardiovascular diet for weight loss. Nutrition Journal, 2008. 7: p. 30.
- Perissiou, M., et al., The Effect of an 8 Week Prescribed Exercise and Low-Carbohydrate Diet on Cardiorespiratory Fitness, Body Composition and Cardiometabolic Risk Factors in Obese Individuals: A Randomised Controlled Trial. Nutrients, 2020. 12(2): p. 14.
- 276. Perticone, M., et al., Ketogenic Diet-Induced Weight Loss is Associated with an Increase in Vitamin D Levels in Obese Adults. Molecules, 2019. 24(13): p. 09
- 277. Petrisko, M., et al., Biochemical, Anthropometric, and Physiological Responses to Carbohydrate-Restricted Diets Versus a Low-Fat Diet in Obese Adults: A Randomized Crossover Trial. Journal of Medicinal Food, 2020. 23(3): p. 206-214.
- 278. Phillips, S.A., et al., Benefit of low-fat over low-carbohydrate diet on endothelial health in obesity. Hypertension, 2008. 51(2): p. 376-82.
- 279. Pilone, V., et al., Metabolic effects, safety, and acceptability of very low-calorie ketogenic dietetic scheme on candidates for bariatric surgery. Surgery for Obesity and Related Diseases, 2018. 14(7): p. 1013-1019.
- 280. Pohlmeier, A.M., et al., Effect of a low-starch/low-dairy diet on fat oxidation in overweight and obese women with polycystic ovary syndrome. Applied Physiology, Nutrition, & Metabolism = Physiologie Appliquee, Nutrition et Metabolisme, 2014. 39(11): p. 1237-44.
- 281. Rabast, U., K.H. Vornberger, and M. Ehl, Loss of weight, sodium and water in obese persons consuming a high-carbohydrate or low-carbohydrate diet. Annals of Nutrition and Metabolism, 1981. 25(6): p. 341-349.
- 282. Racette, S.B., et al., Effects of aerobic exercise and dietary carbohydrate on energy-expenditure and body-composition during weight-reduction in obese rate. American Journal of Clinical Nutrition, 1995. 61(3): p. 486-494.
- 283. Rankin, J.W. and A.D. Turpyn, Low carbohydrate, high fat diet increases C-reactive protein during weight loss. Journal of the American College of Nutrition, 2007. 26(2): p. 163-9.
- 284. Ratliff, J., et al., Carbohydrate restriction (with or without additional dietary cholesterol provided by eggs) reduces insulin resistance and plasma leptin without modifying appetite hormones in adult men. Nutrition Research, 2009. 29(4): p. 262-8.
- 285. Razak, A. and A.A. Isaacs, Implementation and evaluation of a weight-reduction programme for diabetic patients at a primary health care facility in the Western Cape: a pilot study. South African Family Practice, 2017. 59(6): p. 189-194.
- 286. Reissell, P.K., et al., Treatment of hypertriglyceridemia .I. Total caloric restriction followed by refeeding a low carbohydrate high fat diet in carbohydrate-induced type (8 cases) .2. Low fat diet plus medium-chain triglycerides in fat-induced type (2 cases). American Journal of Clinical Nutrition, 1966. 19(2): p. 84-+.
- 287. Rohling, M., et al., Weight Reduction by the Low-Insulin-Method-A Randomized Controlled Trial. Nutrients, 2020. 12(10): p. 30.
- 288. Rolland, C., et al., Randomized clinical trial of standard dietary treatment versus a low-carbohydrate/high-protein diet or the LighterLife Programme in the management of obesity. Journal of Diabetes, 2009. 1(3): p. 207-17.
- 289. Romano, L., et al., Effects of a Personalized VLCKD on Body Composition and Resting Energy Expenditure in the Reversal of Diabetes to Prevent Complications. Nutrients, 2019. 11(7): p. 04.
- Rosenbaum, M., et al., Glucose and Lipid Homeostasis and Inflammation in Humans Following an Isocaloric Ketogenic Diet. Obesity, 2019. 27(6): p. 971-981.

- 291. Ross, R., et al., Adipose tissue distribution changes during rapid weight loss in obese adults. International Journal of Obesity, 1991. 15(11): p. 733-9.
- 292. Rushing, K., et al., A low-carbohydrate diet versus a low-calorie diet: poor retention. Topics in Clinical Nutrition, 2006. 21(4): p. 251-259.
- 293. Russell, W.R., et al., High-protein, reduced-carbohydrate weight-loss diets promote metabolite profiles likely to be detrimental to colonic health. American Journal of Clinical Nutrition, 2011. 93(5): p. 1062-72.
- 294. Ruth, M.R., et al., Consuming a hypocaloric high fat low carbohydrate diet for 12 weeks lowers C-reactive protein, and raises serum adiponectin and high density lipoprotein-cholesterol in obese subjects. Metabolism: Clinical and Experimental, 2013. 62(12): p. 1779-87.
- 295. Saboo, B., et al., Intervention of a personalized low-carbohydrate diet to reduce HbA1c level and weight in patients with Type 2 diabetes using seed-based flour as replacement for high-carbohydrate flour and foods. Journal of Diabetology, 2021. 12(2): p. 196-200.
- 296. Sajoux, I., et al., Effect of a Very-Low-Calorie Ketogenic Diet on Circulating Myokine Levels Compared with the Effect of Bariatric Surgery or a Low-Calorie Diet in Patients with Obesity. Nutrients, 2019. 11(10): p. 04.
- 297. Samaha, F.F., et al., A low-carbohydrate as compared with a low-fat diet in severe obesity. New England Journal of Medicine, 2003. 348(21): p. 2074-81.
- 298. Saslow, L.R., et al., Twelve-month outcomes of a randomized trial of a moderate-carbohydrate versus very low-carbohydrate diet in overweight adults with type 2 diabetes mellitus or prediabetes. Nutrition & Diabetes, 2017. 7(12): p. 304.
- 299. Saslow, L.R., et al., A randomized pilot trial of a moderate carbohydrate diet compared to a very low carbohydrate diet in overweight or obese individuals with type 2 diabetes mellitus or prediabetes. PLoS ONE [Electronic Resource], 2014. 9(4): p. e91027.
- 300. Saslow, L.R., et al., An Online Intervention Comparing a Very Low-Carbohydrate Ketogenic Diet and Lifestyle Recommendations Versus a Plate Method Diet in Overweight Individuals With Type 2 Diabetes: A Randomized Controlled Trial. Journal of Medical Internet Research, 2017. 19(2): p. e36.
- 301. Sato, J., et al., One year follow-up after a randomized controlled trial of a 130 g/day low-carbohydrate diet in patients with type 2 diabetes mellitus and poor glycemic control. PLoS ONE [Electronic Resource], 2017. 12(12): p. e0188892.
- 302. Sato, J., et al., A randomized controlled trial of 130 g/day low-carbohydrate diet in type 2 diabetes with poor glycemic control. Clinical Nutrition, 2017. 36(4): p. 992-1000.
- 303. Saunders, N.H., et al., The composition of weight loss in dieting obese females by electrical methods. International Journal of Obesity & Related Metabolic Disorders: Journal of the International Association for the Study of Obesity, 1993. 17(6): p. 317-22.
- 304. Schiavo, L., et al., A Randomized, Controlled Trial Comparing the Impact of a Low-Calorie Ketogenic vs a Standard Low-Calorie Diet on Fat-Free Mass in Patients Receiving an Elipse TM Intragastric Balloon Treatment. Obesity Surgery, 2021. 31(4): p. 1514-1523.
- 305. Schiavo, L., et al., A 4-Week Preoperative Ketogenic Micronutrient-Enriched Diet Is Effective in Reducing Body Weight, Left Hepatic Lobe Volume, and Micronutrient Deficiencies in Patients Undergoing Bariatric Surgery: a Prospective Pilot Study. Obesity Surgery, 2018. 28(8): p. 2215-2224.
- 306. Schmidt, S., et al., Low versus high carbohydrate diet in type 1 diabetes: A 12-week randomized open-label crossover study. Diabetes Obesity & Metabolism, 2019. 21(7): p. 1680-1688.
- 307. Schwarzfuchs, D., R. Golan, and I. Shai, Four-year follow-up after two-year dietary interventions. New England Journal of Medicine, 2012. 367(14): p. 1373-4
- 308. Segal-Isaacson, C.J., et al., A randomized trial comparing low-fat and low-carbohydrate diets matched for energy and protein. Obesity Research, 2004. 12: p. 130S-140S.
- 309. Seshadri, P., et al., A randomized study comparing the effects of a low-carbohydrate diet and a conventional diet on lipoprotein subfractions and C-reactive protein levels in patients with severe obesity. American Journal of Medicine, 2004. 117(6): p. 398-405.
- 310. Seshadri, P., et al., Adipocytokine changes caused by low-carbohydrate compared to conventional diets in obesity. Metabolic Syndrome and Related Disorders, 2005. 3(1): p. 66-74.
- 311. Seshadri, P., et al., Free fatty acids, insulin resistance, and corrected qt intervals in morbid obesity: effect of weight loss during 6 months with differing dietary interventions. Endocrine Practice, 2005. 11(4): p. 234-9.
- 312. Shai, I., et al., Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. New England Journal of Medicine, 2008. 359(3): p. 229-41.
- 313. Sharman, M.J., et al., Very low-carbohydrate and low-fat diets affect fasting lipids and postprandial lipernia differently in overweight men. Journal of Nutrition, 2004. 134(4): p. 880-885.
- 314. Sharman, M.J. and J.S. Volek, Weight loss leads to reductions in inflammatory biomarkers after a very-low-carbohydrate diet and a low-fat diet in overweight men. Clinical Science, 2004. 107(4): p. 365-9.
- 315. Shih, C.W., et al., Changes in blood lipid concentrations associated with changes in intake of dietary saturated fat in the context of a healthy low-carbohydrate weight-loss diet: a secondary analysis of the Diet Intervention Examining The Factors Interacting with Treatment Success (DIETFITS) trial. American Journal of Clinical Nutrition, 2019. 109(2): p. 433-441.
- 316. Shimy, K.J., et al., Effects of Dietary Carbohydrate Content on Circulating Metabolic Fuel Availability in the Postprandial State. Journal of the Endocrine Society, 2020. 4(7): p. bvaa062.
- 317. Siegmann, M.J., et al., Improvement in patient-reported sleep in type 2 diabetes and prediabetes participants receiving a continuous care intervention with nutritional ketosis. Sleep Medicine, 2019. 55: p. 92-99.
- 318. Soenen, S., et al., Relatively high-protein or 'low-carb' energy-restricted diets for body weight loss and body weight maintenance? Physiology and Behavior, 2012. 107(3): p. 374-80.
- 319. Stern, L., et al., The effects of low-carbohydrate versus conventional weight loss diets in severely obese adults: one-year follow-up of a randomized trial. Annals of Internal Medicine, 2004. 140(10): p. 778-85.
- 320. Stimson, R.H., et al., Dietary macronutrient content alters cortisol metabolism independently of body weight changes in obese men. Journal of Clinical Endocrinology and Metabolism, 2007. 92(11): p. 4480-4.
- 321. Stock, A.L. and J. Yudkin, Nutrient intake of subjects on low carbohydrate diet used in treatment of obesity. American Journal of Clinical Nutrition, 1970. 23(7): p. 948-52.
- 322. Stoernell, C.K., C.C. Tangney, and S.W. Rockway, Short-term changes in lipoprotein subclasses and C-reactive protein levels of hypertriglyceridemic adults on low-carbohydrate and low-fat diets. Nutrition Research, 2008. 28(7): p. 443-9.
- 323. Struik, N.A., et al., Very Low and Higher Carbohydrate Diets Promote Differential Appetite Responses in Adults with Type 2 Diabetes: A Randomized Trial. Journal of Nutrition, 2020. 150(4): p. 800-805.
- 324. Sumithran, P., et al., Ketosis and appetite-mediating nutrients and hormones after weight loss. European Journal of Clinical Nutrition, 2013. 67(7): p. 759-64.
- 325. Summer, S.S., et al., Adiponectin changes in relation to the macronutrient composition of a weight-loss diet. Obesity, 2011. 19(11): p. 2198-204.
- 326. Sun, S., et al., Non-Energy-Restricted Low-Carbohydrate Diet Combined with Exercise Intervention Improved Cardiometabolic Health in Overweight Chinese Females. Nutrients, 2019. 11(12): p. 13.
- 327. Svendsen, M., et al., Diet, eating behaviour and weight gain in men and women with overweight/obesity receiving varenicline for smoking cessation. Clinical Obesity, 2021. 11(3).
- 328. Swenson, B.R., et al., The effect of a low-carbohydrate, high-protein diet on post laparoscopic gastric bypass weight loss: a prospective randomized trial. Journal of Surgical Research, 2007. 142(2): p. 308-13.
- 329. Syed-Abdul, M.M., et al., Effect of carbohydrate restriction-induced weight loss on aortic pulse wave velocity in overweight men and women. Applied Physiology, Nutrition, & Metabolism = Physiologie Appliquee, Nutrition et Metabolisme, 2018. 43(12): p. 1247-1256.
- 330. Taus, M., et al., A very low calorie ketogenic diet improves weight loss and quality of life in patients with adjustable gastric banding. 2017. 1.
- 331. Tay, J., et al., Metabolic effects of weight loss on a very-low-carbohydrate diet compared with an isocaloric high-carbohydrate diet in abdominally obese subjects. Journal of the American College of Cardiology, 2008. 51(1): p. 59-67.
- 332. Tay, J., et al., A very low-carbohydrate, low-saturated fat diet for type 2 diabetes management: a randomized trial. Diabetes Care, 2014. 37(11): p. 2909-18.

- 333. Tay, J., et al., Comparison of low- and high-carbohydrate diets for type 2 diabetes management: a randomized trial. American Journal of Clinical Nutrition, 2015. 102(4): p. 780-90.
- 334. Tay, J., et al., Nutritional adequacy of very low- and high-carbohydrate, low saturated fat diets in adults with type 2 diabetes: A secondary analysis of a 2-year randomised controlled trial. Diabetes Research and Clinical Practice, 2020. 170: p. 108501.
- 335. Tay, J., et al., Effects of an energy-restricted low-carbohydrate, high unsaturated fat/low saturated fat diet versus a high-carbohydrate, low-fat diet in type 2 diabetes: A 2-year randomized clinical trial. Diabetes, Obesity & Metabolism, 2018. 20(4): p. 858-871.
- 336. Taylor, P.J., et al., Efficacy of Real-Time Continuous Glucose Monitoring to Improve Effects of a Prescriptive Lifestyle Intervention in Type 2 Diabetes: A Pilot Study. Diabetes Therapy Research, Treatment and Education of Diabetes and Related Disorders, 2019. 10(2): p. 509-522.
- 337. Tendler, D., et al., The effect of a low-carbohydrate, ketogenic diet on nonalcoholic fatty liver disease: a pilot study. Digestive Diseases and Sciences, 2007. 52(2): p. 589-93.
- 338. Tene, L., et al., The effect of long-term weight-loss intervention strategies on the dynamics of pancreatic-fat and morphology: An MRI RCT study. Clinical Nutrition ESPEN, 2018. 24: p. 82-89.
- 339. Tirosh, A., et al., Renal function following three distinct weight loss dietary strategies during 2 years of a randomized controlled trial. Diabetes Care, 2013. 36(8): p. 2225-32.
- 340. Tonstad, S., N. Malik, and E. Haddad, A high-fibre bean-rich diet versus a low-carbohydrate diet for obesity. Journal of Human Nutrition and Dietetics, 2014. 27: p. 109-116.
- 341. Trico, D., et al., Effects of Low-Carbohydrate versus Mediterranean Diets on Weight Loss, Glucose Metabolism, Insulin Kinetics and beta-Cell Function in Morbidly Obese Individuals. Nutrients, 2021. 13(4): p. 18.
- 342. Truby, H., et al., Randomised controlled trial of four commercial weight loss programmes in the UK: initial findings from the BBC "diet trials". BMJ, 2006. 332(7553): p. 1309-14.
- 343. Truby, H., et al., Commercial weight loss diets meet nutrient requirements in free living adults over 8 weeks: a randomised controlled weight loss trial. Nutrition Journal, 2008. 7: p. 25.
- 344. Tsaban, G., et al., Dynamics of intrapericardial and extrapericardial fat tissues during long-term, dietary-induced, moderate weight loss. American Journal of Clinical Nutrition, 2017. 106(4): p. 984-995.
- 345. Tsai, A.G., et al., Cost-effectiveness of a low-carbohydrate diet and a standard diet in severe obesity. Obesity Research, 2005. 13(10): p. 1834-1840.
- 346. Tsukamoto, Y., et al., Effects of a polyunsaturated fatty acid-rich diet on serum lipids in patients with chronic renal failure. Nephron, 1982. 31(3): p. 236-41.
- 347. Turer, C.B., et al., Low HDL predicts differential blood pressure effects from two weight-loss approaches: a secondary analysis of blood pressure from a randomized, clinical weight-loss trial. Diabetes, Obesity & Metabolism, 2012. 14(4): p. 375-8.
- 348. Unwin, D. and J. Unwin, Low carbohydrate diet to achieve weight loss and improve HbA1c in type 2 diabetes and pre-diabetes: experience from one general practice. Practical Diabetes, 2014. 31(2): p. 76-79.
- 349. Unwin, D.J., et al., Substantial and Sustained Improvements in Blood Pressure, Weight and Lipid Profiles from a Carbohydrate Restricted Diet: An Observational Study of Insulin Resistant Patients in Primary Care. International Journal of Environmental Research & Public Health [Electronic Resource], 2019. 16(15): p. 26.
- 350. Valsdottir, T.D., et al., Low-Carbohydrate High-Fat Diet and Exercise: Effect of a 10-Week Intervention on Body Composition and CVD Risk Factors in Overweight and Obese Women-A Randomized Controlled Trial. Nutrients, 2021. 13(1).
- 351. Vargas, A.J., L.D. Pessoa, and R.L. da Rosa, Intermittent fasting and low carb diet in the body composition of women practicing physical activity. Rbne-Revista Brasileira De Nutricao Esportiva, 2018. 12(72): p. 483-490.
- 352. Vazquez, J.A. and S.A. Adibi, Protein sparing during treatment of obesity ketogenic versus nonketogenic very low calorie diet. Metabolism-Clinical and Experimental, 1992. 41(4): p. 406-414.
- 353. Vazquez, J.A. and U. Kazi, Lipolysis and gluconeogenesis from glycerol during weight-reduction with very-low-calorie diets. Metabolism-Clinical and Experimental, 1994. 43(10): p. 1293-1299.
- 354. Vazquez, J.A., U. Kazi, and N. Madani, Protein-metabolism during weight-reduction with very-low-energy diets evaluation of the independent effects of protein and carbohydrate on protein sparing. American Journal of Clinical Nutrition, 1995. 62(1): p. 93-103.
- 355. Vetter, M.L., et al., Long-term effects of low-carbohydrate versus low-fat diets in obese persons. Annals of Internal Medicine, 2010. 152(5): p. 334-5.
- 356. Vetter, M.L., et al., Effect of a low-carbohydrate diet versus a low-fat, calorie-restricted diet on adipokine levels in obese, diabetic participants. Diabetes, Metabolic Syndrome and Obesity Targets and Therapy, 2010. 3: p. 357-61.
- 357. Veum, V.L., et al., Visceral adiposity and metabolic syndrome after very high-fat and low-fat isocaloric diets: a randomized controlled trial. American Journal of Clinical Nutrition, 2017. 105(1): p. 85-99.
- 358. Volek, J.S., et al., Effects of dietary carbohydrate restriction versus low-fat diet on flow-mediated dilation. Metabolism: Clinical and Experimental, 2009. 58(12): p. 1769-77.
- 359. Volek, J.S., et al., Carbohydrate Restriction has a More Favorable Impact on the Metabolic Syndrome than a Low Fat Diet. Lipids, 2009. 44(4): p. 297-309.
- 360. Volek, J.S., et al., Comparison of a very low-carbohydrate and low-fat diet on fasting lipids, LDL subclasses, insulin resistance, and postprandial lipemic responses in overweight women. Journal of the American College of Nutrition, 2004. 23(2): p. 177-84.
- 361. Volk, B.M., et al., Effects of step-wise increases in dietary carbohydrate on circulating saturated Fatty acids and palmitoleic Acid in adults with metabolic syndrome. PLoS ONE [Electronic Resource], 2014. 9(11): p. e113605.
- 362. Vranceanu, M., et al., A comparison of a ketogenic diet with a LowGI/nutrigenetic diet over 6 months for weight loss and 18-month follow-up. BMC Nutrition, 2020. 6: p. 53.
- 363. Wal, J.S.V., et al., Moderate-carbohydrate low-fat versus low-carbohydrate high-fat meal replacements for weight loss. International Journal of Food Sciences and Nutrition, 2007. 58(4): p. 321-329.
- 364. Walsh, C.O., et al., Effects of diet composition on postprandial energy availability during weight loss maintenance. PLoS ONE [Electronic Resource], 2013. 8(3): p. e58172.
- 365. Walton, C.M., et al., Improvement in Glycemic and Lipid Profiles in Type 2 Diabetics with a 90-Day Ketogenic Diet. Journal of Diabetes Research, 2019. 2019: p. 8681959.
- 366. Wang, L.L., et al., The Effect of Low-Carbohydrate Diet on Glycemic Control in Patients with Type 2 Diabetes Mellitus. Nutrients, 2018. 10(6): p. 23.
- 367. Watanabe, M., et al., Baseline HOMA IR and Circulating FGF21 Levels Predict NAFLD Improvement in Patients Undergoing a Low Carbohydrate Dietary Intervention for Weight Loss: A Prospective Observational Pilot Study. Nutrients, 2020. 12(7): p. 18.
- 368. Wekesa, A.L., et al., Influence of a low-carbohydrate diet on endothelial microvesicles in overweight women. Applied Physiology, Nutrition, & Metabolism = Physiologie Appliquee, Nutrition et Metabolisme, 2016. 41(5): p. 522-7.
- 369. Westman, E.C., et al., Effect of 6-month adherence to a very low carbohydrate diet program. American Journal of Medicine, 2002. 113(1): p. 30-6.
- 370. Westman, E.C., et al., The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. Nutrition & Metabolism, 2008. 5: p. 36.
- 371. Westman, E.C., et al., Effect of a low-carbohydrate, ketogenic diet program compared to a low-fat diet on fasting lipoprotein subclasses. 2006. 1(2): p. 212-6.
- 372. White, A.M., et al., Blood ketones are directly related to fatigue and perceived effort during exercise in overweight adults adhering to low-carbohydrate diets for weight loss: a pilot study. Journal of the American Dietetic Association, 2007. 107(10): p. 1792-6.
- 373. Whittier, F.C., et al., Nutrition in renal transplantation. American Journal of Kidney Diseases, 1985. 6(6): p. 405-11.
- 374. Wong, J.M., et al., Equol status and blood lipid profile in hyperlipidemia after consumption of diets containing soy foods. American Journal of Clinical

- Nutrition, 2012. 95(3): p. 564-71.
- 375. Wood, R.J., et al., Effects of a carbohydrate-restricted diet with and without supplemental soluble fiber on plasma low-density lipoprotein cholesterol and other clinical markers of cardiovascular risk. Metabolism: Clinical and Experimental, 2007. 56(1): p. 58-67.
- 376. Wood, R.J., et al., Preservation of fat-free mass after two distinct weight loss diets with and without progressive resistance exercise. Metabolic Syndrome and Related Disorders, 2012. 10(3): p. 167-74.
- 377. Wood, R.J., et al., Carbohydrate restriction alters lipoprotein metabolism by modifying VLDL, LDL, and HDL subfraction distribution and size in overweight men. 2006. 1(2): p. 384-9.
- 378. Wycherley, T.P., et al., Long-term effects of weight loss with a very low carbohydrate and low fat diet on vascular function in overweight and obese patients. Journal of Internal Medicine, 2010. 267(5): p. 452-61.
- 379. Wycherley, T.P., et al., Long-term effects of a very low-carbohydrate weight loss diet on exercise capacity and tolerance in overweight and obese adults. Journal of the American College of Nutrition, 2014. 33(4): p. 267-73.
- 380. Wycherley, T.P., et al., Long-term effects of weight loss with a very-low carbohydrate, low saturated fat diet on flow mediated dilatation in patients with type 2 diabetes: A randomised controlled trial. Atherosclerosis, 2016. 252: p. 28-31.
- 381. Yancy, W.S., Jr., et al., Effects of two weight-loss diets on health-related quality of life. Quality of Life Research, 2009. 18(3): p. 281-9.
- 382. Yancy, W.S., Jr., et al., Comparison of Group Medical Visits Combined With Intensive Weight Management vs Group Medical Visits Alone for Glycemia in Patients With Type 2 Diabetes: A Noninferiority Randomized Clinical Trial. JAMA Internal Medicine, 2020. 180(1): p. 70-79.
- 383. Yancy, W.S., Jr., et al., A low-carbohydrate, ketogenic diet to treat type 2 diabetes. Nutrition & Metabolism, 2005. 2: p. 34.
- 384. Yancy, W.S., Jr., et al., Effect of Allowing Choice of Diet on Weight Loss: A Randomized Trial. Annals of Internal Medicine, 2015. 162(12): p. 805-14.
- 385. Yancy, W.S., Jr., et al., Acid-base analysis of individuals following two weight loss diets. European Journal of Clinical Nutrition, 2007. 61(12): p. 1416-22.
- 386. Yancy, W.S., Jr., et al., A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: a randomized, controlled trial. Annals of Internal Medicine, 2004. 140(10): p. 769-77.
- 387. Yancy, W.S., M.C. Vernon, and E.C. Westman, A pilot trial of a low-carbohydrate, ketogenic diet in patients with type 2 diabetes. 2003. 1(3): p. 239-43.
- 388. Yancy, W.S., Jr., et al., A randomized trial of a low-carbohydrate diet vs orlistat plus a low-fat diet for weight loss. Archives of Internal Medicine, 2010. 170(2): p. 136-45.
- 389. Yokose, C., et al., Effects of Low-Fat, Mediterranean, or Low-Carbohydrate Weight Loss Diets on Serum Urate and Cardiometabolic Risk Factors: A Secondary Analysis of the Dietary Intervention Randomized Controlled Trial (DIRECT). Diabetes Care, 2020. 43(11): p. 2812-2820.
- 390. Yost, O., et al., Continuous Glucose Monitoring With Low-Carbohydrate Diet Coaching in Adults With Prediabetes: Mixed Methods Pilot Study. JMIR Diabetes, 2020. 5(4): p. e21551.
- 391. Zadeh, M., et al., Diets along with interval training regimes improves inflammatory & anti-inflammatory condition in obesity with type 2 diabetes subjects. Journal of Diabetes & Matabolic Disorders, 2018. 17(2): p. 253-267.
- 392. Zelicha, H., et al., Changes of renal sinus fat and renal parenchymal fat during an 18-month randomized weight loss trial. Clinical Nutrition, 2018. 37(4): p. 1145-1153.
- 393. Zinn, C., et al., A 12-week low-carbohydrate, high-fat diet improves metabolic health outcomes over a control diet in a randomised controlled trial with overweight defence force personnel. Applied Physiology, Nutrition & Metabolism, 2017. 42(11): p. 1158-1164.

Supplementary Appendix 3: Sports/performance trials (includes publications that may refer to the same trial)

- 1. Burke, L.M., et al., Crisis of confidence averted: Impairment of exercise economy and performance in elite race walkers by ketogenic low carbohydrate, high fat (LCHF) diet is reproducible. PLoS ONE [Electronic Resource], 2020. 15(6): p. e0234027.
- Carr, A.J., et al., Chronic Ketogenic Low Carbohydrate High Fat Diet Has Minimal Effects on Acid-Base Status in Elite Athletes. Nutrients, 2018. 10(2): p. 18.
- 3. Cipryan, L., et al., Effects of a 4-Week Very Low-Carbohydrate Diet on High-Intensity Interval Training Responses. Journal of Sports Science & Medicine, 2018. 17(2): p. 259-268.
- 4. Creighton, B.C., et al., Paradox of hypercholesterolaemia in highly trained, keto-adapted athletes. Bmj Open Sport & Exercise Medicine, 2018. 4(1).
- 5. Cutler, D.L., et al., Low-carbohydrate diet alters intracellular glucose metabolism but not overall glucose disposal in exercise-trained subjects. Metabolism: Clinical and Experimental, 1995. 44(10): p. 1264-70.
- Dostal, T., et al., Effects of a 12-Week Very-Low Carbohydrate High-Fat Diet on Maximal Aerobic Capacity, High-Intensity Intermittent Exercise, and Cardiac Autonomic Regulation: Non-randomized Parallel-Group Study. Frontiers in Physiology, 2019. 10: p. 912.
- 7. Durkalec-Michalski, K., et al., Is a Four-Week Ketogenic Diet an Effective Nutritional Strategy in CrossFit-Trained Female and Male Athletes? Nutrients, 2021. 13(3): p. 06.
- 8. Durkalec-Michalski, K., P.M. Nowaczyk, and K. Siedzik, Effect of a four-week ketogenic diet on exercise metabolism in CrossFit-trained athletes. Journal of the International Society of Sports Nutrition, 2019. 16.
- 9. Fleming, J., et al., Endurance capacity and high-intensity exercise performance responses to a high-fat diet. International Journal of Sport Nutrition and Exercise Metabolism, 2003. 13(4): p. 466-478.
- Greene, D.A., et al., A Low-Carbohydrate Ketogenic Diet Reduces Body Mass Without Compromising Performance in Powerlifting and Olympic Weightlifting Athletes. Journal of Strength and Conditioning Research, 2018. 32(12): p. 3373-3382.
- 11. Heatherly, A.J., et al., Effects of Ad libitum Low-Carbohydrate High-Fat Dieting in Middle-Age Male Runners. Medicine and Science in Sports and Exercise, 2018. 50(3): p. 570-579.
- 12. Heikura, I.A., et al., A Short-Term Ketogenic Diet Impairs Markers of Bone Health in Response to Exercise. Frontiers in Endocrinology, 2020. 10.
- 13. Kephart, W.C., et al., The Three-Month Effects of a Ketogenic Diet on Body Composition, Blood Parameters, and Performance Metrics in CrossFit Trainees: A Pilot Study. Sports, 2018. 6(1): p. 09.
- 14. Kysel, P., et al., The Influence of Cyclical Ketogenic Reduction Diet vs. Nutritionally Balanced Reduction Diet on Body Composition, Strength, and Endurance Performance in Healthy Young Males: A Randomized Controlled Trial. Nutrients, 2020. 12(9): p. 16.
- 15. Maynard, D.D., et al., Low versus adequate carbohydrate diet in Brazilian jiu jitsu athletes: comparisons of hormonal biomarkers, physical and psychological. Archives of Budo, 2018. 14: p. 13-23.
- 16. McAllister, M.J., et al., Effect of carbohydrate restriction on oxidative stress response to high-intensity resistance exercise. Translational Sports Medicine, 2019. 2(6): p. 334-340.
- 17. McKay, A.K.A., et al., Chronic Adherence to a Ketogenic Diet Modifies Iron Metabolism in Elite Athletes. Medicine and Science in Sports and Exercise, 2019. 51(3): p. 548-555.
- 18. McKay, A.K.A., et al., Acute carbohydrate ingestion does not influence the post-exercise iron-regulatory response in elite keto-adapted race walkers. Journal of Science and Medicine in Sport, 2019. 22(6): p. 635-640.
- 19. McKay, A.K.A., et al., The impact of chronic carbohydrate manipulation on mucosal immunity in elite endurance athletes. Journal of Sports Sciences, 2019. 37(5): p. 553-559.
- McSwiney, F.T. and L. Doyle, Low-Carbohydrate Ketogenic Diets in Male Endurance Athletes Demonstrate Different Micronutrient Contents and Changes in Corpuscular Haemoglobin over 12 Weeks. Sports, 2019. 7(9).
- 21. McSwiney, F.T., et al., Changes in body composition and substrate utilization after a short-term ketogenic diet in endurance-trained males. Biology of Sport, 2021. 38(1): p. 145-152.
- 22. McSwiney, F.T., et al., Keto-adaptation enhances exercise performance and body composition responses to training in endurance athletes. Metabolism: Clinical and Experimental, 2018. 81: p. 25-34.
- 23. Meirelles, C.M. and P.S.C. Gomes, Effects of Short-Term Carbohydrate Restrictive and Conventional Hypoenergetic Diets and Resistance Training on Strength Gains and Muscle Thickness. Journal of Sports Science & Medicine, 2016. 15(4): p. 578-584.
- 24. Michalczyk, M., et al., No Modification in Blood Lipoprotein Concentration but Changes in Body Composition after 4 Weeks of Low Carbohydrate Diet (LCD) Followed by 7 Days of Carbohydrate Loading in Basketball Players. Journal of Human Kinetics, 2018. 65: p. 125-137.
- 25. Michalczyk, M.M., et al., Anaerobic Performance after a Low-Carbohydrate Diet (LCD) Followed by 7 Days of Carbohydrate Loading in Male Basketball Players. Nutrients, 2019. 11(4).
- Mirtschin, J.G., et al., Organization of Dietary Control for Nutrition-Training Intervention Involving Periodized Carbohydrate Availability and Ketogenic Low-Carbohydrate High-Fat Diet. International Journal of Sport Nutrition and Exercise Metabolism, 2018. 28(5): p. 480-489.
- 27. Murtaza, N., et al., The Effects of Dietary Pattern during Intensified Training on Stool Microbiota of Elite Race Walkers. Nutrients, 2019. 11(2).
- 28. O'Neal, E.K., et al., Effects of a 3-week High-Fat-Low-Carbohydrate Diet on Lipid and Glucose Profiles in Experienced, Middle-age Male Runners. International Journal of Exercise Science, 2019. 12(2): p. 786-799.
- 29. Paoli, A., et al., Effects of Two Months of Very Low Carbohydrate Ketogenic Diet on Body Composition, Muscle Strength, Muscle Area, and Blood Parameters in Competitive Natural Body Builders. Nutrients, 2021. 13(2): p. 26.
- 30. Paoli, A., et al., Ketogenic diet does not affect strength performance in elite artistic gymnasts. Journal of the International Society of Sports Nutrition, 2012. 9(1): p. 34.
- 31. Phinney, S.D., et al., The human metabolic response to chronic ketosis without caloric restriction: preservation of submaximal exercise capability with reduced carbohydrate oxidation. Metabolism: Clinical and Experimental, 1983. 32(8): p. 769-76.
- 32. Phinney, S.D., et al., Capacity for moderate exercise in obese subjects after adaptation to a hypocaloric, ketogenic diet. Journal of Clinical Investigation, 1980. 66(5): p. 1152-61.
- 33. Pokora, I. and R. Grucza, Effects of low-carbohydrate diet on thermoregulatory responses to graded exercise in men. Biology of Sport, 2000. 17(4): p. 277-290.
- 34. Prins, P.J., et al., High Rates of Fat Oxidation Induced by a Low-Carbohydrate, High-Fat Diet, Do Not Impair 5-km Running Performance in Competitive Recreational Athletes. Journal of Sports Science & Medicine, 2019. 18(4): p. 738-750.
- 35. Shaw, D.M., et al., Adaptation to a ketogenic diet modulates adaptive and mucosal immune markers in trained male endurance athletes. Scandinavian Journal of Medicine and Science in Sports, 2021. 31(1): p. 140-152.
- 36. Shaw, D.M., et al., Effect of a Ketogenic Diet on Submaximal Exercise Capacity and Efficiency in Runners. Medicine and Science in Sports and Exercise, 2019. 51(10): p. 2135-2146.
- 37. Sitko, S., et al., Effects of a low-carbohydrate diet on body composition and performance in road cycling: a randomized, controlled trial. Nutricion Hospitalaria, 2020. 37(5): p. 1022-1027.
- 38. Sitko, S., R. Cirer-Sastre, and I. Lopez Laval, Effects of a low-carbohydrate diet on performance and body composition in trained cyclists. Nutricion Hospitalaria, 2019. 36(6): p. 1384-1388.
- 39. Terink, R., et al., A 2 Week Cross-over Intervention with a Low Carbohydrate, High Fat Diet Compared to a High Carbohydrate Diet Attenuates Exercise-Induced Cortisol Response, but Not the Reduction of Exercise Capacity, in Recreational Athletes. Nutrients, 2021. 13(1): p. 06.

- 40. Vargas, S., et al., Efficacy of ketogenic diet on body composition during resistance training in trained men: a randomized controlled trial. Journal of the International Society of Sports Nutrition, 2018. 15(1): p. 31.
- 41. Vargas-Molina, S., et al., Effects of a low-carbohydrate ketogenic diet on health parameters in resistance-trained women. European Journal of Applied Physiology, 2021. 18: p. 18.
- 42. Vargas-Molina, S., et al., Effects of a ketogenic diet on body composition and strength in trained women. Journal of the International Society of Sports Nutrition, 2020. 17(1): p. 19.
- 43. Vidic, V., et al., Effects of calorie restricted low carbohydrate high fat ketogenic vs. non-ketogenic diet on strength, body-composition, hormonal and lipid profile in trained middle-aged men. Clinical Nutrition, 2021. 40(4): p. 1495-1502.
- 44. Volek, J.S., et al., Metabolic characteristics of keto-adapted ultra-endurance runners. Metabolism: Clinical and Experimental, 2016. 65(3): p. 100-10.
- 45. Volek, J.S., R.A. LaFountain, and P. Dituro, Extended Ketogenic Diet and Physical Training Intervention in Military Personnel. Military Medicine, 2019. 184(9-10): p. 199-200.
- 46. Waldman, H.S., et al., Effects of a 15-Day Low Carbohydrate, High-Fat Diet in Resistance-Trained Men. Journal of Strength and Conditioning Research, 2018. 32(11): p. 3103-3111.
- 47. Webster, C.C., et al., Gluconeogenesis during endurance exercise in cyclists habituated to a long-term low carbohydrate high-fat diet. Journal of Physiology-London, 2016. 594(15): p. 4389-4405.
- 48. Webster, C.C., et al., Reduced Glucose Tolerance and Skeletal Muscle GLUT4 and IRS1 Content in Cyclists Habituated to a Long-Term Low-Carbohydrate, High-Fat Diet. International Journal of Sport Nutrition and Exercise Metabolism, 2020: p. 1-8.
- 49. Wilson, J.M., et al., Effects of Ketogenic Dieting on Body Composition, Strength, Power, and Hormonal Profiles in Resistance Training Men. Journal of Strength and Conditioning Research, 2020. 34(12): p. 3463-3474.
- 50. Zajac, A., et al., The effects of a ketogenic diet on exercise metabolism and physical performance in off-road cyclists. Nutrients, 2014. 6(7): p. 2493-508.
- 51. Zinn, C., et al., Ketogenic diet benefits body composition and well-being but not performance in a pilot case study of New Zealand endurance athletes. Journal of the International Society of Sports Nutrition, 2017. 14.

Supplementary Appendix 4: Cancer trials (includes publications that may refer to the same trial)

- 1. Artzi, M., et al., Changes in cerebral metabolism during ketogenic diet in patients with primary brain tumors: H-1-MRS study. Journal of Neuro-Oncology, 2017. 132(2): p. 267-275.
- 2. Augustus, E., İ. Granderson, and K.D. Rocke, The Impact of a Ketogenic Dietary Intervention on the Quality of Life of Stage II and III Cancer Patients: A Randomized Controlled Trial in the Caribbean. Nutrition and Cancer, 2020: p. 1-11.
- 3. Berrington, A., et al., Cerebral Ketones Detected by 3T MR Spectroscopy in Patients with High-Grade Glioma on an Atkins-Based Diet. AJNR: American Journal of Neuroradiology, 2019. 40(11): p. 1908-1915.
- 4. Chi, J.T., et al., The influence of low-carbohydrate diets on the metabolic response to androgen-deprivation therapy in prostate cancer. Prostate, 2021. 05: p. 05.
- Cohen, C.W., et al., A Ketogenic Diet Reduces Central Obesity and Serum Insulin in Women with Ovarian or Endometrial Cancer. Journal of Nutrition, 2018. 148(8): p. 1253-1260.
- Cohen, C.W., et al., A Ketogenic Diet Is Acceptable in Women with Ovarian and Endometrial Cancer and Has No Adverse Effects on Blood Lipids: A Randomized, Controlled Trial. Nutrition and Cancer, 2020. 72(4): p. 584-594.
- 7. Cohen, C.W., et al., Favorable Effects of a Ketogenic Diet on Physical Function, Perceived Energy, and Food Cravings in Women with Ovarian or Endometrial Cancer: A Randomized, Controlled Trial. Nutrients, 2018. 10(9): p. 30.
- 8. Fine, E.J., et al., Targeting insulin inhibition as a metabolic therapy in advanced cancer: a pilot safety and feasibility dietary trial in 10 patients. Nutrition, 2012. 28(10): p. 1028-35.
- 9. Foppiani, A., et al., Isocaloric Ketogenic Diet in Adults with High-Grade Gliomas: A Prospective Metabolic Study. Nutrition and Cancer, 2021. 73(6): p. 1004-1014.
- 10. Hagihara, K., et al., Promising Effect of a New Ketogenic Diet Regimen in Patients with Advanced Cancer. Nutrients, 2020. 12(5): p. 19.
- 11. Jansen, N. and H. Walach, The development of tumours under a ketogenic diet in association with the novel tumour marker TKTL1: A case series in general practice. Oncology Letters, 2016. 11(1): p. 584-592.
- 12. Kammerer, U., et al., Low Carb and Ketogenic Diets Increase Quality of Life, Physical Performance, Body Composition, and Metabolic Health of Women with Breast Cancer. Nutrients, 2021. 13(3): p. 23.
- 13. Kang, C.M., et al., Postoperative serum metabolites of patients on a low carbohydrate ketogenic diet after pancreatectomy for pancreatobiliary cancer: a nontargeted metabolomics pilot study. Scientific Reports, 2019. 9(1): p. 16820.
- Khodabakhshi, A., et al., Feasibility, Safety, and Beneficial Effects of MCT-Based Ketogenic Diet for Breast Cancer Treatment: A Randomized Controlled Trial Study. Nutrition and Cancer, 2020. 72(4): p. 627-634.
- 15. Khodabakhshi, A., et al., Effects of Ketogenic metabolic therapy on patients with breast cancer: A randomized controlled clinical trial. Clinical Nutrition, 2021. 40(3): p. 751-758.
- 16. Khodabakhshi, A., et al., Does a ketogenic diet have beneficial effects on quality of life, physical activity or biomarkers in patients with breast cancer: a randomized controlled clinical trial. Nutrition Journal, 2020. 19(1): p. 87.
- randomized controlled clinical trial. Nutrition Journal, 2020. 19(1): p. 87.

 17. Klein, P., et al., Treatment of glioblastoma multiforme with "classic" 4:1 ketogenic diet total meal replacement. Cancer & Metabolism, 2020. 8(1): p. 24.
- 18. Klement, R.J., et al., Impact of a ketogenic diet intervention during radiotherapy on body composition: III-final results of the KETOCOMP study for breast cancer patients. Breast Cancer Research, 2020. 22(1): p. 94.
- 19. Klement, R.J., G. Schafer, and R.A. Sweeney, A ketogenic diet exerts beneficial effects on body composition of cancer patients during radiotherapy: An interim analysis of the KETOCOMP study. Journal of Traditional & Complementary Medicine, 2020. 10(3): p. 180-187.
- Klement, R.J. and R.A. Sweeney, Impact of a ketogenic diet intervention during radiotherapy on body composition: I. Initial clinical experience with six prospectively studied patients. BMC Research Notes, 2016. 9: p. 143.
- 21. Klement, R.J., M.M. Weigel, and R.A. Sweeney, A ketogenic diet consumed during radiotherapy improves several aspects of quality of life and metabolic health in women with breast cancer. Clinical Nutrition, 2021. 27: p. 27.
- 22. Lin, P.H., L. Howard, and S.J. Freedland, Impact of Low Carbohydrate Diet on Self-Report Fatigue and Weakness in Prostate Cancer Patients. Journal of Urology, 2021: p. 101097JU000000000001780.
- 23. Martin-McGill, K.J., et al., The Modified Ketogenic Diet in Adults with Glioblastoma: An Evaluation of Feasibility and Deliverability within the National Health Service. Nutrition and Cancer, 2018. 70(4): p. 643-649.
- 24. Martin-McGill, K.J., et al., Ketogenic diets as an adjuvant therapy for glioblastoma (KEATING): a randomized, mixed methods, feasibility study. Journal of Neuro-Oncology, 2020. 147(1): p. 213-227.
- 25. Rieger, J., et al., ERGO: a pilot study of ketogenic diet in recurrent glioblastoma. International Journal of Oncology, 2014. 44(6): p. 1843-52.
- 26. Santos, J.G., et al., Efficacy of a ketogenic diet with concomitant intranasal perillyl alcohol as a novel strategy for the therapy of recurrent glioblastoma. Oncology Letters, 2018. 15(1): p. 1263-1270.
- 27. Santos, J.G., et al., Adjuvant effect of low-carbohydrate diet on outcomes of patients with recurrent glioblastoma under intranasal perillyl alcohol therapy. Surgical Neurology International, 2020. 11: p. 389.
- 28. Schmidt, M., et al., Effects of a ketogenic diet on the quality of life in 16 patients with advanced cancer: A pilot trial. Nutrition & Metabolism, 2011. 8(1): p. 54.
- 29. Schwartz, K.A., et al., Investigating the Ketogenic Diet As Treatment for Primary Aggressive Brain Cancer: Challenges and Lessons Learned. Frontiers in Nutrition, 2018. 5: p. 11.
- 30. Tan-Shalaby, J.L., et al., Modified Atkins diet in advanced malignancies final results of a safety and feasibility trial within the Veterans Affairs Pittsburgh Healthcare System. 2016. 1: p. 52.
- 31. Thompson, H.J., et al., Effect of dietary patterns differing in carbohydrate and fat content on blood lipid and glucose profiles based on weight-loss success of breast-cancer survivors. Breast Cancer Research, 2012. 14(1): p. R1.
- 32. van der Louw, E., et al., Ketogenic diet treatment as adjuvant to standard treatment of glioblastoma multiforme: a feasibility and safety study. Therapeutic Advances in Medical Oncology, 2019. 11: p. 1758835919853958.
- 33. Voss, M., et al., ERGO2: A Prospective, Randomized Trial of Calorie-Restricted Ketogenic Diet and Fasting in Addition to Reirradiation for Malignant Glioma. International Journal of Radiation Oncology, Biology, Physics, 2020. 108(4): p. 987-995.

Supplementary Appendix 5: General trials (includes publications that may refer to the same trial)

- 1. Anderson, J.W. and R.H. Herman, Effects of carbohydrate restriction on glucose tolerance of normal men and reactive hypoglycemic patients. American Journal of Clinical Nutrition, 1975. 28(7): p. 748-55.
- 2. Apperly, F.L. and J.H. Norris, The ketogenic diet in normal individuals A biochemical investigation. American Journal of the Medical Sciences, 1933. 185: p. 802-810.
- 3. Baumann, M., et al., [Lipid profile of healthy persons with low-carbohydrate diet]. Tidsskrift for den Norske Laegeforening, 2013. 133(11): p. 1193-6.
- 4. Buechert, M., et al., In Vivo Fat Quantification: Monitoring Effects of a 6-Week Non-Energy-Restricted Ketogenic Diet in Healthy Adults Using MRI, ADP and BIA. Nutrients, 2020. 12(1): p. 17.
- 5. Buren, J., et al., A Ketogenic Low-Carbohydrate High-Fat Diet Increases LDL Cholesterol in Healthy, Young, Normal-Weight Women: A Randomized Controlled Feeding Trial. Nutrients, 2021. 13(3).
- 6. Carter, J.D., F.B. Vasey, and J. Valeriano, The effect of a low-carbohydrate diet on bone turnover. Osteoporosis International, 2006. 17(9): p. 1398-403.
- Cipryan, L., et al., Adiponectin/leptin ratio increases after a 12-week very low-carbohydrate, high-fat diet, and exercise training in healthy individuals: A non-randomized, parallel design study. Nutrition Research, 2021. 87: p. 22-30.
- 8. Cipryan, L., et al., Effects of a four-week very low-carbohydrate high-fat diet on biomarkers of inflammation: Non-randomised parallel-group study. Nutrition and Health, 2020. 26(1): p. 35-42.
- 9. CJ, D.C.H., et al., The Effect of Medium Chain Triglycerides on Time to Nutritional Ketosis and Symptoms of Keto-Induction in Healthy Adults: A Randomised Controlled Clinical Trial. Journal of Nutrition and Metabolism, 2018. 2018: p. 2630565.
- 10. Duncan, S.H., et al., Reduced dietary intake of carbohydrates by obese subjects results in decreased concentrations of butyrate and butyrate-producing bacteria in feces. Applied and Environmental Microbiology, 2007. 73(4): p. 1073-8.
- 11. Hall, K.D., et al., Methodologic considerations for measuring energy expenditure differences between diets varying in carbohydrate using the doubly labeled water method. American Journal of Clinical Nutrition, 2019. 109(5): p. 1328-1334.
- 12. Harvey, C., et al., Low-carbohydrate diets differing in carbohydrate restriction improve cardiometabolic and anthropometric markers in healthy adults: A randomised clinical trial. PeerJ, 2019. 7: p. e6273.
- 13. Malik, N., et al., Are long-term FAD diets restricting micronutrient intake? A randomized controlled trial. Food Sciences and Nutrition, 2020. 8(11): p. 6047-6060.
- 14. Merra, G., et al., Very-low-calorie ketogenic diet with aminoacid supplement versus very low restricted-calorie diet for preserving muscle mass during weight loss: a pilot double-blind study. European Review for Medical and Pharmacological Sciences, 2016. 20(12): p. 2613-21.
- 15. Miller, V.J., et al., A ketogenic diet combined with exercise alters mitochondrial function in human skeletal muscle while improving metabolic health. American Journal of Physiology Endocrinology & Metabolism, 2020. 319(6): p. E995-E1007.
- 16. Nazarewicz, R.R., et al., Effect of short-term ketogenic diet on redox status of human blood. Rejuvenation Research, 2007. 10(4): p. 435-40.
- 17. Phinney, S.D., et al., The human metabolic response to chronic ketosis without caloric restriction: physical and biochemical adaptation. Metabolism: Clinical and Experimental, 1983. 32(8): p. 757-68.
- 18. Prabhakar, A., et al., Acetone as biomarker for ketosis buildup capability--a study in healthy individuals under combined high fat and starvation diets. Nutrition Journal, 2015. 14: p. 41.
- 19. Retterstol, K., et al., Effect of low carbohydrate high fat diet on LDL cholesterol and gene expression in normal-weight, young adults: A randomized controlled study. Atherosclerosis, 2018. 279: p. 52-61.
- Rubini, A., et al., Effects of Twenty Days of the Ketogenic Diet on Metabolic and Respiratory Parameters in Healthy Subjects. Lung, 2015. 193(6): p. 939-45
- 21. Saenz, C., et al., Effect of a Free-Living Ketogenic Diet on Feasibility, Satiety, Body Composition, and Metabolic Health in Women: The Grading Level of Optimal Carbohydrate for Women (GLOW) Study. Journal of the American College of Nutrition, 2021. 40(4): p. 295-306.
- 22. Serog, P., et al., Effects of slimming and composition of diets on VO2 and thyroid hormones in healthy subjects. American Journal of Clinical Nutrition, 1982. 35(1): p. 24-35.
- 23. Sharman, M.J., et al., A ketogenic diet favorably affects serum biomarkers for cardiovascular disease in normal-weight men. Journal of Nutrition, 2002. 132(7): p. 1879-85.
- 24. Sjodin, A., et al., Effects of a Ketogenic Diet on Muscle Fatigue in Healthy, Young, Normal-Weight Women: A Randomized Controlled Feeding Trial. Nutrients, 2020. 12(4): p. 30.
- 25. Urbain, P., et al., Impact of a 6-week non-energy-restricted ketogenic diet on physical fitness, body composition and biochemical parameters in healthy adults. Nutrition & Metabolism, 2017. 14: p. 17.
- 26. Valsdottir, T.D., et al., Effect of a Low-Carbohydrate High-Fat Diet and a Single Bout of Exercise on Glucose Tolerance, Lipid Profile and Endothelial Function in Normal Weight Young Healthy Females. Frontiers in Physiology, 2019. 10: p. 1499.
- 27. Volek, J.S., A.L. Gomez, and W.J. Kraemer, Fasting lipoprotein and postprandial triacylglycerol responses to a low-carbohydrate diet supplemented with n-3 fatty acids. Journal of the American College of Nutrition, 2000. 19(3): p. 383-91.
- 28. Volek, J.S., et al., An isoenergetic very low carbohydrate diet improves serum HDL cholesterol and triacylglycerol concentrations, the total cholesterol to HDL cholesterol ratio and postprandial lipemic responses compared with a low fat diet in normal weight, normolipidemic women. Journal of Nutrition, 2003, 133(9): p. 2756-2761.
- 29. Volek, J.S., et al., Body composition and hormonal responses to a carbohydrate-restricted diet. Metabolism-Clinical and Experimental, 2002. 51(7): p. 864-870.
- 30. Waldman, H.S., et al., A 28-Day Carbohydrate-Restricted Diet Improves Markers of Cardiometabolic Health and Performance in Professional Firefighters. Journal of Strength and Conditioning Research, 2019. 33(12): p. 3284-3294.

Supplementary Appendix 6: Neurological (non-neuro outcome) (includes publications that may refer to the same trial)

- 1. Cervenka, M.C., et al., The impact of the modified Atkins diet on lipid profiles in adults with epilepsy. Nutritional Neuroscience, 2016. 19(3): p. 131-7.
- 2. Heussinger, N., et al., 10 patients, 10 years Long term follow-up of cardiovascular risk factors in Glut1 deficiency treated with ketogenic diet therapies: A prospective, multicenter case series. Clinical Nutrition, 2018. 37(6 Pt A): p. 2246-2251.
- 3. Jung, D.E., et al., Improving tolerability of the ketogenic diet in patients with abnormal endoscopic findings. Brain and Development, 2008. 30(6): p. 416-9.
- Kverneland, M., et al., Modified Atkins diet may reduce serum concentrations of antiepileptic drugs. Acta Neurologica Scandinavica, 2015. 131(3): p. 187-90.
- 5. Kwiterovich, P.O., Jr., et al., Effect of a high-fat ketogenic diet on plasma levels of lipids, lipoproteins, and apolipoproteins in children. JAMA, 2003. 290(7): p. 912-20.
- 6. Martin-McGill, K.J., et al., The modified ketogenic diet for adults with refractory epilepsy: An evaluation of a set up service. Seizure, 2017. 52: p. 1-6.
- 7. Molteberg, E., et al., Effects of modified Atkins diet on thyroid function in adult patients with pharmacoresistant epilepsy. Epilepsy & Behavior, 2020. 111: p. 107285.
- 8. Nagpal, R., et al., Modified Mediterranean-ketogenic diet modulates gut microbiome and short-chain fatty acids in association with Alzheimer's disease markers in subjects with mild cognitive impairment. EBioMedicine, 2019. 47: p. 529-542.
- 9. Nagpal, R., et al., Gut mycobiome and its interaction with diet, gut bacteria and alzheimer's disease markers in subjects with mild cognitive impairment: A pilot study. EBioMedicine, 2020. 59: p. 102950.
- 10. Swidsinski, A., et al., Reduced Mass and Diversity of the Colonic Microbiome in Patients with Multiple Sclerosis and Their Improvement with Ketogenic Diet. Frontiers in Microbiology, 2017. 8: p. 1141.
- 11. Taylor, M.K., et al., An Experimental Ketogenic Diet for Alzheimer Disease Was Nutritionally Dense and Rich in Vegetables and Avocado. Current Developments in Nutrition, 2019. 3(4): p. nzz003.
- 12. Vianna, J.B., et al., The oral glucose tolerance test is frequently abnormal in patients with uncontrolled epilepsy. Epilepsy & Behavior, 2006. 9(1): p. 140-4.

Supplementary Appendix 7: Gastrointestinal trials (includes publications that may refer to the same trial)

- 1. Austin, G.L., et al., A very low-carbohydrate diet improves symptoms and quality of life in diarrhea-predominant irritable bowel syndrome. Clinical Gastroenterology and Hepatology, 2009. 7(6): p. 706-708.e1.
- 2. Ferraris, C., et al., One Month of Classic Therapeutic Ketogenic Diet Decreases Short Chain Fatty Acids Production in Epileptic Patients. Frontiers in Nutrition, 2021. 8: p. 613100.
- 3. Fuller, A.T. and L. Colebrook, Treatment of urinary infections in the puerperium by a ketogenic diet. Lancet, 1933. 2: p. 735-739.
- 4. Lorenz-Meyer, H., et al., Omega-3 fatty acids and low carbohydrate diet for maintenance of remission in Crohn's disease. A randomized controlled multicenter trial. . Scandinavian Journal of Gastroenterology, 1996. 31(8): p. 778-85.