

1 **Electronic Supplementary Material - Appendices**

2 **Appendix 1. Full breed list, listed alphabetically.**

Breeds searched (* denotes those identified with inherited disorders)

#	Breed	#	Breed	#	Breed	#	Breed	
1	Ab	Abyssinian	31	BF	Black Forest	61	Dul	Dülmen Pony
2	Ak	Akhal Teke	32	Boe	Boer	62	DD	Dutch Draft
3	Al	Albanian	33	Bre	Breton*	63	DW	Dutch Warmblood
4	Alt	Altai	34	Buc	Buckskin	64	EB	East Bulgarian
5	ACD	American Cream Draft	35	Bud	Budyonny	65	Egy	Egyptian
6	ACW	American Creme and White	36	By	Byelorussian Harness	66	EP	Eriskay Pony
7	AWP	American Walking Pony	37	Cam	Camargue*	67	EN	Estonian Native
8	And	Andalusian*	38	Camp	Campolina	68	ExP	Exmoor Pony
9	Anv	Andravidia	39	Can	Canadian	69	Fae	Faeroes Pony
10	A-K	Anglo-Kabarda	40	Car	Carthusian	70	Fa	Falabella*
11	Ap	Appaloosa*	41	Cas	Caspian	71	FP	Fell Pony*
12	Arp	Araappaloosa	42	Cay	Cayuse	72	Fin	Finnhorse*
13	A	Arabian / Arab*	43	Ch	Cheju	73	Fl	Fleuve
14	Ard	Ardennes	44	CC	Chilean Corralero	74	Fo	Fouta
15	AC	Argentine Criollo	45	CP	Chincoteague Pony	75	Fr	Frederiksborg
16	Ast	Asturian	46	CB	Cleveland Bay	76	Fb	Freiberger*
17	AB	Australian Brumby	47	Cly	Clydesdale*	77	FS	French Saddlebred
18	ASH	Australian Stock Horse	48	CN	Cob Normand*	78	FT	French Trotter
19	Az	Azteca	49	CRH	Colorado Ranger Horse	79	F	Friesian*
20	Ba	Balearic	50	Com	Comtois*	80	Gal	Galiceño
21	Bal	Baluchi	51	CoP	Connemara Pony*	81	GP	Galician Pony
22	Bei	Ban-ei	52	C	Criollo*	82	GL	Gelderlander
23	Ban	Banker	53	Cri	Crioulo	83	Gid	Gidran
24	Bar	Barb	54	DalP	Dales Pony*	84	GAS	Golden American Saddlebred
25	Bas	Bashkir	55	Dan	Danube	85	Got	Gotland*
26	BC	Bashkir Curly	56	DarP	Dartmoor Pony	86	Gro	Groningen*
27	BP	Basotho Pony	57	DEL	Deliboz	87	Gua	Guangxi
28	B	Belgian*	58	Dj	Djerma	88	Hac	Hackney
29	BhP	Bhirum Pony	59	Do	Døle	89	Haf	Haflinger*
30	BhoP	Bhotia Pony	60	Don	Dongola	90	Han	Hanoverian*
						91	HP	Highland Pony*
						92	Hok	Hokkaido
						93	Hol	Holsteiner*
						94	Huc	Hucul
						95	HW	Hungarian Warmblood
						96	Ice	Icelandic*
						97	Io	Iomud
						98	ID	Irish Draught
						99	Jin	Jinzhou
						100	Jut	Jutland
						101	Kab	Kabarda
						102	Kar	Karabair
						103	Kara	Karabakh
						104	Kaz	Kazakh
						105	KPB	Kerry Bog Pony
						106	KM	Kiger Mustang
						107	KP	Kirdi Pony
						108	KF	Kisber Felver
						109	Kis	Kiso
						110	Kla	Kladruby
						111	Kna	Knabstrup
						112	Kus	Kushum
						113	Kust	Kustanai
						114	Lat	Latvian
						115	L	Lipizzan*
						116	LHD	Lithuanian Heavy Draft
						117	Lok	Lokai
						118	Los	Losino
						119	Lus	Lusitano
						120	Mal	Malopolski

Breeds searched (* denotes those identified with inherited disorders)

#	Breed	#	Breed	#	Breed	#	Breed
121	Man Mangalarga	147	NF Norwegian Fjord*	173	RHD Russian Heavy Draft	199	TWH Tennessee Walking Horse*
122	Mare Maremmano*	148	Ob Ob	174	RT Russian Trotter	200	Ter Tersk
123	Mar Marwari	149	Old Oldenburg*	175	Sb Saddlebred*	201	Thes Thessalian
124	Mba M'Bayar	150	OT Orlov Trotter	176	Sa Sanhe	202	TB Thoroughbred*
125	MP Mérens Pony	151	P Paint*	177	SHD Schleswiger Heavy Draft	203	Tok Tokara
126	Mes Messara	152	Pal Palomino*	178	Sfu Schwarzwälder Fuchs	204	Tor Tori
127	M Miniature*	153	Pant Pantaneiro	179	SF Selle Francais	205	Trak Trakehner*
128	Mis Misaki	154	PF Paso Fino*	180	Sha Shagya	206	US Ukrainian Saddle
129	MFTH Missouri Fox Trotting Horse	155	Perc Percheron*	181	SP Shetland Pony*	207	Vlaa Vlaamperd
130	Miy Miyako	156	PP Peruvian Paso*	182	SH Shire*	208	Vlad Vladimir Heavy Draft
131	Mon Mongolian	157	PPo Pindos Pony	183	SFH Single-Footing Horse	209	Vy Vyatka
132	Mob Morab	158	Pin Pinia	184	SkP Skyros Pony	210	WeP Welara Pony
133	Morg Morgan*	159	Pinta Pintabian	185	SoP Somali Pony	211	WP Welsh Pony and Cob*
134	Moy Moyle	160	Pint Pinto	186	Sor Sorraia	212	WAB West African Barb
135	Murg Murgese*	161	PK Polish Konik	187	SGC South German Coldblood*	213	WSP Western Sudan Pony
136	Must Mustang*	162	PA Pony of the Americas	188	SoHD Soviet Heavy Draft	214	Wie Wielkopolski
137	NSH National Show Horse	163	Po Pottok	189	SpM Spanish Mustang	215	X Xilingol
138	NFP New Forest Pony	164	Prz Przewalski	190	SpB Spanish-Barb	216	Yak Yakut
139	NK New Kirgiz	165	PT Pyrenean Tarpan	191	SpN Spanish-Norman	217	Yan Yanqi
140	NP Newfoundland Pony	166	Qa Qatgani	192	Stb Standardbred*	218	Yi Yili
141	Nom Noma	167	Qu Quarab	193	SCB Sudan Country-Bred	219	Yo Yonaguni
142	Noo Nooitgedacht Pony	168	QH Quarter Horse*	194	Su Suffolk*	220	Z Zaniskari Pony
143	NoL Nordland	169	QP Quarter Pony	195	SW Swedish Warmblood	221	Zh Zhemaichu
144	Nor Noric	170	RH Racking Horse	196	Tai Taishuh		
145	NSwH North Swedish Horse	171	RMH Rocky Mountain Horse*	197	Tar Tarpan		
146	NE Northeastern	172	RD Russian Don	198	Taw Tawleed		

4 **Appendix 2.** Full list of inherited disorders listed by name of the disorder. Common abbreviations appear in brackets and common synonyms in curly brackets.
5 Total papers found on each disorder, and the number of breeds affected, are shown ('/' denotes none known). The organ system affected and C or D and S or B
6 category are listed. Organ system was abbreviated as follows: Beh = behavioural, CV = cardiovascular, GI = gastrointestinal, Imm = immune system, Int =
7 integument, MS = musculoskeletal, N/S = nervous or sensory, RS = respiratory system, UG = urogenital, Mult = multiple systems affected.

8

#	Abbr	Condition	Total papers	No breeds affected	Organ system	C or D	S or B
1	Agam	Agammaglobulinemia	2	3	Imm	D	S
2	Alb	Albinism	1	/	Int	D	S
3	AFLD	Angular and flexural limb deformity - dwarfism	1	1	MS	C	S
4	ASD	Anterior segment dysgenesis (ASD)	2	1	N/S	D	S
5	ASD/M	Anterior segment dysgenesis (ASD) /Multiple congenital ocular anomalies (MCOA)	1	1	N/S	C	B
6	BilA	Bilateral aniridia	1	1	N/S	D	S
7	Cat	Cataracts	2	7	N/S	D	S
8	CCD	Central core disease (CCD)	1	/	MS	D	S
9	CCDL	Coat colour dilution lethal (CCDL) {lavender foal syndrome}	2	1	Mult	D	S
10	Cere	Cerebellar abiotrophy	4	3	N/S	D	B
11	Cerv	Cervix abnormalities	1	2	UG	D	S
12	ChLA	Chronic LAD	2	/	RS	D	B
13	CP	Cleft palate	1	/	MS	D	S
14	Col	Colic	2	3	GI	D	B
15	CHA	Complex heart anomalies	1	1	CV	D	B
16	Conf	Conformation defects	3	/	MS	C	B
17	ConfB	Conformation defects - back at the knee		/	MS	C	S
18	A/SCere	Congenital atresia or stenosis of the cerebral aqueduct	1	1	N/S	D	S
19	Mios	Congenital miosis	1	1	N/S	C	S
20	Ncat	Congenital nuclear cataracts	1	1	N/S	D	S
21	CPL	Chronic progressive lymphedema (CPL)	2	3	Int	D	S
22	Cryp	Cryptorchidism	3	1	UG	D	S
23	CSNB	Congenital stationary night blindness (CSNB) {equine night blindness}	5	1	N/S	C	S

#	Abbr	Condition	No				
			Total papers	breeds affected	Organ system	C or D	S or B
24	CVCN	Cervical vertebral compressive myelopathy (CVCN) {Cervical vertebral malformation (CVM), wobbler syndrome}	4	3	MS	D	S
25	Deaf	Deafness associated with pigmentation - white coat or blue eyes	1	1	N/S	C	B
26	Irid	Degeneration of the iridocorneal angle	1	/	N/S	D	S
27	DentOJ	Dental disorders -overjet lesion		1	MS	C	S
28	Dent	Dental disorders – congenital	2	/	MS	C	B
29	DJDhj	Degenerative joint disease (DJD) - hock joint {bone spavin}	2	1	MS	C	S
30	DJD	Degenerative joint disease (DJD) - distal and proximal inter-phalangeal, fetlock and hock joints {bone spavin}	5	2	MS	C	B
31	DOD	Developmental orthopaedic disease (DOD)	1	1	MS	D	B
32	White	Dominant white coat colour	1	/	Int	C	S
33	DSLDD	Degenerative suspensory ligament desmitis (DSLDD) {equine systemic proteoglycan accumulation (ESPA)}	2	1	MS	D	S
34	Dwar	Dwarfism	2	2	MS	C	S
35	EDM	Equine degenerative myeloencephalopathy (EDM) - predisposition	2	1	N/S	D	S
36	EI	Equine epitheliogenesis imperfecta (EI)	1	/	Int	D	S
37	EIPH	Exercise induced pulmonary haemorrhage (EIPH) {epistaxis}	2	1	RS	D	S
38	Ent	Enterolithiasis	2	4	GI	D	S
39	EPSSM	Equine polysaccharide storage myopathy (EPSSM)	31	22	MS	D	S
40	MelDz	Equine melanotic disease	1	/	Int	C	S
41	ERU	Equine recurrent uveitis (ERU)	2	1	N/S	D	S
42	Eryth	Erythrocyte FAD Deficiency	1	1	CV	D	S
43	FLD	Flexural limb deformity	1	/	MS	C	B
44	Reje	Foal rejection	1	1	Beh	D	S
45	FPIS	Fell pony immunodeficiency syndrome (FPIS) {Fell pony foal syndrome}	9	1	Imm	D	S
46	G6P	Glucose-6-phosphate dehydrogenase deficiency	1	1	CV	D	S
47	GBED	Glycogen branching enzyme deficiency (GBED) {Glycogen storage disease IV, Transglucosidase deficiency, Andersen disease, amylopectinosis}	13	2	GI	D	S
48	Glau	Glaucoma - primary	1	/	N/S	D	S
49	GPT	Guttural pouch tympany	2	2	Mult	D	S
50	GT	Glanzmann thrombasthenia	2	3	CV	D	S
51	Hep	Hepatic fibrosis	1	1	GI	D	S
52	HERDA	Hereditary equine regional dermal asthenia (HERDA) {hyperelastosis cutis,	11	2	Int	D	S

#	Abbr	Condition	No					
			Total papers	breeds affected	Organ system	C or D	S or B	
		cutaneous asthenia, dermatosparaxis, Ehlers-Danlos-like syndrome}						
53	Hydr	Hydrops conditions	1	/	UG	D	B	
54	HYPP	Hyperkalaemic periodic paralysis (HYPP)	14	4	N/S	D	S	
55	IAD	Inflammatory airway disease	1	/	RS	D	B	
56	IBH	Insect bite hypersensitivity (IBH) {Recurrent seasonal (summer) pruritis (RSP), sweet itch}	4	4	Int	D	S	
57	ILH	Idiopathic left laryngeal hemiplegia	1	3	N/S	D	S	
58	IntH	Internal hydrocephalus	1	/	N/S	D	S	
59	Ihypo	Iridal hypoplasia	2	2	N/S	C	S	
60	JEB	(Herlitz) junctional epidermolysis bullosa (JEB)	10	4	Int	D	S	
61	JAL	Juvenile Arabian leukoderma {leukoderma and leukotrichia}	1	1	Int	D	S	
62	JIE	Juvenile idiopathic epilepsy	1	1	N/S	D	S	
63	Lam	Laminitis	4	1	MS	D	S	
64	Leuk	Leukoderma	1	/	Int	D	S	
65	Leuktr	Leukotrichia	1	/	Int	D	S	
66	StaFert	Stallion subfertility	2	1	UG	D	B	
67	LWFS	(Overo) lethal white foal syndrome (LWFS) {Ileocolonic aganglionosis}	14	4	GI	C	S	
68	MADD	Multiple acyl-CoA dehydrogenase deficiency (MADD)	1	2	MS	D	S	
69	FertDys	Male fertility dysfunction	2	/	UG	D	B	
70	MCOA	Equine multiple congenital ocular anomalies syndrome (MCOA)	3	1	N/S	C	B	
71	BicBra	Medial luxation of the biceps brachii	1	/	MS	D	S	
72	Mega	Megalocornea	1	1	N/S	C	S	
73	Mela	Melanoma	7	2	Int	C	S	
74	MH	Malignant hyperthermia - susceptibility	5	1	MS	D	S	
75	Narc	Narcolepsy and cataplexy	1	4	N/S	D	B	
76	NCL	Neuronal / ceroid lipofuscinosis (NCL)	2	2	N/S	D	S	
77	ND	Navicular disease	5	1	MS	D	S	
78	Oacmc	Osteoarthritis - carpometacarpal joint	1	1	MS	D	S	
79	Oash	Osteoarthritis - scapulohumeral	2	3	MS	D	S	
80	OAAM	Occipitoatlantoaxial malformation (OAAM)	4	4	MS	D	S	
81	OC	Osteochondrosis (OC)	3	3	MS	D	B	
82	Ocf	Osteochondrosis (OC) - fetlock joints	2	1	MS	D	S	
83	Och	Osteochondrosis (OC) - hock joints	2	1	MS	D	S	

#	Abbr	Condition	Total papers	No		Organ system	C or D	S or B
				breeds affected				
84	OC/ND	Osteochondrosis (OC) and navicular disease	1	/		MS	D	B
85	OC/OCD	Osteochondrosis (OC) and Osteochondritis dissecans (OCD) - fetlock and hock joints	2	2		MS	D	B
86	OCD	Osteochondritis dissecans (OCD)	4	7		MS	D	B
87	OP	Organophosphate susceptibility	1	1		MS	D	S
88	Oss	Ossification of the cartilages of the front feet	3	5		MS	D	S
89	Lip	Pedunculated lipomas	1	2		GI	D	S
90	PHA	Pelger-Huët anomaly (PHA)	2	1		CV	D	S
91	Plate	Platelet function defect	2	2		CV	D	B
92	POFf	Palmar osseous fragments (POF) - fetlock joints	8	1		MS	D	S
93	POFh	Plantar osseous fragments (POF) - hock joint	2	1		MS	D	S
94	POF	Palmar/plantar osseous fragments (POF) ?	1	1		MS	D	B
95	POI	Post-operative ileus	1	1		GI	D	S
96	Poly	Polydactyly	1	1		MS	C	S
97	RAO	Recurrent airway obstruction (RAO)	5	/		RS	D	S
98	RER	Recurrent exertional rhabdomyolysis (RER) {rhabdomyolysis, tying-up syndrome}	8	2		MS	D	S
99	Ret	Reticulated leuktrichia	1	1		Int	D	S
100	Rho	Rhodococcus equi - susceptibility	2	1		RS	D	S
101	RLN	Recurrent laryngeal neuropathy {idiopathic laryngeal hemiplegia}	1	/		N/S	D	S
102	RP	Retained placenta	1	1		UG	D	S
103	Sarc	Sarcoid	1	/		Int	D	S
104	SCID	Severe combined immunodeficiency (SCID)	14	1		Imm	D	S
105	SCID/FP	Severe combined immunodeficiency (SCID) /Fell pony immunodeficiency syndrome (FPIS)	1	3		Imm	D	B
106	SCL	Subchondral cystic lesions (SCL)	1	4		MS	D	S
107	SDFT	Superficial digital flexor tendon (SDFT) susceptibility	1	1		MS	D	B
108	IgM	Selective IgM deficiency	2	2		Imm	D	S
109	Shiv	Shivers	2	1		MS	D	B
110	Atav	Skeletal atavism - complete ulnas and fibulas	1	1		MS	C	S
111	Fert	Stallion fertility disorders	3	2		UG	D	B
112	Stereo	Stereotypic behaviour	2	1		Beh	D	B
113	StereoW	Stereotypic behaviour - weaving	2	1		Beh	D	S

#	Abbr	Condition	Total papers	No breeds affected	Organ system		
					C or D	S or B	
114	SteroBW	Stereotypic behaviour - box walking	1	1	Beh	D	S
115	SteroCB	Stereotypic behaviour - crib biting	1	1	Beh	D	S
116	SuscResp	Susceptibility to clinical equine respiratory disease of bacterial origin	1	1	RS	D	B
117	SuscStre	Susceptibility to stress	1	1	Beh	D	B
118	Temp	Temperament	2	1	Beh	D	B
119	Trach	Tracheal collapse	1	1	RS	C	S
120	Twin	Twinning	3	1	UG	D	S
121	Umb	Umbilical hernia	1	/	MS	D	S
122	Feet	Uneven feet	1	/	MS	C	B
123	vWD	vWD	2	2	CV	D	S
124	Wry	Wry nose	2	/	MS	C	S
125	XX	XX sex reversal	4	8	UG	D	S
126	XY	XY sex reversal	4	4	UG	D	S

11

12 **Appendix 3.** Inherited disorders. Disorders are arranged alphabetically by condition. The text below gives details on the conventions used in the table.

13

14 **Condition:** The name of the disorder with common abbreviations in brackets and common synonyms in curly brackets

15 **Organ system:** The primary organ system affected by the disorder

16 **C or D:** The disorder category (C - Conformation or phenotypic related i.e. disorder reported to result directly from selection for a conformational or
17 phenotypic trait; D - disorder where no evidence of a direct link with conformation in the literature reviewed)

18 **S or B:** Disorder description classification (S – Specific i.e. referring to a defined condition with a unifying aetiology; B – Broad i.e. potentially referring to
19 multiple related, or even unrelated, specific conditions)

20 **Breed:** The breeds affected by the disorder as denoted by an individual code (And = Andalusian, Ap = Appaloosa, A = Arabian / Arab, B = Belgian, Bre =
21 Breton, Cam = Camargue, Cly = Clydesdale, CN = Cob Normand, Com = Comtois, CoP = Connemara Pony, C = Criollo, DalP = Dales Pony, Fa = Falabella,
22 FP = Fell Pony, Fin = Finnhorse, Fb = Freiburger, F = Friesian, Got = Gotland, Gro = Groningen, Haf = Haflinger, Han = Hanoverian, HP = Highland Pony,
23 Hol = Holsteiner, Ice = Icelandic, L = Lipizzan, Mare = Maremmano, M = Miniature Horse, Morg = Morgan, Murg = Murgese, Must = Mustang, NF =
24 Norwegian Fjord, Old = Oldenburg, P = Paint, Pa = Palomino, PF = Paso Fino, Perc = Percheron, PP = Peruvian Paso, QH = Quarter Horse, RMH = Rocky
25 Mountain Horse, Sb = Saddlebred, SP = Shetland Pony, SH = Shire HorseSGC = South German Coldblood, Stb = Standardbred, Su = Suffolk, TWH =
26 Tennessee Walking Horse, TB = Thoroughbred, Trak = Trakehner, WP = Welsh Pony and Cob).

27 **Type:** A two letter code denotes a type of horse that this disorder affects (Co = Cob, DH = Draft (or Draught) Horse, RP = Riding Pony, WBl = Warmblood).

28 **Age of onset:** The onset of the disorder and/or clinical signs.

29 **Prevalence:** Denoted using the following convention: percentage prevalence of the disorder observed in that breed (country of study using conventional
30 international abbreviations, number of horses from which the prevalence was calculated).

31 **Prognosis:** Scored between 0-4 with 0 representing a disease with "a short isolated bout, and a complete return to normal" and 4 representing "imminent death
32 as a direct result of the condition, or related euthanasia.

33 **Mode of inheritance:** The way in which the condition is inherited – autosomal recessive, autosomal dominant, x-linked, polygenic, co-dominant or mixed.

34 **References:** For each disorder the reference sources that were used in addition to those outlined in the methods section are numbered with brief citation at the
35 end the table (full citations follow the appendices).

36

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Cleft palate	Musculoskeletal	D	S				All: 0.268% (US, 8954)	3 to 4		21
Colic	Gastrointestinal	D	B	A, M, TB						22, 23
Complex heart anomalies	Cardiovascular	D	B							24
Conformation defects	Musculoskeletal	C	B	TB	RP	Foetal/birth	TB: Back at the knee - 4.16% Base narrow 13.39% Offset knees - 12.94% Upright pasterns - 18.74% Tied below the knee - 1.48% Turned out feet - 30.10% Turned in feet - 19.39% Weak hocks - 5.29% Weak pasterns - 6.35% (UK, 3916)			25, 26
Conformation defects - back at the knee	Musculoskeletal	C	S							27
Congenital atresia or stenosis of the cerebral aqueduct	Nervous/sensory	D	S						X-linked	28
Congenital miosis	Nervous/sensory	C	S	RMH						29
Congenital nuclear cataracts	Nervous/sensory	D	S	Morg						10
Chronic progressive lymphedema (CPL)	Integument	D	S	B, Cly, SH				2 to 4		30
Cryptorchidism	Urogenital	D	S	TB			All: 2-8% (?, ?)		Polygenic	31-33
Congenital stationary night blindness (CSNB) {equine night blindness}	Nervous/sensory	C	S	Ap		Foetal/birth	Ap: 33% (CA, 30)	1 to 3	Autosomal recessive	9, 34-37

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Cervical vertebral compressive myelopathy (CVCM) {Cervical vertebral malformation (CVM), wobbler syndrome}	Musculoskeletal	D	S	QH, TWH, TB	WBI			2-4		17, 38-40
Deafness associated with pigmentation - white coat or blue eyes	Nervous/sensory	C	B	P				Life long deafness		41
Degeneration of the iridocorneal angle	Nervous/sensory	D	S							42
Dental disorders - overjet lesion	Musculoskeletal	C	S	QH		Foetal/birth				43
Dental disorders - congenital	Musculoskeletal	C	B							44
Degenerative joint disease (DJD) - hock joint {bone spavin}	Musculoskeletal	C	S	Han	WBI		Han:12.0%; 14.6% - multiply affected horses (DE, 5231)			45, 46
Degenerative joint disease (DJD) - distal and proximal interphalangeal, fetlock and hock joints {bone spavin}	Musculoskeletal	C	B	Han, Ice	WBI		Ice: 30.3% (IS, 614); Han: 17.7% (DE, 3748)			47-51
Developmental orthopaedic disease (DOD)	Musculoskeletal	D	B	TB						52
Dominant white coat colour	Integument	C	S			Foetal/birth		4	Autosomal dominant	53

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Degenerative suspensory ligament desmitis (DSL _D) {equine systemic proteoglycan accumulation (ESPA)}	Musculoskeletal	D	S	PP						6, 54
Dwarfism	Musculoskeletal	C	S	F, M		Foetal/birth			Autosomal recessive	55, 56
Equine degenerative myeloencephalopathy (EDM) - predisposition	Nervous/sensory	D	S	Morg		1 to 5 years		3		16, 17
Equine epitheliogenesis imperfecta (EI)	Integument	D	S							6
Exercise induced pulmonary haemorrhage (EIPH) {epistaxis}	Respiratory	D	S	TB			TB: 2.1% (ZA, ?)		Polygenic	1, 57
Enterolithiasis	Gastrointestinal	D	S	A, M, Morg, Sb						58, 59

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Equine polysaccharide storage myopathy (EPSSM)	Musculoskeletal	D	S	And, Ap, A, B, Cly, CN, Haf, Hol, M, Morg, Must, NF, P, Perc, QH, RMH, Sb, SH, Stb, TWH, TB, WP	DH, WBI	5 to 10 years	B: 36% (US, 103); QH: 6% (US, 164); QH: 6-12% (US, 164); QH: 11.3% (US, 200), P: 4.5% (US, 180); DH: 86% (US, 7), Morg: 64% (US, 11), A: 62% (US, 34), RP 62% (US, 8), Ap: 56% (US, 16), TWH: 50% (US, 6), QH: 41% (US, 68), P: 33% (US, 27), WBI: 28% (US, 14), TB: 27% (US, 22).	0-3	Autosomal dominant	6, 17, 60-88
Equine melanotic disease	Integument	C	S							89
Equine recurrent uveitis (ERU)	Nervous/sensory	D	S	Ap	WBI		10% (US, ?)			42, 90
Erythrocyte FAD Deficiency	Cardiovascular	D	S	Must						91
Flexural limb deformity	Musculoskeletal	C	B						Autosomal dominant	92
Foal rejection	Behavioural	D	S	A			A: 5.13% (US, 702)			93
Fell pony immunodeficiency syndrome (FPIS) {Fell pony foal syndrome}	Immune	D	S	FP		<1 year	FP: 40-60% (NL, UK, ?)	4	Autosomal recessive	2, 94-101
Glucose-6-phosphate dehydrogenase deficiency	Cardiovascular	D	S	Sb						91

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Glycogen branching enzyme deficiency (GBED) {Glycogen storage disease IV, Transglucosidase deficiency, Andersen disease, amylopectinosis}	Gastrointestinal	D	S	P, QH		Foetal/birth	QH: 8.3% (US, 338), P: 7.1% (US, 197); QH: 11.0% (US, 200); P: 3.9% (US, 180)	4	Autosomal recessive	6, 60, 64, 65, 71, 78, 91, 102-108
Glaucoma - primary	Nervous/sensory	D	S							42
Guttural pouch tympany	Multiple	D	S	A, P		<1 year			Polygenic or mixed monogenic-polygenic	109, 110
Glanzmann thrombasthenia	Cardiovascular	D	S	Old, QH, TB				3		111, 112
Hepatic fibrosis	Gastrointestinal	D	S	Fb	DH				Autosomal recessive	113
Hereditary equine regional dermal asthenia (HERDA) {hyperelastosis cutis, cutaneous asthenia, dermatosparaxis, Ehlers-Danlos-like syndrome}	Integument	D	S	P, QH		1 to 5 years	QH: 3.5% (US, 200), P: 1.7% (US, 180); QH: 3.5% (US, 1079)	2 to 4	Autosomal recessive	6, 60, 64, 65, 103, 114-119
Hydrops conditions	Urogenital	D	B		DH	Foetal/birth				120

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Hyperkalaemic periodic paralysis (HYPP)	Nervous/sensory	D	S	Ap, C, P, QH		1 to 5 years	QH: 4.4% (US, 978); QH: 1.5% (US, 200). P: 4.5% (US, 180)	0 to 4	Autosomal dominant	6, 64, 65, 71, 78, 103, 121-127
Inflammatory airway disease	Respiratory	D	B				TB: 13.0% (UK, 148)			128
Insect bite hypersensitivity (IBH) {Recurrent seasonal (summer) pruritis (RSP), sweet itch}	Integument	D	S	Ice, SP, SH, WP	DH	1 to 5 years	SP: 8.8% (NL, 6073); SH: 11.6% (UK, 1088), SH: 37.7% (DE, 77)			6, 129-131
Idiopathic left laryngeal hemiplegia	Nervous/sensory	D	S	B, Cly, Perc	DH		B, Perc and Cly: 35% (US, 183), B: 42% (US, 97), Perc: 31% (US, 58), Cly: 17% (US, 28)			132
Internal hydrocephalus	Nervous/sensory	D	S							9
Iridal hypoplasia	Nervous/sensory	C	S	QH, RMH			RMH: 14% (US, 514)		Autosomal dominant	28, 29
(Herlitz) junctional epidermolysis bullosa (JEB)	Integument	D	S	B, Bre, Com, Sb	DH	Foetal/birth	B: 32% (US, 176), B: 17.1% (CA, 328), Bre: 15.9% (FR, 63), Com: 7.8% (FR, 51); Sb: ~4% (? , ?); Sb: 5.1% (US, 175)	2-4 (euthanased)	Autosomal recessive	6, 64, 65, 124, 133-137

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Juvenile Arabian leukoderma {leukoderma and leukotrichia}	Integument	D	S	A		1 to 5 years				4
Juvenile idiopathic epilepsy	Nervous/sensory	D	S	A		<1 year		2 to 3		138
Laminitis	Musculoskeletal	D	S	QH		Foetal/birth				6, 139-141
Leukoderma	Integument	D	S							4
Leuktrichia	Integument	D	S							4
Stallion sub-fertility	Urogenital	D	B	Han						142, 143
(Overo) lethal white foal syndrome (LWFS) {Ileocolonic aganglionosis}	Gastrointestinal	C	S	M, P, QH, TB		Foetal/birth	P: 21.3% (US, 180)	4	Autosomal recessive	4, 6, 21, 60, 64, 65, 103, 124, 144-149
Multiple acyl-CoA dehydrogenase deficiency (MADD)	Musculoskeletal	D	S	Gro, Trak		> 10 years		4		150
Male fertility dysfunction	Urogenital	D	B							151, 152
Equine multiple congenital ocular anomalies syndrome (MCOA)	Nervous/sensory	C	B	RMH		Foetal/birth	RMH: 50% (CA, 97); RMH: 14% (US, 514)		Autosomal dominant	29, 153, 154

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Medial luxation of the biceps brachii	Musculoskeletal	D	S					1-4		155
Megalocornea	Nervous/sensory	C	S	RMH			RMH: 8% (US, 514)			29
Melanoma	Integument	C	S	Cam, L		5 to 10 years	Cam: 31.4% (FR, 264) - (67% at ages >15 years); L: 50% (AT, 296)	0-1		156-162
Malignant hyperthermia - susceptibility	Musculoskeletal	D	S	QH			QH: 1.3% (US, 225)	Potentially fatal (est mortality 34%)	Autosomal dominant	64, 71, 163-165
Narcolepsy and cataplexy	Nervous/sensory	D	B	M, Morg, SP, Su		Foetal/birth		1		16
Neuronal / ceroid lipofuscinosis (NCL)	Nervous/sensory	D	S	Ice, PP		<1 year		4	Autosomal recessive	166, 167
Navicular disease	Musculoskeletal	D	S	Han,			Han: ~20% (DE, 3748); Han: 25.8% (DE, 5231) - 14.6% - multiply affected horses			45, 47, 168-170
Osteoarthritis - carpometacarpal joint	Musculoskeletal	D	S	A,						171
Osteoarthritis - scapulohumeral	Musculoskeletal	D	S	Fa, M, SP,				3-4		172, 173
Occipitoatlantoaxial malformation (OAAM)	Musculoskeletal	D	S	Ap, A, Morg, TB		Foetal/birth		0-4		16, 40, 174, 175
Osteochondrosis (OC)	Musculoskeletal	D	B	QH, Sb, TB	DH					1, 176, 177
Osteochondrosis (OC) - fetlock joints	Musculoskeletal	D	S	SGC						178, 179

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Osteochondrosis (OC) - hock joints	Musculoskeletal	D	S	SGC						178, 179
Osteochondrosis (OC) and navicular disease	Musculoskeletal	D	B							6
Osteochondrosis (OC) and Osteochondritis dessicans (OCD) - fetlock and hock joints	Musculoskeletal	D	B	Han, SGC	DH					180, 181
Osteochondritis dessicans (OCD) – incl fetlock joint	Musculoskeletal	D	B	B, Cly, Han, Mare, Perc, SGC, SH	DH					182, 183, 184, 185
Organophosphate susceptibility	Musculoskeletal	D	S	M						186
Ossification of the cartilages of the front feet	Musculoskeletal	D	S	CoP, DalP, FP, Fin, HP,	Co	1 to 5 years	Norwegian coldblood: 11.5% (NO, 392)			187-189
Pedunculated lipomas	Gastrointestinal	D	S	A, Sb,						190
Pelger-Huët anomaly (PHA)	Cardiovascular	D	B	And, A,						191, 192
Platelet function defect	Cardiovascular	D	S	TB		1 to 5 years				193, 194
Palmar osseous fragments (POF) - fetlock joints	Musculoskeletal	D	S	Han, SGC			Han: 27.91% (DE, 5102); Han: 23.5% (DE, 5231) - 14.6% - multiply affected horses			45, 170, 178, 179, 195-198

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Plantar osseous fragments (POF) - hock joint	Musculoskeletal	D	B	Han,			Han: 9.25% (DE, 5102); Han: 9.2% (DE, 5231) - 14.6% - multiply affected horses			170, 195
Palmar/plantar osseous fragments (POF)	Musculoskeletal	D	S	Stb						199
Post-operative ileus	Gastrointestinal	C	S	A,						200
Polydactyly	Musculoskeletal	D	S	Murg					Autosomal dominant	201
Recurrent airway obstruction (RAO)	Respiratory	D	S		RP				Polygenic	1, 6, 202- 204
Recurrent exertional rhabdomyolysis (RER) {rhabdomyolysis, tying-up syndrome}	Musculoskeletal	D	S	Stb, TB			TB: 7.7% (JP, 6538); TB: 5% (?, ?)	1 to 3	Autosomal dominant	6, 62, 70, 71, 78, 205- 207
Reticulated leuktrichia	Integument	D	S	QH,		1 to 5 years				4
Rhodococcus equi - susceptibility	Respiratory	D	S	TB		Foetal/birth		3 to 4		208, 209
Recurrent laryngeal neuropathy {idiopathic laryngeal hemiplegia}	Nervous/sensory	D	S							210
Retained placenta	Urogenital	D	S	F			F: 54% (NL, 436)			211
Sarcoid	Integument	D	S			5 to 10 years				212

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Severe combined immunodeficiency (SCID)	Immune	D	B	A		<1 year	A: 0.18% (US, 250); A: 2.8.% (UK, 106)	4	Autosomal recessive	2, 6, 64, 65, 99, 103, 124, 213-219
Severe combined immunodeficiency (SCID) /Fell pony immunodeficiency syndrome (FPIS)	Immune	D	S	FP, PF, TB		Foetal/birth		4		220
Subchondral cystic lesions (SCL)	Musculoskeletal	D	B	B, Cly, Perc, SH	DH					183
Superficial digital flexor tendon (SDFT) injury	Musculoskeletal	D	S	TB			TB: 11.31% (JP, 8198)			221
Selective IgM deficiency	Immune	D	B	A, QH,		1 to 5 years		4		2, 99
Shivers	Musculoskeletal	C	S	B	DH	> 10 years	B: 18% (US, 103)	4		80, 222
Skeletal atavism - complete ulnas and fibulas	Musculoskeletal	D	B	M,		Foetal/birth		3 to 4		223
Stallion fertility	Urogenital	D	B	SP, TWH						6, 224, 225
Stereotypic behaviour	Behavioural	D	S	TB			All: 3.5% (CH, 2536)			226, 227
Stereotypic behaviour – weaving	Behavioural	D	S	TB			TB: 4.17% (CA, 263)			228, 229

Condition	Organ system	C or D	S or B	Breed	or type	Age at onset	Prevalence	Prognosis	Mode of inheritance	References
Stereotypic behaviour - box walking	Behavioural	D	S	A			A: 7.32% (CA, 81)			229
Stereotypic behaviour - crib biting	Behavioural	D	B	TB			TB: 6.82% (CA, 263)			229
Susceptibility to clinical equine respiratory disease of bacterial origin	Respiratory	D	B	WP						230
Susceptibility to stress	Behavioural	D	B	TB						227
Temperament	Behavioural	C	S	TB						231, 232
Tracheal collapse	Respiratory	D	S	M						233
Twinning	Urogenital	D	S	TB		Foetal/birth	TB: 3.5% (PL, 1910); TB: 3.5% (PL, 2033)		Polygenic	234-236
Umbilical hernia	Musculoskeletal	C	B			Foetal/birth	WBI: 29.5% (NL, 44)	1		237
Uneven feet	Musculoskeletal	D	S				WBI: 5.3% (NL, 44840)			238
vWD	Cardiovascular	C	S	QH, TB				4	Autosomal recessive	239, 240
Wry nose	Musculoskeletal	D	S			Foetal/birth				44, 174
XX sex reversal	Urogenital	D	S	And, Ap, A, P, Pa, PF, QH, Sb, D30		Foetal/birth		Unable to reproduce	Autosomal recessive	6, 241-243
XY sex reversal	Urogenital	D	S	A, Han, QH, TB+D30		Foetal/birth			X-linked	6, 32, 241, 244

38

39

40

41

1 Swinburne J (2009), 2 Crisman MV and Scarratt WK (2008), 3 Perryman LE (2000), 4 Anon (2000), 5 Kelmer G and Wilson DA (2007), 6 Chowdhary BP et al (2008), 7 Andersson LS et al (2008), 8 Ewart SL et al (2000), 9 Turner AG (2004), 10 Fife TM et al (2006), 11 Turner AG (2004), 12 Paciello O et al (2006),

42 **13** Page, P et al (2006), **14** Fanelli HH (2005), **15** Blanco A et al (2006), **16** MacKay RJ (2005), **17** Reed SM et al (2002), **18** Kelly GM and Newcombe JR
43 (2009), **19** Ramseyer A et al (2007), **20** Robinson NE and Wilson MR (2007), **21** Ryan CA and Sanchez LC (2005), **22** Gonçalves S et al (2002), **23** Cohen ND
44 et al (1999), **24** Spiro I (2002), **25** Hansen M et al (2007), **26** Love S et al (2006), **27** Dolvik NI and Klemetsdal G (1999), **28** Bentz BG and Moll HD (2008),
45 **29** Ramsey DT et al (1999), **30** Young AE et al (2007), De Cock HE et al (2003), **31** Diribarne M et al (2009), **32** Edwards JF (2008), **33** Bladon B (2002), **34**
46 Bellone RR et al (2008), **35** Sandmeyer LS et al (2007), **36** Sandmeyer LS et al (2006), **37** Nunnery C et al (2005), **38** Levine JM et al (2008), **39** Levine JM et
47 al (2007), **40** Nout YS and Reed SM (2003), **41** Harland MM et al (2006), **42** Wilkie DA and Gilger BC (2004), **43** DeBowes RM and Gaughan EM (1998), **44**
48 Ramzan PHL et al (2001), **45** Stock KF and Distl O (2008), **46** Stock KF and Distl O (2006), **47** Stock KF et al (2004), **48** Arnason T and Björnsdóttir S (2003),
49 **49** Axelsson M et al (2001), **50** Björnsdóttir S et al (2000a), **51** Björnsdóttir S et al (2000b), **52** Nery J et al (2006), **53** Mau C et al (2004), **54** Mero JL and Pool
50 R (2002), **55** Back W et al (2008), **56** Hatfield CL and Riley CB (2007), **57** Weideman H et al (2004), **58** Cohen ND et al (2000), **59** Hassel et al (1999), **60**
51 Tryon RC et al (2009), **61** Herszberg B et al (2009), **62** McKenzie EC and Firshman AM (2009), **63** McGowan CM et al (2009), **64** Finno CJ et al (2009), **65**
52 Bannasch D (2008), **66** Larcher T et al (2008), **67** McCue ME et al (2008c), **68** McCue ME et al (2008b), **69** McCue ME et al (2008a), **70** Hunt LM et al
53 (2008), **71** Aleman M (2008), **72** Estill CT and Valentine BA (2007), **73** McCue ME and Valberg SJ (2007), **74** MacLeay JM (2006), **75** McCue et al (2006b),
54 **76** McCue et al (2006a), **77** Colgan S (2006), **78** Nollet H and Deprez P (2005), **79** Valentine BA and Cooper BJ (2005), **80** Firshman AM et al (2005), **81**
55 McDiarmid A (2005), **82** Annandale EJ et al (2004), **83** Valentine BA (2003), **84** Firshman AM et al (2003), **85** De La Corte FD et al (2002), **86** Valentine BA
56 et al (2001), **87** Valentine BA et al (2000), **88** Valentine BA (1999), **89** Zembowicz A and Mihm MC (2004), **90** Deeg CA et al (2004), **91** Harvey JW (2006),
57 **92** Kidd JA and Barr ARS (2002), **93** Juarbe-Díaz SV et al (1998), **94** Butler CM et al (2006), **95** Gardner RB et al (2006), **96** Thomas GW et al (2005), **97**
58 Thomas GW et al (2003), **98** Bell SC et al (2001), **99** Perryman LE (2000), **100** Dixon JB et al (2000), **101** Scholes SF et al (1998), **102** Wagner ML et al
59 (2006), **103** Graves KT (2005), **104** Ward TL et al (2004), **105** Ward TL et al (2003), **106** Sponseller BT et al (2003), **107** Valberg SJ et al (2001), **108** Render
60 JA et al (1999), **109** Blazyczek I et al (2004a), **110** Blazyczek I et al (2004b), **111** Boudreaux MK (2008), **112** Christopherson PW et al (2006), **113** Haechler S
61 et al (2000), **114** Rendle DI et al (2008), **115** Tryon RC et al (2007), **116** Borges AS et al (2005), **117** Tryon RC et al (2005), **118** White SD et al (2004), **119**
62 Brounts SH et al (2001), **120** Christensen BW et al (2006), **121** Tryon RC (2009), **122** Diakakis N et al (2008), **123** Reynolds JA et al (1997), **124** Chowdhary
63 BP and Bailey E (2003), **125** Naylor JM et al (1999), **126** Meyer TS et al (1999), **127** Yudkowsky ML et al (1998), **128** Wood JLN et al (2005), **129** Schurink A
64 et al (2009), **130** Pilsworth RC and Knottenbelt DC (2004), **131** Littlewood JD (1998), **132** Brakenhoff JE et al (2006), **133** Graves KT et al (2009), **134** Lieto
65 LD and Cothran EG (2003), **135** Milenkovic D et al (2003), **136** Lieto LD et al (2002), **137** Spirito F et al (2002), **138** Aleman M et al (2006), **139** Geor RJ
66 (2009), **140** Treiber KH et al (2006), **141** French KR and Pollitt CC (2004), **142** Hamann H et al (2007), **143** Hamann H et al (2005), **144** Parry NMA (2005),
67 **145** Lightbody T (2002), **146** Santschi EM et al (2001), **147** Yang GC et al (1998), **148** Santschi EM et al (1998), **149** Metallinos DL (1998), **150** Westermann
68 CM et al (2007), **151** Giese A et al (2002b), **152** Giese A et al (2002a), **153** Andersson LS et al (2008), **154** Grahn BH et al (2008), **155** Coudry V et al (2005),
69 **156** Norris BJ (2008), **157** Rosengren Pielberg G et al (2008), **158** Casal M and Haskins M (2006), **159** Seltenhammer MH et al (2003), **160** Fleury C et al
70 (2000), **161** Curik I et al (2000), **162** Rieder S et al (2000), **163** Aleman M et al (2009), **164** Nieto JE and Aleman M (2009), **165** Rosenberg H et al (2007), **166**
71 Elsinghorst TA (2003), **167** Url A et al (2001), **168** Diesterbeck US et al (2007), **169** Stock KF and Distl O (2006b), **170** Stock KF and Distl O (2006a), **171**
72 Malone ED et al (2003), **172** Clegg PD et al (2001), **173** Boswell JC et al (1999), **174** Trumble TN (2005), **175** Witte S et al (2005), **176** van Grevenhof EM et
73 al (2009), **177** Foerner JJ (2003), **178** Wittwer C et al (2007b), **179** Wittwer C et al (2007a), **180** Wittwer C et al (2009), **181** Dierks C et al (2007), **182**
74 Pieramati C et al (2003), **183** Riley CB et al (1998), **184** Lampe V et al (2009), **185** Wittwer C et al (2008), **186** Myers CJ et al (2006), **187** Down SS et al
75 (2007), **188** Ruohoniemi M et al (2003), **189** Holm AW et al (2000), **190** Garcia-Seco E et al (2005), **191** Grondin TM et al (2007), **192** Gill AF et al (2006),
76 **193** Norris JW et al (2006), **194** Fry MM et al (2005), **195** Stock KF and Distl O (2007), **196** Stock KF and Distl O (2006c), **197** Stock KF et al (2006), **198**
77 Stock KF et al (2005), **199** Roneus B et al (1998), **200** Roussel AJ Jr et al (2001), **201** Giofre F et al (2004), **202** Ewart SL and Robinson NE (2007), **203** Jost U
78 et al (2007), **204** Anton F et al (2005), **205** Dranchak PK et al (2005), **206** Oki H et al (2005), **207** MacLeay JM et al (1999), **208** Katkiewicz M et al (2005),

79 **209** Mousel MR et al (2003), **210** Hahn CN et al (2008), **211** Sevinga M et al (2004), **212** Pilsworth RC and Knottenbelt D (2007), **213** Piro M et al (2008), **214**
80 Perryman LE (2004), **215** Ding Q et al (2002), **216** Shin EK et al (2000), **217** Swinburne J et al (1999), **218** Bernoco D and Bailey E (1998), **219** Leber R et al
81 (1998), **220** Jelinek F et al (2006), **221** Oki H et al (2008), **222** Davies PC (2000), **223** Tyson R et al (2004), **224** van Eldik P et al (2006), **225** Roberson PE et al
82 (2005), **226** Bachmann I et al (2003), **227** Pell SM and McGreevy PD (1999), **228** Ninomiya S et al (2007), **229** Luescher UA et al (1998), **230** Newton JR et al
83 (2007), **231** Oki H et al (2007), **232** Momozawa Y et al (2005), **233** Aleman M et al (2008), **234** Skotarczak E et al (2007), **235** Wolc A et al (2006), **236**
84 Bresinska A et al (2004), **237** Enzerink E et al (2000), **238** Ducro BJ et al (2009), **239** Laan TT et al (2005), **240** Rathgeber RA et al (2001), **241** Lear TL and
85 Bailey E (2008), **242** Bannasch D et al (2007), **243** Buoen LC et al (2000), **244** Bartmann CP and Lorber KJ (2003).

Appendix references

Aleman M 2008 A review of equine muscle disorders. *Neuromuscular Disorders* 18: 277-287

Aleman M, Gray LC, Williams DC, Holliday TA, Madigan JE, LeCouteur RA and

Magdesian KG 2006 Juvenile idiopathic epilepsy in Egyptian Arabian foals: 22 cases (1985-2005). *Journal of Veterinary Internal Medicine* 20: 1443-1449

Aleman M, Nieto JE, Benak J and Johnson LR 2008 Tracheal collapse in American

Miniature Horses: 13 cases (1985-2007). *Journal of American Veterinary Medical Association* 233: 1302-1306

Aleman M, Nieto JE and Magdesian KG 2009 Malignant hyperthermia associated with

ryanodine receptor 1 (C7360G) mutation in Quarter Horses. *Journal of Veterinary Internal Medicine* 23: 329-334

Andersson LS, Cothran G, Ewart S and Lindgren G 2008a Mapping the causative

mutation for Anterior Segment Dysgenesis in the horse. In: *Plant & Animal Genomes XVI Conference*, San Diego, CA p 264

Andersson LS, Juras R, Ramsey DT, Eason-Butler J, Ewart S, Cothran G and Lindgren

G 2008b Equine Multiple Congenital Ocular Anomalies maps to a 4.9 megabase interval on horse chromosome 6. *BMC Genet* 9: 88

Annandale EJ, Valberg SJ, Mickelson JR and Seaquist ER 2004 Insulin sensitivity and

skeletal muscle glucose transport in horses with equine polysaccharide storage myopathy. *Neuromuscular Disorders* 14: 666-674

Anon 2000 Pigmentary disorders. *Veterinary Dermatology* 11: 205-210

Anton F, Leverkoehne I, Mundhenk L, Thoreson WB and Gruber AD 2005

Overexpression of eCLCA1 in small airways of horses with recurrent airway

obstruction. *Journal of Histochemistry and Cytochemistry* 53: 1011-1021

Arnason T and Bjornsdottir S 2003 Heritability of age-at-onset of bone spavin in Icelandic horses estimated by survival analysis. *Livestock Production Science* 79: 285-293

Axelsson M, Bjornsdottir S, Eksell P, Haggstrom J, Sigurdsson H and Carlsten J 2001 Risk factors associated with hindlimb lameness and degenerative joint disease in the distal tarsus of Icelandic horses. *Equine Veterinary Journal* 33: 84-90

Bachmann I, Audige L and Stauffacher M 2003 Risk factors associated with behavioural disorders of crib-biting, weaving and box-walking in Swiss horses. *Equine Veterinary Journal* 35: 158-163

Back W, van der Lugt JJ, Nikkels PGJ, van den Belt AJM, van der Kolk JH and Stout TAE 2008 Phenotypic diagnosis of dwarfism in six Friesian horses. *Equine Veterinary Journal* 40: 282-287

Bannasch D 2008 Genetic Testing and the Future of Equine Genomics. *Journal of Equine Veterinary Science* 28: 645-649

Bannasch D, Rinaldo C, Millon L, Latson K, Spangler T, Hubberty S, Galuppo L and Lowenstine L 2007 SRY negative 64,XX intersex phenotype in an American saddlebred horse. *The Veterinary Journal* 173: 437-439

Bartmann CP and Lorber KJ 2003 Laparoscopic gonadectomy in two half-sister horses with male pseudohermaphroditism of the testicular feminisation type. *Equine Veterinary Education* 15: 299-303

Bell SC, Savidge C, Taylor P, Knottenbelt DC and Carter SD 2001 An immunodeficiency in Fell ponies: a preliminary study into cellular responses. *Equine Veterinary Journal* 33: 687-692

- Bellone RR, Brooks SA, Sandmeyer L, Murphy BA, Forsyth G, Archer S, Bailey E and Grahn B** 2008 Differential gene expression of TRPM1, the potential cause of congenital stationary night blindness and coat spotting patterns (LP) in the Appaloosa horse (*Equus caballus*). *Genetics* 179: 1861-1870
- Bentz BG and Moll HD** 2008 Treatment of congenital hydrocephalus in a foal using a ventriculoperitoneal shunt. *Journal of Veterinary Emergency and Critical Care* 18: 170-176
- Bernoco D and Bailey E** 1998 Frequency of the SCID gene among Arabian horses in the USA. *Animal Genetics* 29: 41-42
- Bjornsdottir S, Arnason T, Axelsson M, Eksell P, Sigurosson H and Carlsten J** 2000a The heritability of degenerative joint disease in the distal tarsal joints in Icelandic horses. *Livestock Production Science* 63: 77-83
- Bjornsdottir S, Axelsson M, Eksell P, Sigurdsson H and Carlsten J** 2000b Radiographic and clinical survey of degenerative joint disease in the distal tarsal joints in Icelandic horses. *Equine Veterinary Journal* 32: 268-272
- Bladon B** 2002 Surgical management of cryptorchidism in the horse. *In Practice* 24: 126-134
- Blanco A, Moyano R, Vivo J, Flores-Acuna R, Molina A, Blanco C and Monterde JG** 2006 Purkinje cell apoptosis in arabian horses with cerebellar abiotrophy. *Journal of Veterinary Medicine Series A: Physiology, Pathology, Clinical Medicine* 53: 286-287
- Blazyczek I, Hamann H, Deegen E, Distl O and Ohnesorge B** 2004a Retrospective analysis of 50 cases of guttural pouch tympany in foals. *The Veterinary Record* 154: 261-264
- Blazyczek I, Hamann H, Ohnesorge B, Deegen E and Distl O** 2004b Inheritance of guttural pouch tympany in the arabian horse. *Journal of Heredity* 95: 195-199

- Borges AS, Conceicao LG, Alves AL, Fabris VE and Pessoa MA** 2005 Hereditary equine regional dermal asthenia in three related Quarter horses in Brazil. *Veterinary Dermatology* 16: 125-130
- Boswell JC, Schramme MC, Wilson AM and May SA,** 1999 Radiological study to evaluate suspected scapulothoracic joint dysplasia in Shetland ponies. *Equine Veterinary Journal* 31: 510-514
- Boudreaux MK** 2008 Characteristics, diagnosis, and treatment of inherited platelet disorders in mammals. *Journal of American Veterinary Medical Association* 233: 1251-1259, 1190
- Brakenhoff JE, Holcombe SJ, Hauptman JG, Smith HK, Nickels FA and Caron JP** 2006 The prevalence of laryngeal disease in a large population of competition draft horses. *Veterinary Surgery* 35: 579-583
- Bresinska A, Wachowska L and Szwaczkowski T** 2004 Genetic and environmental effects on twin pregnancy and length of reproduction in Thoroughbred mares. *Archiv Fur Tierzucht-Archives of Animal Breeding* 47: 119-127
- Brounts SH, Rashmir-Raven AM and Black S.S** 2001 Zonal dermal separation: a distinctive histopathological lesion associated with hyperelastosis cutis in a Quarter Horse. *Veterinary Dermatology* 12: 219-224
- Buoen LC, Zhang TQ, Weber AF and Ruth GR** 2000 SRY-negative, XX intersex horses: the need for pedigree studies to examine the mode of inheritance of the condition. *Equine Veterinary Journal* 32: 78-81
- Butler CM, Westermann CM, Koeman JP and van Oldruitenborgh-Oosterbaan MMS** 2006 The Fell Pony Immunodeficiency Syndrome also occurs in the Netherlands: a review and six cases. *Tijdschrift Voor Diergeneeskunde* 131: 114-118

- Casal M and Haskins M** 2006 Large animal models and gene therapy. The European Journal of Human Genetics 14: 266-272
- Chowdhary BP and Bailey E**, 2003 Equine genomics: galloping to new frontiers. Cytogenetic and Genome Research 102: 184-188
- Chowdhary BP, Paria N and Raudsepp T** 2008 Potential applications of equine genomics in dissecting diseases and fertility. Animal Reproduction Science 107: 208-218
- Christensen BW, Troedsson MHT, Murchie TA, Pozor MA, Macpherson ML, Estrada AH, Carrillo NA, Mackay RJ, Roberts GD and Langlois J** 2006 Management of hydrops amnion in a mare resulting in birth of a live foal. Journal of the American Veterinary Medical Association 228: 1228-1233
- Christopherson PW, Insalaco TA, van Santen VL, Livesey L, Bourne C and Boudreaux MK** 2006 Characterization of the cDNA Encoding alphaIIb and beta3 in normal horses and two horses with Glanzmann thrombasthenia. Veterinary Pathology 43: 78-82
- Clegg PD, Dyson SJ, Summerhays GE and Schramme MC** 2001 Scapulothoracic osteoarthritis in 20 Shetland ponies, miniature horses and falabella ponies. The Veterinary Record 148: 175-179
- Cohen ND, Gibbs PG and Woods AM** 1999 Dietary and other management factors associated with colic in horses. Journal of American Veterinary Medical Association 215: 53-60
- Cohen ND, Vontur CA and Rakestraw PC** 2000 Risk factors for enterolithiasis among horses in Texas. Journal of the American Veterinary Medical Association 216: 1787-1794
- Colgan S, Reece R and Hughes KJ** 2006 Polysaccharide storage myopathy in an Australian

Quarter Horse. Australian Veterinary Journal 84: 436-438

Coudry V, Allen AK and Denoix JM 2005 Congenital abnormalities of the bicipital apparatus in four mature horses. Equine Veterinary Journal 37: 272-275

Crisman MV and ScarrattWK 2008 Immunodeficiency disorders in horses. Veterinary Clinics of North America-Equine Practice 24: 299-310, vi

Curik I, Seltenhammer MH, Sölkner J, Zechner P, Bodo I, Habe F, Marti E and Brem G 2000 Inbreeding and melanoma in Lipizzan horses. Agriculturae Conspectus Scientificus 65: 181-186

Davies PC 2000 Shivering in a thoroughbred mare. The Canadian Veterinary Journal 41: 128-129

De Cock HE, Affolter VK, Wisner ER, Ferraro GL and MacLachlan NJ 2003 Progressive swelling, hyperkeratosis, and fibrosis of distal limbs in Clydesdales, Shires, and Belgian draft horses, suggestive of primary lymphedema. Lymphatic Research and Biology 1: 191-199

De La Corte FD, Valberg SJ, MacLeay JM and Mickelson JR 2002 Developmental onset of polysaccharide storage myopathy in 4 Quarter Horse foals. Journal of Veterinary Internal Medicine 16: 581-587

DeBowes RM and Gaughan EM 1998 Congenital dental disease of horses. Veterinary Clinics of North America-Equine Practice 14: 273-289

Deeg CA, Marti E, Gaillard C and Kaspers B 2004 Equine recurrent uveitis is strongly associated with the MHC class 1 haplotype ELA-A9. Equine Veterinary Journal 36: 73-75

Diakakis N, Spanoudes K and Dessiris A 2008 Hyperkalaemic periodic paralysis-like

syndrome in a Criollo Argentino horse. *Equine Veterinary Education* 20: 396-400

Dierks C, Lohring K, Lampe V, Wittwer C, Drogemuller C and Distl O 2007 Genome-wide search for markers associated with osteochondrosis in Hanoverian warmblood horses. *Mammalian Genome* 18: 739-747

Diesterbeck US, Hertsch B and Distl O 2007 Genome-wide search for microsatellite markers associated with radiologic alterations in the navicular bone of Hanoverian warmblood horses. *Mammalian Genome* 18: 373-381

Ding Q, Bramble L, Yuzbasiyan-Gurkan V, Bell T and Meek K 2002 DNA-PKcs mutations in dogs and horses: allele frequency and association with neoplasia. *Gene* 283: 263-269

Diribarne M, Vaiman A, Pechayre M, Pailhoux E, Mata X, Guerin G and Chaffaux S 2009 Polymorphism Analysis of Microsatellites Associated with Seven Candidate Genes for Equine Cryptorchidism. *Journal of Equine Veterinary Science* 29: 37-41

Dixon JB, Savage M, Wattret A, Taylor P, Ross G, Carter SD, Kelly DF, Haywood S, Phythian C, Macintyre AR, Bell SC, Knottenbelt DC and Green JR 2000 Discriminant and multiple regression analysis of anemia and opportunistic infection in Fell pony foals. *Veterinary Clinical Pathology* 29: 84-86

Dolvik NI and Klemetsdal G 1999 Conformational traits of Norwegian cold-blooded trotters: Heritability and the relationship with performance. *Acta Agriculturae Scandinavica Section a-Animal Science* 49: 156-162

Down SS, Dyson SJ and Murray RC 2007 Ossification of the cartilages of the foot. *Equine Veterinary Education* 19: 51-56

Dranchak PK, Valberg SJ, Onan GW, Gallant EM, MacLeay JM, McKenzie EC, De La Corte FD, Ekenstedt K and Mickelson JR 2005 Inheritance of recurrent exertional

rhabdomyolysis in thoroughbreds. *Journal of American Veterinary Medical Association* 227: 762-767

Ducro BJ, Bovenhuis H and Back W 2009 Heritability of foot conformation and its relationship to sports performance in a Dutch Warmblood horse population. *Equine Veterinary Journal* 41: 139-143

Edwards JF 2008 Pathologic conditions of the stallion reproductive tract. *Animal Reproduction Science* 107: 197-207

Elsinghorst TAM 2003 First cases of animal diseases published since 2000 4. *Horses. The Veterinary Quarterly* 25: 160-164

Enzerink E, van Weeren PR and van der Velden MA 2000 Closure of the abdominal wall at the umbilicus and the development of umbilical hernias in a group of foals from birth to 11 months of age. *The Veterinary Record* 147: 37-39

Estill CT and Valentine BA 2007 Severe rhabdomyolysis due to polysaccharide storage myopathy in an Arabian mare. *Equine Veterinary Education* 19: 139-142

Ewart SL, Ramsey DT, Xu J and Meyers D 2000 The horse homolog of congenital aniridia conforms to codominant inheritance. *Journal of Heredity* 91: 93-98

Ewart SL and Robinson NE 2007 Genes and respiratory disease: a first step on a long journey. *Equine Veterinary Journal* 39: 270-274

Fanelli HH 2005 Coat colour dilution lethal ('lavender foal syndrome'): a tetany syndrome of Arabian foals. *Equine Veterinary Education* 17: 260-263

Fife TM, Gemensky-Metzler AJ, Wilkie DA, Colitz CMH, Bras I.D and Klages DC 2006 Clinical features and outcomes of phacoemulsification in 39 horses: a retrospective study (1993-2003). *Veterinary Ophthalmology* 9: 361-368

- Finno CJ, Spier SJ and Valberg SJ** 2009 Equine diseases caused by known genetic mutations. *The Veterinary Journal* 179: 336-347
- Firshman AM, Baird JD and Valberg SJ** 2005 Prevalences and clinical signs of polysaccharide storage myopathy and shivers in Belgian draft horses. *Journal of American Veterinary Medical Association* 227: 1958-1964
- Firshman AM, Valberg SJ, Bender JB and Finno CJ** 2003 Epidemiologic characteristics and management of polysaccharide storage myopathy in Quarter Horses. *American Journal of Veterinary Research* 64: 1319-1327
- Fleury C, Berard F, Leblond A, Faure C, Ganem N and Thomas L** 2000 The study of cutaneous melanomas in Camargue-type gray-skinned horses (2): epidemiological survey. *Pigment Cell Research* 13: 47-51
- Foerner JJ** 2003 Osteochondrosis in the horse. *Journal of Equine Veterinary Science* 23: 142-145
- French KR and Pollitt CC** 2004 Equine laminitis: congenital, hemidesmosomal plectin deficiency in a Quarter Horse foal. *Equine Veterinary Journal* 36: 299-303
- Fry MM, Walker NJ, Blevins GM, Magdesian KG and Tablin F** 2005 Platelet function defect in a thoroughbred filly. *Journal of Veterinary Internal Medicine* 19: 359-362
- Garcia-Seco E, Wilson DA, Kramer J, Keegan KG, Branson KR, Johnson PJ and Tyler JW** 2005 Prevalence and risk factors associated with outcome of surgical removal of pedunculated lipomas in horses: 102 cases (1987-2002). *Journal of American Veterinary Medical Association* 226: 1529-1537
- Gardner RB, Hart KA, Stokol T, Divers TJ and Flaminio MJ** 2006 Fell Pony syndrome in a pony in North America. *Journal of Veterinary Internal Medicine* 20: 198-203

- Geor RJ** 2009 Pasture-associated laminitis. *Veterinary Clinics of North America-Equine Practice* 25: 39-50, v-vi
- Giese A, Jude R, Kuiper H, Piumi F, Schambony A, Guerin G, Distl O, Topfer-Petersen E and Leeb T** 2002a Molecular characterization of the equine AEG1 locus. *Gene* 292: 65-72
- Giese A, Jude R, Kuiper H, Raudsepp T, Piumi F, Schambony A, Guerin G, Chowdhary BP, Distl O, Topfer-Petersen E and Leeb T** 2002b Molecular characterization of the equine testis-specific protein 1 (TPX1) and acidic epididymal glycoprotein 2 (AEG2) genes encoding members of the cysteine-rich secretory protein (CRISP) family. *Gene* 299: 101-109
- Gill AF, Gaunt S and Sirninger J** 2006 Congenital Pelger-Huet anomaly in a horse. *Veterinary Clinical Pathology* 35: 460-462
- Giofre F, Caracciolo V, Zanotti M, Polli M and De Giovanni AM** 2004 Polydactyly in a Murgesse horse: A case report. *Journal of Equine Veterinary Science* 24: 248-250
- Goncalves S, Julliand V and Leblond A** 2002 Risk factors associated with colic in horses. *Veterinary Research* 33: 641-652
- Grahn BH, Pinard C, Archer S, Bellone R, Forsyth G and Sandmeyer LS**, 2008 Congenital ocular anomalies in purebred and crossbred Rocky and Kentucky Mountain horses in Canada. *The Canadian Veterinary Journal* 49: 675-681
- Graves KT** 2005 Genetic disease in the horse. *Journal of Equine Veterinary Science* 25: 255-255
- Graves KT, Henney PJ and Ennis RB** 2009 Partial deletion of the LAMA3 gene is responsible for hereditary junctional epidermolysis bullosa in the American Saddlebred Horse. *Animal Genetics* 40: 35-41

- Grondin TM, DeWitt SF and Keeton KS** 2007 Pelger-Huet anomaly in an Arabian horse. *Veterinary Clinical Pathology* 36: 306-310
- Haechler S, Van den Ingh TS, Rogivue C, Ehrensperger F and Welle M** 2000 Congenital hepatic fibrosis and cystic bile duct formation in Swiss Freiburger horses. *Veterinary Pathology* 37: 669-671
- Hahn CN, Matiasek K, Dixon PM, Molony V, Rodenacker K and Mayhew IG** 2008 Histological and ultrastructural evidence that recurrent laryngeal neuropathy is a bilateral mononeuropathy limited to recurrent laryngeal nerves. *Equine Veterinary Journal* 40: 666-672
- Hamann H, Jude R, Sieme H, Mertens U, Topfer-Petersen E, Distl O and Leeb T** 2007 A polymorphism within the equine CRISP3 gene is associated with stallion fertility in Hanoverian warmblood horses. *Animal Genetics* 38: 259-264
- Hamann H, Sieme H and Distl O** 2005 Genetic analysis of the fertility in Hanoverian Warmblood horses. *Animal Reproduction Science* 89: 201-203
- Hansen M, Knorr C, Hall AJ, Broad TE and Brenig B** 2007 Sequence analysis of the equine SLC26A2 gene locus on chromosome 14q15-->q21. *Cytogenetic and Genome Research* 118: 55-62
- Harland MM, Stewart AJ, Marshall AE and Belknap EB** 2006 Diagnosis of deafness in a horse by brainstem auditory evoked potential. *The Canadian Veterinary Journal* 47: 151-154
- Harvey JW** 2006 Pathogenesis, laboratory diagnosis, and clinical implications of erythrocyte enzyme deficiencies in dogs, cats, and horses. *Veterinary Clinical Pathology* 35: 144-156
- Hassel DM, Langer DL, Snyder JR, Drake CM, Goodell ML and Wyle A** 1999

Evaluation of enterolithiasis in equids: 900 cases (1973-1996). *Journal of American Veterinary Medical Association* 214: 233-237

Hatfield CL and Riley CB 2007 Management of airway difficulties during induction of general anesthesia in an American miniature horse with dwarfism. *Canadian Veterinary Journal-Revue Veterinaire Canadienne* 48: 188-191

Herszberg B, McCue ME, Larcher T, Mata X, Vaiman A, Chaffaux S, Cherel Y, Valberg SJ, Mickelson JR and Guerin G 2009 A GYS1 gene mutation is highly associated with polysaccharide storage myopathy in Cob Normand draught horses. *Animal Genetics* 40: 94-96

Holm AW, Bjornstad G and Ruohoniemi M 2000 Ossification of the cartilages in the front feet of young Norwegian coldblooded horses. *Equine Veterinary Journal* 32: 156-160

Hunt LM, Valberg SJ, Steffenhagen K and McCue ME 2008 An epidemiological study of myopathies in Warmblood horses. *Equine Veterinary Journal* 40: 171-177

Jelinek F, Faldyna M and Jasurkova-Mikutova G 2006 Severe combined immunodeficiency in a Fell pony foal. *Journal of Veterinary Medicine Series A: Physiology, Pathology, Clinical Medicine* 53: 69-73

Jost U, Klukowska-Rotzler J, Dolf G, Swinburne JE, Ramseyer A, Bugno M, Burger D, Blott S and Gerber V 2007 A region on equine chromosome 13 is linked to recurrent airway obstruction in horses. *Equine Veterinary Journal* 39: 236-241

Juarbe-Diaz SV, Houpt KA and Kusunose R 1998 Prevalence and characteristics of foal rejection in Arabian mares. *Equine Veterinary Journal* 30: 424-428

Katkiewicz M, Witkowski L and Kita J 2005 Changes in structure of lymphatic organs in foals died due to *Rhodococcus equi* infection. *Polish Journal of Veterinary Sciences* 8: 219-224

- Kelly GM and Newcombe JR** 2009 Uterus bicorpora bicollis as a possible cause of infertility in a mare. *The Veterinary Record* 164: 20-21
- Kelmer G and Wilson DA** 2007 Bilateral metatarsophalangeal arthrodesis for severe congenital flexor tendon laxity and metatarsophalangeal luxation in a miniature horse. *Equine Veterinary Education* 19: 547-550
- Kidd JA and Barr ARS** 2002 Flexural deformities in foals. *Equine Veterinary Education* 14: 311-321
- Laan TT, Goehring LS and Sloet van Oldruitenborgh-Oosterbaan MM** 2005 Von Willebrand's disease in an eight-day-old quarter horse foal. *The Veterinary Record* 157: 322-324
- Lampe V, Dierks C and Distl O** 2009 Refinement of a quantitative trait locus on equine chromosome 5 responsible for fetlock osteochondrosis in Hanoverian warmblood horses. *Animal Genetics*. 40: 553-555
- Larcher T, Herszberg B, Molon-Noblot S, Guigand L, Chaffaux S, Guerin G and Cherel Y** 2008 Polysaccharide storage myopathy in Cob Normand draft horses. *Veterinary Pathology* 45: 154-158
- Lear TL and Bailey E** 2008 Equine clinical cytogenetics: the past and future. *Cytogenetic and Genome Research* 120: 42-49
- Leber R, Wiler R, Perryman LE and Meek K** 1998 Equine SCID: mechanistic analysis and comparison with murine SCID. *Veterinary Immunology and Immunopathology* 65: 1-9
- Levine JM, Adam E, MacKay RJ, Walker MA, Frederick JD and Cohen ND** 2007 Confirmed and presumptive cervical vertebral compressive myelopathy in older horses: a retrospective study (1992-2004). *Journal of Veterinary Internal Medicine* 21:

- Levine JM, Ngheim PP, Levine GJ and Cohen ND** 2008 Associations of sex, breed, and age with cervical vertebral compressive myelopathy in horses: 811 cases (1974-2007). *Journal of American Veterinary Medical Association* 233: 1453-1458
- Lieto LD and Cothran EG** 2003 The epitheliogenesis imperfecta locus maps to equine chromosome 8 in American Saddlebred horses. *Cytogenetic and Genome Research* 102: 207-210
- Lieto LD, Swerczek TW and Cothran EG** 2002 Equine epitheliogenesis imperfecta in two american saddlebred foals is a lamina lucida defect. *Veterinary Pathology* 39: 576-580
- Lightbody T** 2002 Foal with Overo lethal white syndrome born to a registered quarter horse mare. *The Canadian Veterinary Journal* 43: 715-717
- Littlewood JD** 1998 Incidence of recurrent seasonal pruritus ('sweet itch') in British and German shire horses. *The Veterinary Record* 142: 66-67
- Love S, Wyse CA, Stirk AJ, Stear MJ, Calver P, Voute LC and Mellor DJ** 2006 Prevalence, heritability and significance of musculoskeletal conformational traits in Thoroughbred yearlings. *Equine Veterinary Journal* 38: 597-603
- Luescher UA, McKeown DB and Dean H** 1998 A cross-sectional study on compulsive behaviour (stable vices) in horses. *Equine Veterinary Journal Supplement* 14-18
- MacKay RJ** 2005 Neurologic disorders of neonatal foals. *Veterinary Clinics of North America-Equine Practice* 21: 387-406
- MacLeay JM** 2006 Polysaccharide storage myopathy in a 4-year-old Holsteiner gelding. *Veterinary Clinics of North America-Equine Practice* 22: 145-156
- MacLeay JM, Valberg SJ, Sorum SA, Sorum MD, Kassube T, Santschi EM, Mickelson**

- JR and Geyer CJ** 1999 Heritability of recurrent exertional rhabdomyolysis in Thoroughbred racehorses. *American Journal of Veterinary Research* 60: 250-256
- Malone ED, Les CM and Turner TA** 2003 Severe carpometacarpal osteoarthritis in older Arabian horses. *Veterinary Surgery* 32: 191-195
- Mau C, Poncet PA, Bucher B, Stranzinger G and Rieder S** 2004 Genetic mapping of dominant white (W), a homozygous lethal condition in the horse (*Equus caballus*). *Journal of Animal Breeding and Genetics* 121: 374-383
- McCue ME, Ribeiro WP and Valberg SJ** 2006a Prevalence of polysaccharide storage myopathy in horses with neuromuscular disorders. *Equine Veterinary Journal* Supplement 340-344
- McCue ME, Ribeiro WR and Valberg SJ** 2006b The prevalence of polysaccharide storage myopathy in the quarter horse population. *Journal of Veterinary Internal Medicine* 20: 743-743
- McCue ME and Valberg SJ** 2007 Estimated prevalence of polysaccharide storage myopathy among overtly healthy Quarter Horses in the United States. *Journal of American Veterinary Medical Association* 231: 746-750
- McCue ME, Valberg SJ, Jackson M, Lucio M and Mickelson JR** 2008a Presence of the GYS1 mutation in diverse breeds of horses with Polysaccharide Storage Myopathy. *Journal of Veterinary Internal Medicine* 22: 173
- McCue ME, Valberg SJ, Lucio M and Mickelson JR** 2008b Glycogen synthase 1 (GYS1) mutation in diverse breeds with polysaccharide storage myopathy. *Journal of Veterinary Internal Medicine* 22: 1228-1233
- McCue ME, Valberg SJ, Miller MB, Wade C, DiMauro S, Akman HO and Mickelson JR** 2008c Glycogen synthase (GYS1) mutation causes a novel skeletal muscle

glycogenosis. *Genomics* 91: 458-466

McDiarmid A 2005 Possible familial basis to equine polysaccharide storage myopathy. *The Veterinary Record* 156: 95-96

McGowan CM, McGowan TW and Patterson-Kane JC 2009 Prevalence of equine polysaccharide storage myopathy and other myopathies in two equine populations in the United Kingdom. *The Veterinary Journal* 180: 330-336

McKenzie EC and Firshman AM 2009 Optimal diet of horses with chronic exertional myopathies. *Veterinary Clinics of North America-Equine Practice* 25: 121-135, vii

Mero JL and Pool R 2002 Twenty cases of degenerative suspensory ligament desmitis in Peruvian Paso horses. In: 48th Annual Convention of the AAEP, Orlando, Florida pp 329-334

Metallinos DL, Bowling AT and Rine J 1998 A missense mutation in the endothelin-B receptor gene is associated with Lethal White Foal Syndrome: an equine version of Hirschsprung disease. *Mammalian Genome* 9: 426-431

Meyer TS, Fedde MR, Cox JH and Erickson HH 1999 Hyperkalaemic periodic paralysis in horses: a review. *Equine Veterinary Journal* 31: 362-367

Milenkovic D, Chaffaux S, Taourit S and Guerin G 2003 A mutation in the LAMC2 gene causes the Herlitz junctional epidermolysis bullosa (H-JEB) in two French draft horse breeds. *Genetics Selection Evolution* 35: 249-256

Momozawa Y, Kusunose R, Kikusui T, Takeuchi Y and Mori Y 2005 A search for temperament-associated genetic polymorphisms in horses. In: Mills D, Levine E, Landsberg G, Horwitz D, Duxbury M, Mertens P, Meyer K, Huntley LR, Reich M, Willard J (Ed), 5th International Veterinary Behavior Meeting. *Current Issues and Research in Veterinary Behavioral Medicine*, Purdue University Press, West

Lafayette, Indiana pp 92-97

Mousel MR, Harrison L, Donahue JM and Bailey E 2003 Rhodococcus equi and genetic susceptibility: assessing transferrin genotypes from paraffin-embedded tissues. The Journal of Veterinary Diagnostic Investigation 15: 470-472

Myers CJ, Aleman M, Heidmann R, Wilson WD and Madigan JE 2006 Myopathy in American miniature horses. Equine Veterinary Journal 38: 272-276

Naylor JM, Nickel DD, Trimino G, Card C, Lightfoot K and Adams G 1999 Hyperkalaemic periodic paralysis in homozygous and heterozygous horses: a co-dominant genetic condition. Equine Veterinary Journal 31: 153-159

Nery J, Schelino G, O'Sullivan JA, Perona G and Bergero D 2006 DOD incidence in thoroughbred foals between 23 and 45 weeks of age - growth, nutrition and genetic factors. Animal Research 55: 591-601

Newton JR, Wood JLN and Chanter N 2007 Evidence for transferrin allele as a host-level risk factor in naturally occurring equine respiratory disease: a preliminary study. Equine Veterinary Journal 39: 164-171

Nieto JE and Aleman M 2009 A Rapid Detection Method for the Ryanodine Receptor 1 (C7360G) Mutation in Quarter Horses. Journal of Veterinary Internal Medicine 23: 619-622

Ninomiya S, Sato S and Sugawara K 2007 Weaving in stabled horses and its relationship to other behavioural traits. Applied Animal Behaviour Science 106: 134-143

Nollet H and Deprez P 2005 Hereditary skeletal muscle diseases in the horse. A review. The Veterinary Quarterly 27: 65-75

Norris BJ 2008 Riding 'white' horses reveals new insights into pigmentation and melanoma.

Pigment Cell & Melanoma Research 21: 596-597

Norris JW, Pratt SM, Auh JH, Wilson SJ, Clutter D, Magdesian KG, Ferraro GL and

Tablin F 2006 Investigation of a novel, heritable bleeding diathesis of Thoroughbred horses and development of a screening assay. *Journal of Veterinary Internal Medicine* 20: 1450-1456

Nout YS and Reed SM 2003 Cervical vertebral stenotic myelopathy. *Equine Veterinary*

Education 15: 212-223

Nunnery C, Pickett JP and Zimmerman KL 2005 Congenital stationary night blindness in

a Thoroughbred and a Paso Fino. *Veterinary Ophthalmology* 8: 415-419

Oki H, Kusunose R, Nakaoka H, Nishiura A, Miyake T and Sasaki Y 2007 Estimation of

heritability and genetic correlation for behavioural responses by Gibbs sampling in the Thoroughbred racehorse. *Journal of Animal Breeding and Genetics* 124: 185-191

Oki H, Miyake T, Hasegawa T and Sasaki Y 2005 Estimation of heritability for Tying-up

syndrome in the Thoroughbred racehorse by Gibbs sampling. *Journal of Animal Breeding and Genetics* 122: 289-293

Oki H, Miyake T, Kasashima Y and Sasaki Y 2008 Estimation of heritability for

superficial digital flexor tendon injury by Gibbs sampling in the Thoroughbred racehorse. *Journal of Animal Breeding and Genetics* 125: 413-416

Paciello O, Pasolini MP, Navas L, Russo V and Papparella S 2006 Myopathy with central

cores in a foal. *Veterinary Pathology* 43: 579-583

Page P, Parker R, Harper C, Guthrie A and Nesar J 2006 Clinical, clinicopathologic,

postmortem examination findings and familial history of 3 Arabians with lavender foal syndrome. *Journal of Veterinary Internal Medicine* 20: 1491-1494

- Parry NMA** 2005 Overo lethal white foal syndrome. *Compendium on Continuing Education for the Practicing Veterinarian* 27: 945-951
- Pell SM and McGreevy PD** 1999 A study of cortisol and beta-endorphin levels in stereotypic and normal Thoroughbreds. *Applied Animal Behaviour Science* 64: 81-90
- Perryman LE** 2000 Primary immunodeficiencies of horses. *Veterinary Clinics of North America-Equine Practice* 16: 105-116, vii
- Perryman LE** 2004 Molecular pathology of severe combined immunodeficiency in mice, horses, and dogs. *Veterinary Pathology* 41: 95-100
- Pieramati C, Pepe M, Silvestrelli M and Bolla A** 2003 Heritability estimation of osteochondrosis dissecans in Maremmano horses. *Livestock Production Science* 79: 249-255
- Pilsworth RC and Knottenbelt DC** 2007 Equine sarcoid. *Equine Veterinary Education* 19: 260-262
- Pilsworth RC and Knottenbelt DC** 2004 Equine insect hypersensitivity. *Equine Veterinary Education* 16: 324-325
- Piro M, Benjouad A, Tligui NS, El Allali K, El Kohen M, Nabich A and Ouragh L** 2008 Frequency of the severe combined immunodeficiency disease gene among horses in Morocco. *Equine Veterinary Journal* 40: 590-591
- Ramsey DT, Ewart SL, Render JA, Cook CS and Latimer CA** 1999 Congenital ocular abnormalities of Rocky Mountain Horses. *Veterinary Ophthalmology* 2: 47-59
- Ramseyer A, Gaillard C, Burger D, Straub R, Jost U, Boog C, Marti E, Gerber V** 2007 Effects of genetic and environmental factors on chronic lower airway disease in horses. *Journal of Veterinary Internal Medicine* 21: 149-156

- Ramzan PH, Dixont PM, Kempson SA and Rossdale PD** 2001 Dental dysplasia and oligodontia in a thoroughbred colt. *Equine Veterinary Journal* 33: 99-104
- Rathgeber RA, Brooks MB, Bain FT and Byars TD** 2001 Clinical vignette. Von Willebrand disease in a Thoroughbred mare and foal. *Journal of Veterinary Internal Medicine* 15: 63-66
- Reed SM, Nout Y, Sofaly C and Saville WJ** 2002 Review of selected neurological diseases of the horse. *Ippologia* 13: 3-25
- Render JA, Common RS, Kennedy FA, Jones MZ and Fyfe JC** 1999 Amylopectinosis in fetal and neonatal Quarter Horses. *Veterinary Pathology* 36: 157-160
- Rendle DI, Durham AE and Smith KC** 2008 Hereditary equine regional dermal asthenia in a quarter horse bred in the United Kingdom. *The Veterinary Record* 162: 20-22
- Reynolds JA, Potter GD, Greene LW, Wu G, Carter GK, Martin MT, Peterson TV, Murray-Gerzik M and Moss G** 1997 Genetic-diet interactions in the hyperkalemic periodic paralysis syndrome in quarter horses fed varying amounts of potassium: Part II - Symptoms of HYPP. *Journal of Equine Veterinary Science* 18: 655-661
- Rieder S, Stricker C, Joerg H, Dummer R and Stranzinger G** 2000 A comparative genetic approach for the investigation of ageing grey horse melanoma. *Journal of Animal Breeding and Genetics* 117: 73-82
- Riley CB, Scott WM, Caron JP, Fretz PB, Bailey JV and Barber SM** 1998 Osteochondritis dessicans and subchondral cystic lesions in draft horses: a retrospective study. *The Canadian Veterinary Journal* 39: 627-633
- Roberson PE, Harper F and Kojima CJ** 2005 Pedigree effects on semen parameters in Tennessee Walking Horse stallions. *Journal of Animal Science* 83: 27-28

- Robinson NE and Wilson MR** 2007 Heaves, genes, nerves, and Victorians. *Journal of Veterinary Internal Medicine* 21: 1-2
- Roneus B, Arnason T, Collinder E and Rasmussen M** 1998 Arthroscopic removal of palmar/plantar osteochondral fragments (POF) in the metacarpo- and metatarso-phalangeal joints of standardbred trotters - Outcome and possible genetic background to POF. *Acta Veterinaria Scandinavica* 39: 15-24
- Rosenberg H, Davis M, James D, Pollock N and Stowell K** 2007 Malignant hyperthermia. *Orphanet Journal of Rare Diseases* 2: 21
- Rosengren Pielberg G, Golovko A, Sundstrom E, Curik I, Lennartsson J, Seltenhammer MH, Druml T, Binns M, Fitzsimmons C, Lindgren G, Sandberg K, Baumung R, Vetterlein M, Stromberg S, Grabherr M, Wade C, Lindblad-Toh K, Ponten F, Heldin CH, Solkner J and Andersson L** 2008 A cis-acting regulatory mutation causes premature hair graying and susceptibility to melanoma in the horse. *Nature Genetics* 40: 1004-1009
- Roussel AJ Jr, Cohen ND, Hooper RN and Rakestraw PC** 2001 Risk factors associated with development of postoperative ileus in horses. *Journal of American Veterinary Medical Association* 219: 72-78
- Ruohoniemi M, Ahtiainen H and Ojala M** 2003 Estimates of heritability for ossification of the cartilages of the front feet in the Finnhorse. *Equine Veterinary Journal* 35: 55-59
- Ryan CA and Sanchez LC** 2005 Nondiarrheal disorders of the gastrointestinal tract in neonatal foals. *Veterinary Clinics of North America-Equine Practice* 21: 313-332
- Sandmeyer LS, Breaux CB, Archer S and Grahn BH** 2007 Clinical and electroretinographic characteristics of congenital stationary night blindness in the Appaloosa and the association with the leopard complex. *Veterinary Ophthalmology*

10: 368-375

Sandmeyer LS, Grahn BH and Breaux CB 2006 Diagnostic ophthalmology. Canadian Veterinary Journal-*Revue Veterinaire Canadienne* 47: 1131-1133

Santschi EM, Purdy AK, Valberg SJ, Vrotsos PD, Kaese H and Mickelson JR 1998 Endothelin receptor B polymorphism associated with lethal white foal syndrome in horses. *Mammalian Genome* 9: 306-309

Santschi EM, Vrotsos PD, Purdy AK and Mickelson JR 2001 Incidence of the endothelin receptor B mutation that causes lethal white foal syndrome in white-patterned horses. *American Journal of Veterinary Research* 62: 97-103

Scholes SF, Holliman A, May PD and Holmes MA 1998 A syndrome of anaemia, immunodeficiency and peripheral ganglionopathy in Fell pony foals. *The Veterinary Record* 142: 128-134

Schurink, A, van Grevenhof EM, Ducro BJ and van Arendonk JA 2009 Heritability and repeatability of insect bite hypersensitivity in Dutch Shetland breeding mares. *Journal of Animal Science* 87: 484-490

Seltenhammer MH, Simhofer H, Scherzer S, Zechner R, Curik I, Solkner J, Brandt SM, Jansen B, Pehamberger H and Eisenmenger E 2003 Equine melanoma in a population of 296 grey Lipizzaner horses. *Equine Veterinary Journal* 35: 153-157

Sevinga M, Barkema HW, Stryhn H and Hesselink JW 2004 Retained placenta in Friesian mares: incidence, and potential risk factors with special emphasis on gestational length. *Theriogenology* 61: 851-859

Shin EK, Rijkers T, Pastink A and Meek K 2000 Analyses of TCRB rearrangements substantiate a profound deficit in recombination signal sequence joining in SCID foals: implications for the role of DNA-dependent protein kinase in V(D)J

recombination. *The Journal of Immunology* 164: 1416-1424

Skotarczak E, Molinski K, Szwaczkowski T and Dobek A 2007 Bayesian analysis of genetic backgrounds of twinning rate in Thoroughbred horses. *Journal of Animal and Feed Sciences* 16: 526-537

Spirito F, Charlesworth A, Linder K, Ortonne JP, Baird J and Meneguzzi G 2002 Animal models for skin blistering conditions: absence of laminin 5 causes hereditary junctional mechanobullous disease in the Belgian horse. *Journal of Investigative Dermatology* 119: 684-691

Spiro I 2002 Hematuria and a complex congenital heart defect in a newborn foal. *The Canadian Veterinary Journal* 43: 375-377

Sponseller BT, Valberg SJ, Ward TL, Fales-Williams AJ and Mickelson JR 2003 Muscular weakness and recumbency in a Quarter Horse colt due to glycogen branching enzyme deficiency. *Equine Veterinary Education* 15: 182-187

Stock KF and Distl O 2006a Genetic analyses of the radiographic appearance of the distal sesamoid bones in Hanoverian Warmblood horses. *American Journal of Veterinary Research* 67: 1013-1019

Stock KF and Distl O 2006b Genetic correlations between conformation traits and radiographic findings in the limbs of German Warmblood riding horses. *Genetics Selection Evolution* 38: 657-671

Stock KF and Distl O 2006c Genetic correlations between osseous fragments in fetlock and hock joints, deforming arthropathy in hock joints and pathologic changes in the navicular bones of Warmblood riding horses. *Livestock Science* 105: 35-43

Stock KF and Distl O 2007 Genetic correlations between performance traits and radiographic findings in the limbs of German Warmblood riding horses. *Journal of*

Animal Science 85: 31-41

Stock KF and Distl O 2008 Multiple-trait selection for radiographic health of the limbs, conformation and performance in Warmblood riding horses. *Animal* 2: 1724-1732

Stock KF, Hamann H and Distl O 2004 Variance component estimation on the frequency of deforming arthropathies in limb joints of Hanoverian Warmblood horses. *Journal of Animal Breeding and Genetics* 121: 269-288

Stock KF, Hamann H and Distl O 2005 Estimation of genetic parameters for the prevalence of osseous fragments in limb joints of Hanoverian Warmblood horses. *Journal of Animal Breeding and Genetics* 122: 271-280

Stock KF, Hamann H and Distl O 2006 Factors associated with the prevalence of osseous fragments in the limb joints of Hanoverian Warmblood horses. *The Veterinary Journal* 171: 147-156

Swinburne J 2009 Inherited disease in the horse: Mapping complex disease variants is on the horizon. *The Veterinary Journal* 179: 317-318

Swinburne J, Lockhart L, Scott M and Binns MM 1999 Estimation of the prevalence of severe combined immunodeficiency disease in UK Arab horses as determined by a DNA-based test. *The Veterinary Record* 145:22-23

Thomas GW, Bell SC and Carter SD 2005 Immunoglobulin and peripheral B-lymphocyte concentrations in Fell pony foal syndrome. *Equine Veterinary Journal* 37: 48-52

Thomas GW, Bell SC, Phythian C, Taylor P, Knottenbelt DC and Carter SD 2003 Aid to the antemortem diagnosis of Fell pony foal syndrome by the analysis of B lymphocytes. *The Veterinary Record* 152: 618-621

Treiber KH, Kronfeld DS, Hess TM, Byrd BM, Splan RK and Staniar WB 2006

Evaluation of genetic and metabolic predispositions and nutritional risk factors for pasture-associated laminitis in ponies. *Journal of American Veterinary Medical Association* 228: 1538-1545

Trumble TN 2005 Orthopedic disorders in neonatal foals. *Veterinary Clinics of North America-Equine Practice* 21: 357-385, vi

Tryon RC, Penedo MC, McCue ME, Valberg SJ, Mickelson JR, Famula TR, Wagner ML, Jackson M, Hamilton MJ, Nootboom S and Bannasch DL 2009 Evaluation of allele frequencies of inherited disease genes in subgroups of American Quarter Horses. *Journal of American Veterinary Medical Association* 234: 120-125

Tryon RC, White SD and Bannasch DL 2007 Homozygosity mapping approach identifies a missense mutation in equine cyclophilin B (PPIB) associated with HERDA in the American Quarter Horse. *Genomics* 90: 93-102

Tryon RC, White SD, Famula TR, Schultheiss PC, Hamar DW and Bannasch DL 2005 Inheritance of hereditary equine regional dermal asthenia in Quarter Horses. *American Journal of Veterinary Research* 66: 437-442

Turner AG 2004 Ocular conditions of neonatal foals. *Veterinary Clinics of North America-Equine Practice* 20: 429-440, vii-viii

Tyson R, Graham JP, Colahan PT and Berry CR 2004 Skeletal atavism in a miniature horse. *Veterinary Radiology & Ultrasound* 45: 315-317

Url A, Bauder B, Thalhammer J, Nowotny N, Kolodziejek J, Herout N, Furst S and Weissenbock H 2001 Equine neuronal ceroid lipofuscinosis. *Acta Neuropathologica* 101: 410-414

Valberg SJ, Ward TL, Rush B, Kinde H, Hilaragi H, Nahey D, Fyfe J and Mickelson JR 2001 Glycogen branching enzyme deficiency in quarter horse foals. *Journal of*

Veterinary Internal Medicine 15: 572-580

Valentine BA 1999 Polysaccharide storage myopathy in draft and draft-related horses and ponies. *Equine Practice* 21: 16-19

Valentine BA 2003 Equine polysaccharide storage myopathy. *Equine Veterinary Education* 15: 254-262

Valentine BA and Cooper BJ 2005 Incidence of polysaccharide storage myopathy: necropsy study of 225 horses. *Veterinary Pathology* 42: 823-827

Valentine BA, Habecker PL, Patterson JS, Njaa BL, Shapiro J, Holshuh HJ, Bildfell RJ and Bird KE 2001 Incidence of polysaccharide storage myopathy in draft horse-related breeds: a necropsy study of 37 horses and a mule. *The Journal of Veterinary Diagnostic Investigation* 13: 63-68

Valentine BA, McDonough SP, Chang YF and Vonderchek AJ 2000 Polysaccharide storage myopathy in Morgan, Arabian, and Standardbred related horses and Welsh-cross ponies. *Veterinary Pathology* 37: 193-196

van Eldik P, van der Waaij EH, Ducro B, Kooper AW, Stout TA and Colenbrander B 2006 Possible negative effects of inbreeding on semen quality in Shetland pony stallions. *Theriogenology* 65: 1159-1170

van Grevenhof EM, Schurink A, Ducro BJ, van Weeren PR, van Tartwijk JM, Bijma P and van Arendonk JA 2009 Genetic parameters of various manifestations of osteochondrosis and their correlations between and within joints in Dutch warmblood horses. *Journal of Animal Science*. 87: 1906-1912

Wagner ML, Valberg SJ, Ames EG, Bauer MM, Wiseman JA, Penedo MC, Kinde H, Abbitt B and Mickelson JR 2006 Allele frequency and likely impact of the glycogen branching enzyme deficiency gene in Quarter Horse and Paint Horse populations.

Journal of Veterinary Internal Medicine 20: 1207-1211

Ward TL, Valberg SJ, Adelson DL, Abbey CA, Binns MM and Mickelson JR 2004

Glycogen branching enzyme (GBE1) mutation causing equine glycogen storage disease IV. *Mammalian Genome* 15: 570-577

Ward TL, Valberg SJ, Lear TL, Guerin G, Milenkovic D, Swinburne JE, Binns MM,

Raudsepp T, Skow L, Chowdhary BP and Mickelson JR 2003 Genetic mapping of GBE1 and its association with glycogen storage disease IV in American Quarter horses. *Cytogenetic and Genome Research* 102: 201-206

Weideman H, Schoeman SJ and Jordaan GF 2004 The inheritance of liability to epistaxis

in the southern African Thoroughbred. *Journal of the South African Veterinary Association* 75: 158-162

Westermann CM, de Sain-van der Velden MG, van der Kolk JH, Berger R, Wijnberg

ID, Koeman JP, Wanders RJ, Lenstra JA, Testerink N, Vaandrager AB, Vianey-Saban C, Acquaviva-Bourdain C and Dorland L 2007 Equine biochemical multiple acyl-CoA dehydrogenase deficiency (MADD) as a cause of rhabdomyolysis. *Molecular Genetics and Metabolism* 91: 362-369

White SD, Affolter VK, Bannasch DL, Schultheiss PC, Hamar DW, Chapman PL,

Naydan D, Spier SJ, Rosychuk RA, Rees C, Veneklasen GO, Martin A, Bevier D, Jackson HA, Bettenay S, Matousek J, Campbell KL and Ihrke PJ 2004

Hereditary equine regional dermal asthenia ("hyperelastosis cutis") in 50 horses: clinical, histological, immunohistological and ultrastructural findings. *Veterinary Dermatology* 15: 207-217

Wilkie DA and Gilger BC 2004 Equine glaucoma. *Veterinary Clinics of North America-*

Equine Practice 20: 381-391, vii

Witte S, Alexander K, Bucellato M, Sofaly C, Fife W and Hinchcliff KW 2005

Congenital atlantoaxial luxation associated with malformation of the dens axis in a Quarter Horse foal. *Equine Veterinary Education* 17: 175-178

Wittwer C, Dierks C, Hamann H and Distl O 2008 Associations between candidate gene

markers at a quantitative trait locus on equine chromosome 4 responsible for osteochondrosis dissecans in fetlock joints of South German Coldblood horses.

Journal of Heredity 99: 125-129

Wittwer C, Hamann H and Distl O 2009 The Candidate Gene XIRP2 at a Quantitative

Gene Locus on Equine Chromosome 18 Associated with Osteochondrosis in Fetlock and Hock Joints of South German Coldblood Horses. *Journal of Heredity* 100:481-

486

Wittwer C, Hamann H, Rosenberger E and Distl O 2007a Genetic parameters for the

prevalence of osteochondrosis in the limb joints of South German Coldblood horses.

Journal of Animal Breeding and Genetics 124: 302-307

Wittwer C, Lohring K, Drogemuller C, Hamann H, Rosenberger E and Distl O 2007b

Mapping quantitative trait loci for osteochondrosis in fetlock and hock joints and palmar/plantar osseus fragments in fetlock joints of South German Coldblood horses.

Animal Genetics 38: 350-357

Wolc A, Bresinska A and Szwaczkowski T 2006 Genetic and permanent environmental

variability of twinning in Thoroughbred horses estimated via three threshold models.

Journal of Animal Breeding and Genetics 123: 186-190

Wood JL, Newton JR, Chanter N and Mumford JA 2005 Inflammatory airway disease,

nasal discharge and respiratory infections in young British racehorses. *Equine*

Veterinary Journal 37: 236-242

Yang GC, Croaker D, Zhang AL, Manglick P, Cartmill T and Cass D 1998 A

dinucleotide mutation in the endothelin-B receptor gene is associated with lethal white foal syndrome (LWFS); a horse variant of Hirschsprung disease (HSCR). *Human Molecular Genetics* 7: 1047-1052

Young AE, Bower LP, Affolter VK, De Cock HE, Ferraro GL and Bannasch DL 2007

Evaluation of FOXC2 as a candidate gene for chronic progressive lymphedema in draft horses. *The Veterinary Journal* 174: 397-399

Yudkowsky ML, Beech J and Fletcher JE 1998 Phenytoin alters transcript levels of

hormone-sensitive lipase in muscle from horses with hyperkalemic periodic paralysis. *Archives of Biochemistry and Biophysics* 358: 264-270

Zembowicz A and Mihm MC 2004 Dermal dendritic melanocytic proliferations: an update.

Histopathology 45: 433-451