Table S1Shelter Quality Protocol measures associated with welfare principle and criteria and type ofmeasurement (animal-based measure = ABM, resource-based measure = RBM, management-based measure = MBM).

Principle	Welfare criteria	Welfare measure (type)	Sub-measures	Unit of assessment
		Body condition (ABM)		Individual
Good feeding	Absence of prolonged hunger	Feeding (MBM)	Feeding regime Type of diet Special diets	Shelter
	Absence of prolonged thirst	Water supply (RBM)	Type of drinkers Availability of water Cleanliness of water Safety of drinkers	Pen
	Comfort around resting	Bedding (RBM)	Type of bedding At least one bed/dog Safety of bedding Cleanliness of bedding	Pen
	Connort around resting	Safety of pen (RBM)	Sharp edges	Pen
		Cleanliness of animals (ABM)		Individual
Good housing		Thermoregulation (ABM)	Signs of thermal discomfort	Individual
	Thermal comfort	Shelter from adverse weather condition (RBM)	Shelter from excessive sun; wind; rain Air circulation	Pen
	Ease of movement	Space allowance (RBM)		Pen
	Absence of injuries	Skin condition (ABM)	Presence of wounds; hair loss areas, swelling areas; evidence of parasites	Individual
Good health		Lameness (ABM)		Individual
	Absence of disease	Evidence of pain (ABM) Signs of diarrhea (ABM) Coughing (ABM)		Pen
		Mortality (MBM)	Euthanasia for clinical problems; behavioural problem; Deaths (other than euthanasia)	Shelter
	Absence of pain induced by management procedures	Surgeries and control pain (MBM)	Presence of operating procedures for post-surgical monitoring; Presence of hospital pens Presence of protocol of analgesia	Shelter
	Expression of social behaviours	Social housing (MBM)	Single housing pens Pair housing pens Group housing pens (≤ 5) Group housing pens (> 5)	Shelter
		Abnormal behavior (ABM)	Repetitive and compulsive behaviours	Pen
Appropriate behaviour	Expression of other behaviours	Barking (ABM)		Pen
		Exercise (MBM)	Exercise in outdoor areas Walking at leash	Shelter
		Reaction to human (ABM)		Individual
	Good human-animal relationship	Training and rehabilitation (MBM)	Presence of training personnel for activities with dogs, and specialized personnel in behavioral rehabilitation	Shelter
	Positive emotional state	Emotional state (ABM)	Qualitative Behavioural Assessment	Pen

Table S3Results of Delphi 1. The final weighting of measures derived from expert consensus are highlighted inbold.

CRITER	ION AND MEASURES	Round 1 MEAN ± SD	Round 2 MEAN ± SD	Round 3 MEAN ± SD	Round 4 MEAN ± SD
ABSENCE	OF PROLONGED HUNGER				
-	Body condition	54 ± 14.19	56 ± 10.39	58 ± 8.82	59 ± 4.14
-	Feeding regime	22 ± 11.42	21 ± 6.36	21 ± 5.82	21 ± 3.11
-	Type of diet	23 ± 8.77	23 ± 7.19	21 ± 5.53	20 ± 2.16
ABSENCE	OF PROLONGED THIRST				
-	Availability of water	54 ± 13.19	55 ± 10.98	56 ± 9.55	56 ± 1.85
-	Cleanliness of water	28 ± 10.19	27 ± 9.35	27 ± 8.87	26 ± 3.79
_	Safety of drinkers	18 ± 9.22	18 ± 6.62	17 ± 5.07	18 ± 2.91
		10 ± 9.22	10 ± 0.02	17 ± 5.07	10 ± 2.91
-	Type of bedding	15 ± 10.83	14 ± 6.99	13 ± 5.11	13 ± 2.65
_	Presence of at least one bed	22 ± 11.11	21 ± 8.48	21 ± 5.63	21 ± 2.49
	per dog	22 - 11.11	21 2 0.40	21 2 3.05	
-	Safety of bedding	15 ± 6.44	16 ± 5.42	16 ± 3.79	16 ± 1.67
-	Cleanliness/dryness of bedding	15 ± 0.44 18 ± 7.90	10 ± 5.42 18 ± 5.45	10 ± 3.75 18 ± 4.23	18 ± 1.50
-	Safety of the pen	10 ± 7.90 14 ± 6.91	15 ± 6.23	16 ± 4.25 16 ± 5.76	16 ± 2.10
-	Dog cleanliness	14 ± 0.91 15 ± 11.85	16 ± 10.81	16 ± 3.76 16 ± 11.09	15 ± 3.40
	L COMFORT	1.0.5 ± 11.05	10 - 10.01	10 1 11.03	13 ± 3.40
-	Thermoregulation	31 ± 16.72	32 ± 11.09	31 ± 9.37	32 ± 2.40
_	Shelter from excessive	22 ± 7.59	21 ± 5.32	22 ± 3.74	22 ± 2.90
-	exposure to sun	22 - 1.33	21 ± J.J2	22 - 3.74	22 ± 2.30
-	Shelter from strong wind	14 ± 6.09	14 ± 4.10	14 ± 3.29	13 ± 2.19
-	Shelter from rain	14 ± 0.09 19 ± 7.19	14 ± 4.10 18 ± 5.59	14 ± 3.29 18 ± 4.51	13 ± 2.19 18 ± 2.11
-	Air circulation	14 ± 7.04			
		14 ± 7.04	16 ± 5.85	15 ± 4.23	15 ± 3.85
ABSENCE	OF INJURIES Presence of wounds	26 ± 7.98	26 ± 5.14	27 ± 4.35	
-	Presence of hair loss areas				-
-		16 ± 5.76	15 ± 4.37	15 ± 2.83	
-	Presence of swelling areas	20 ± 4.25	20 ± 3.59	20 ± 1.62	
-	Evidence of ectoparasities	18 ± 5.09	18 ± 4.32	18 ± 3.26	
-	Presence of lameness	20 ± 5.19	21 ± 3.40	20 ± 2.89	
ABSENCE	OF DISEASE Presence of diarrhoea	20 ± 7 ⊑0	20 + 5 50	27 ± F 10	27 + 2 22
-		28 ± 7.58	28 ± 5.50	27 ± 5.19	27 ± 2.23
-	Evidence of coughing	27 ± 8.45	27 ± 7.41	26 ± 5.21	26 ± 3.10
-	Evidence of pain	45 ± 12.55	46 ± 11.07	46 ± 9.31	46 ± 4.56
EXPRESS	ION OF OTHER BEHAVIOURS				
-	Possibility and frequency of			22 + 6 24	00 ± 0 40
	exercise in outdoor fenced	33 ± 9.88	33 ± 9.24	33 ± 6.24	33 ± 2.19
	areas				
-	Possibility and frequency of	20 + 0.00		20 + 7 02	20 1 4 04
	walking on a leash	29 ± 9.08	30. ± 8.05	30 ± 7.82	29 ± 1.91
-	Presence of abnormal	20 + 12 55	27 + 42 07		20 1 4 05
	behaviours	38 ± 13.66	37 ± 12.87	37 ± 10.13	38 ± 1.85
PROCEDI		24 - 0.00	24 + 6 25	22 - 5 22	
-	Presence of operating	34 ± 9.80	34 ± 6.35	33 ± 5.30	33 ± 2.17
	procedures for post-surgical				
	pain monitoring				
-	Presence of hospital pens	27 ± 11.38	26 ± 7.95	28 ± 4.80	28 ± 1.89
-	Presence of protocols for		·		
	analgesia	39 ± 9.14	39 ± 5.93	39 ± 4.25	29 ± 1.36
GOOD HI					
-	Reaction to people				
-	Presence of qualified personnel	41 ± 16.25	44 ± 14.39	44 ± 13.11	45 ± 3.75
	for dog training	27 ± 9.69	26 ± 8.15	27 ± 6.19	27 ± 1.53
	Presence of qualified personnel				
-	for behavioural rehabilitation	32 ± 12.10	30 ± 10.88	29 ± 8.53	

	Criterion of absence of	46 ± 8.02	45 ± 4.71	-	-
	prolonged hunger		-		
-	Criterion of absence of	54 ± 8.02	55 ± 4.71		
	prolonged thirst				
GOOD HO					
-	Criterion of comfort around resting	33 ± 6.38	32 ± 3.83	31 ± 1.76	-
-	Criterion of thermal comfort	34 ± 8.73	34 ± 6.28	34 ± 2.63	
-	Criterion of ease of movement	33 ± 8.12	34 ± 5.86	35 ± 3.58	
GOOD HEA	ALTH				
-	Criterion of absence of injuries	34 ± 8.63	33 ± 7.44	33 ± 5.45	33 ± 1.88
-	Criterion of absence of disease	33 ± 8.44	36 ± 7.85	36 ± 6.72	36 ± 1.54
-	Criterion of absence of pain	34 ± 10.82	33 ± 9.31	31 ± 7.97	31 ± 1.90
	induced by management				
	procedures				
APPROPRI	ATE BEHAVIOUR				
-	Criterion of expression of social	27 ± 7.95	26 ± 5.60	26 ± 2.97	26 ± 1.74
	behaviour				
-	Criterion of expression of other	19 ± 7.43	19 ± 5.29	20 ± 4.55	20 ± 1.48
	behaviour				
-	Criterion of good human	26 ± 7.37	27 ± 7.25	27 ± 5.97	27 ± 1.26
	animal relationship				
-	Criterion of positive emotional	29 ± 10.01	28 ± 7.40	27 ± 5.24	27 ± 2.35
	state				
Animal Welfare Assessment					
-	Principle of good feeding	23 ± 3.49	24 ± 2.65	-	-
-	Principle of good housing	23 ± 3.38	23 ± 2.16		
-	Principle of good health	26 ± 3.42	26 ± 2.81		
-	Principle of appropriate	28 ± 5.85	27 ± 3.63		
	behaviour				

Table S4 Results of Delphi 2. $0 \le V \le 0.5$ = good degree of consensus, no need for additional round; $0.5 \le V \le 0.8$ = less than satisfactory degree of consensus, possible need for additional round; V > 0.8= poor degree of consensus, definite need for additional round (English & Kernan 1976).*This result was considered acceptable by the authors

Categorical variables	Welfare measures/Welfare criteria/Welfare principles	Mean and SD	Variable coefficient
Body condition score			
- Adequate	Body condition/Absence of	98 ± 4.21	0.04
- Too heavy	prolonged hunger/Good feeding	39 ± 11.25	0.2
- Too thin		20 ± 6.39	0.3
Feeding regime			
- Once a day	Feeding/ Absence of prolonged	44 ± 10.74	0.2
- Twice a day	hunger/Good feeding	95 ± 9.71	0.1
- Ad libitum		31 ± 11.71	0.5
Type of pen			
- Single pen		17 ± 6.5	0.3
- Pair pen	Social housing/Expression of social	77 ± 10.91	0.1
 Group pen (≤ 5 dogs) 	behaviours/Appropriate behaviours	67 ± 10.71	0.1
- Group pen (> 5 dogs)		31 ± 13.42	0.4
Type of bedding			
- Kennel		90 ± 9.71	0.1
- Basket	Bedding/Comfort around	54 ± 14.91	0.2
- Other (fabric, mattress,	resting/Good housing	34 ± 9.81	0.2
carpet, platform etc.)			
Access to outdoor fenced area			
- Daily (> 3h)		95 ± 7.07	0.07
- Daily (≤ 3h)	Exercise/Expression of other	70 ± 14.23	0.2
- Weekly	behaviours/Appropriate behaviours	15 ± 7.07	0.4
- No or not regular		3 ± 4.3	1.32
Walking on leash			
- Daily		96 ± 5.16	0.05
- Weekly	Exercise/ Expression of other	35 ± 16.95	0.4
- No or not regular	behaviours/Appropriate behaviours	3 ± 4.74	1.39
Reaction to human			
- No signs		93 ± 8.56	0.09
- Only fear	Reaction to human/Good human-	28 ± 16.95	0.72*
- Defensive/offensive	animal relationship	14 ± 4.74	0.46
aggression			
Qualitative behavioural			
assessment			
- Relaxed		85 ± 13.68	0.1
- Comfortable		82 ± 24.17	0.2
- Curious		73 ± 20.27	0.2
- Excited		61 ± 30.42	0.3
- Sociable	Emotional state/Positive emotional	89 ± 9.08	0.1
- Playful	state/Appropriate behaviour	72 ± 23.85	0.2
- Depressed		71 ± 34.15	0.3
•			
 Alert Nervous Anxious Fearful Hesitant Aggressive 		58 ± 19.66 49 ± 38.01 69 ± 32.85 73 ± 28.37 53 ± 21.57 71 ± 42.62	0.2 0.4 0.3 0.3 0.2 0.4