

**Table DS5 Additional emotional processes commonly studied (Worry, Self-focus, attentional bias, Insomnia, Inter-personal sensitivity)**

Search Terms: "Worry" "self focus", "self-consciousness" "attentional bias" "insomnia"

"Interpersonal sensitivity" + "delusions"/paranoia/schizophrenia; (ISI and Pubmed)

Review Articles: Garety and Freeman (1999)/ Freeman (2007)/Freeman, Stahl, McManus, Meltzer, Brugha, Wiles & Bebbington (2012)/Green & Phillips (2004)

Early View articles: Schizophrenia Bulletin; Schizophrenia Review; British Journal of Clinical Psychology; Behaviour Research and Therapy; Journal of Behavioural Therapy and Experimental Psychology; Psychological Medicine; Journal of Abnormal Psychology; Psychiatry Research

Study	Participant groups	Finding of association
<b>Worry (clinical)</b>		
1. Freeman & Garety (1999)	15 Persecutory delusions 14 Generalised anxiety disorder	✓
2. Morrison & Wells (2007)	51 patients with psychosis 40 anxiety disorders 60 non-clinical	✓
3. Startup et al (2007)	30 persecutory delusions 30 non-clinical	✓
4. Bassett et al (2009)	25 persecutory delusions 25 non-clinical	✓
5. Freeman et al (2010)	30 persecutory delusions 30 high non-clinical paranoia 30 low non-clinical paranoia	✓
6. Foster et al (2010)	24 persecutory delusions	✓
<b>Worry (Non-clinical)</b>		
7. Freeman et al (2008)	200 non-clinical	✓
8. Freeman et al (2010)	8580 non-clinical	✓
9. Freeman et al (2011)	7281 non-clinical	✓
10. Freeman et al (2012)	2382 non-clinical	✓
<b>Self-focus (clinical)</b>		
11. Smári et al (1994)	30 patients with schizophrenia	✓
12. Blackshaw et al (2001)	25 Asperger Syndrome 18 non-clinical	✓
13. Abell & Hare (2005)	46 Asperger syndrome	✓
<b>Self-focus (non-clinical)</b>		
14. Fenigstein & Venable (1992)	581 non-clinical	✓
15. Bodner & Mikulincer (1998)	177 non-clinical	x
16. Martin & Penn (2001)	193 non-clinical	✓
17. Von Gemmingen et al (2003)	107 non-clinical	✓
18. Combs & Penn (2004)	60 non-clinical	✓
19. Freeman et al (2005)	327 non-clinical	✓

20. Ellett & Chadwick (2007)	130 non-clinical	✓
<b>Attentional bias towards external threat (clinical)</b>		
21 Phillips et al (2000)	19 Persecutory Delusions 8 Non-Persecutory Delusion Schizophrenia Patients 18 Non-Clinical controls	x
22. Freeman et al (2000)	11 persecutory delusions 12 generalised anxiety disorder 12 non-clinical	x
23. Green et al (2003)	19 Schizophrenia Patients 11 Deluded 8 Non-Deluded 22 Non-Clinical Controls	x
24. Taylor & John (2003)	12 Persecutory Delusions 12 Depressed Patients 12 Non-Clinical controls	x
25. Moritz & Laudan (2007)	24 Schiz. Patients 12 Current Paranoia 12 Non-Paranoid 34 Non-Clinical Controls	x
<b>Attentional bias towards external threat (non-clinical)</b>		
26. Green et al (2003)	47 Non-Clinical	x
27. Arguedas et al (2006)	44 Non-Clinical	✓
<b>Insomnia (clinical)</b>		
28. Freeman et al (2009)	30 persecutory delusions	✓
29. Myers et al (2011)	15 persecutory delusions	✓
<b>Insomnia (non-clinical)</b>		
30. Freeman et al (2010)	8580 non-clinical	✓
31. Freeman et al (2011)	7281 non-clinical	✓
32. Freeman et al (2012)	2382 non-clinical	✓
<b>Interpersonal sensitivity (Clinical)</b>		
33. Valmaggia et al (2007)	21 at risk mental state	✓
34. Freeman et al (2010)	30 persecutory delusions 30 high non-clinical paranoia 30 low non-clinical paranoia	✓
35. Masillo et al (2012)	62 at risk mental state 39 non-clinical	✓
<b>Interpersonal sensitivity (non-clinical)</b>		
36. Freeman et al (2003)	24 non-clinical	✓

37. Freeman et al (2005)	327 non-clinical	✓
38. Freeman et al (2008)	200 non-clinical	✓
39. Green et al (2011)	58 non-clinical	✓

## **References**

### **Emotion – Worry (Clinical)**

1. Freeman D, Garety PA. WORRY, WORRY PROCESSES AND DIMENSIONS OF DELUSIONS: AN EXPLORATORY INVESTIGATION OF A ROLE FOR ANXIETY PROCESSES IN THE MAINTENANCE OF DELUSIONAL DISTRESS. Behavioural and cognitive psychotherapy. 1999;27(01):47-62.
2. Morrison AP, Wells A. Relationships between worry, psychotic experiences and emotional distress in patients with schizophrenia spectrum diagnoses and comparisons with anxious and non-patient groups. Behaviour research and therapy. 2007;45(7):1593-600.
3. Startup H, Freeman D, Garety PA. Persecutory delusions and catastrophic worry in psychosis: developing the understanding of delusion distress and persistence. Behaviour research and therapy. 2007;45(3):523-37.
4. Bassett M, Sperlinger D, Freeman D. Fear of madness and persecutory delusions: Preliminary investigation of a new scale. Psychosis. 2009;1(1):39-50.
5. Foster C, Startup H, Potts L, Freeman D. A randomised controlled trial of a worry intervention for individuals with persistent persecutory delusions. Journal of behavior therapy and experimental psychiatry. 2010;41(1):45-51.
6. Freeman D, Pugh K, Vorontsova N, Antley A, Slater M. Testing the continuum of delusional beliefs: an experimental study using virtual reality. Journal of abnormal psychology. 2010;119(1):83-92.

### **Worry (NonClinical)**

7. Freeman D, Pugh K, Antley A, Slater M, Bebbington P, Gittins M, et al. Virtual reality study of paranoid thinking in the general population. The British journal of psychiatry : the journal of mental science. 2008;192(4):258-63.
8. Freeman D, Brugha T, Meltzer H, Jenkins R, Stahl D, Bebbington P. Persecutory ideation and insomnia: findings from the second British National Survey of Psychiatric Morbidity. Journal of psychiatric research. 2010;44(15):1021-6.
9. Freeman D, McManus S, Brugha T, Meltzer H, Jenkins R, Bebbington P. Concomitants of paranoia in the general population. Psychological medicine. 2011;41(5):923-36.

10. Freeman D, Stahl D, McManus S, Meltzer H, Brugha T, Wiles N, et al. Insomnia, worry, anxiety and depression as predictors of the occurrence and persistence of paranoid thinking. *Social psychiatry and psychiatric epidemiology*. 2011;1-9.

### **Emotion - Self-Focus (Clinical)**

11. Smári J, Stefánsson S, Thorgilsson H. Paranoia, self-consciousness, and social cognition in schizophrenics. *Cognitive Therapy and Research*. 1994;18(4):387-99.

12. Blackshaw AJ, Kinderman P, Hare DJ, Hatton C. Theory of mind, causal attribution and paranoia in Asperger syndrome. *Autism : the international journal of research and practice*. 2001;5(2):147-63.

13. Abell F, Hare DJ. An experimental investigation of the phenomenology of delusional beliefs in people with Asperger syndrome. *Autism : the international journal of research and practice*. 2005;9(5):515-31.

### **Self-Focus (Non Clinical)**

14. Fenigstein A, Venable PA. Paranoia and self-consciousness. *Journal of personality and social psychology*. 1992;62(1):129-38.

15. Bodner E, Mikulincer M. Learned helplessness and the occurrence of depressive-like and paranoid-like responses: the role of attentional focus. *Journal of personality and social psychology*. 1998;74(4):1010-23.

16. Martin JA, Penn DL. Social cognition and subclinical paranoid ideation. *The British journal of clinical psychology / the British Psychological Society*. 2001;40(Pt 3):261-5.

17. von Gemmingen MJ, Sullivan BF, Pomerantz AM. Investigating the relationships between boredom proneness, paranoia, and self-consciousness. *Personality and Individual Differences*. 2003;34(6):907-19.

18. Combs DR, Penn DL. The role of subclinical paranoia on social perception and behavior. *Schizophrenia research*. 2004;69(1):93-104.

19. Freeman D, Dunn G, Garety PA, Bebbington P, Slater M, Kuipers E, et al. The psychology of persecutory ideation I: a questionnaire survey. *The Journal of nervous and mental disease*. 2005;193(5):302-8.

20. Ellett L, Chadwick P. Paranoid cognitions, failure, and focus of attention in college students. *Cognition & Emotion*. 2007;21(3):558-76.

### **Emotion - Attentional Bias Towards External Threat (Clinical)**

21. Freeman D, Garety PA, Phillips ML. An examination of hypervigilance for external threat in individuals with generalized anxiety disorder and individuals with persecutory delusions using visual scan paths. *Q J Exp Psychol Sect A-Hum Exp Psychol*. 2000;53(2):549-67.
22. Phillips ML, Senior C, David AS. Perception of threat in schizophrenics with persecutory delusions: an investigation using visual scan paths. *Psychological medicine*. 2000;30(1):157-67.
23. Green MJ, Williams LM, Davidson D. Visual scanpaths to threat-related faces in deluded schizophrenia. *Psychiatry research*. 2003;119(3):271-85.
24. Taylor JL, John CH. Attentional and memory bias in persecutory delusions and depression. *Psychopathology*. 2004;37(5):233-41.
25. Moritz S, Laudan A. Attention bias for paranoia-relevant visual stimuli in schizophrenia. *Cognitive neuropsychiatry*. 2007;12(5):381-90.

### **Attentional Bias Towards External Threat (Non Clinical)**

26. Green MJ, Williams LM, Davidson D. Visual scanpaths and facial affect recognition in delusion-prone individuals: Increased sensitivity to threat? *Cognitive neuropsychiatry*. 2003;8(1):19-41.
27. Arguedas D, Green MJ, Langdon R, Coltheart M. Selective attention to threatening faces in delusion-prone individuals. *Cognitive neuropsychiatry*. 2006;11(6):557-75.

### **Emotion – Insomnia (Clinical)**

28. Freeman D, Pugh K, Vorontsova N, Southgate L. Insomnia and paranoia. *Schizophrenia research*. 2009;108(1-3):280-4.
29. Myers E, Startup H, Freeman D. Cognitive behavioural treatment of insomnia in individuals with persistent persecutory delusions: A pilot trial. *Journal of behavior therapy and experimental psychiatry*. 2011;42(3):330-6.

### **Insomnia (Non Clinical)**

30. Freeman D, Brugha T, Meltzer H, Jenkins R, Stahl D, Bebbington P. Persecutory ideation and insomnia: findings from the second British National Survey of Psychiatric Morbidity. *Journal of psychiatric research*. 2010;44(15):1021-6.
31. Freeman D, McManus S, Brugha T, Meltzer H, Jenkins R, Bebbington P. Concomitants of paranoia in the general population. *Psychological medicine*. 2011;41(5):923-36.
32. Freeman D, Stahl D, McManus S, Meltzer H, Brugha T, Wiles N, et al. Insomnia, worry, anxiety and depression as predictors of the occurrence and persistence of paranoid thinking. *Social psychiatry and psychiatric epidemiology*. 2011:1-9.

### **Emotion – Interpersonal Sensitivity (Clinical)**

33. Valmaggia LR, Freeman D, Green C, Garety P, Swapp D, Antley A, et al. Virtual reality and paranoid ideations in people with an 'at-risk mental state' for psychosis. *The British journal of psychiatry Supplement*. 2007;51:s63-8.
34. Freeman D, Pugh K, Vorontsova N, Antley A, Slater M. Testing the continuum of delusional beliefs: an experimental study using virtual reality. *Journal of abnormal psychology*. 2010;119(1):83-92.
35. Masillo A, Day F, Laing J, Howes O, Fusar-Poli P, Byrne M, et al. Interpersonal sensitivity in the at-risk mental state for psychosis. *Psychological medicine*. 2012:1-11.

### **Interpersonal Sensitivity (Non Clinical)**

36. Freeman D, Slater M, Bebbington PE, Garety PA, Kuipers E, Fowler D, et al. Can virtual reality be used to investigate persecutory ideation? *The Journal of nervous and mental disease*. 2003;191(8):509-14.
37. Freeman D, Dunn G, Garety PA, Bebbington P, Slater M, Kuipers E, et al. The psychology of persecutory ideation I: a questionnaire survey. *The Journal of nervous and mental disease*. 2005;193(5):302-8.
38. Freeman D, Pugh K, Antley A, Slater M, Bebbington P, Gittins M, et al. Virtual reality study of paranoid thinking in the general population. *The British journal of psychiatry : the journal of mental science*. 2008;192(4):258-63.
39. Green CE, Freeman D, Kuipers E, Bebbington P, Fowler D, Dunn G, et al. Paranoid explanations of experience: a novel experimental study. *Behavioural and cognitive psychotherapy*. 2011;39(1):21-34.